



You don't have to customize ACSS before you start building. You can do it while you're building the site


**Content is always the same width
(there are exceptions...)**


There's a lot to love about the






Mo
regi
best
exp
fun
driven monetization





The screenshot shows an iPhone home screen with a grid of app icons. The dock at the bottom contains the following items from left to right: a 'New Tab' icon (a plus sign), a 'Home (Builder)' icon (a WordPress logo), and a plus sign icon. The background is a light gray color.



The screenshot shows a video player interface with a dark theme. The video content displays a web browser window. The browser's address bar shows the URL `acss101.sandbox.automaticcss.com`. The page content includes a heading "ACCENT HEADING" followed by the text "This is just a placeholder". Below this, there is a video player showing a man with a beard, glasses, and a black cap with a logo. The browser's sidebar on the left contains various icons and a search bar. The video player controls at the bottom show a progress bar at 04:58 out of 22:10.

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 990 H - % 100

Inner

#brxe-393b9a1.fr-hero-oscar__inner

CONTE...STYLE

Use query loop

HTML tagdiv

Displayflex

Flex wrapNo wrap

Direction

Align self

Align main axis

Align cross axis

Column gap28.187

Row gap28.187

Flex grow0

Flex shrink1

Flex basisauto

Order0

Structure

Hero Oscar

Inner

Image Group Delta

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

This is the gutter

Section

05:36-21:32

Inner

#brxe-393b9a1

.fr-hero-oscar__inner

CONTE...STYLE

Use query loop☐

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

This white space is not all gutter!
The gutter is there but it seems more because of the size of the screen

Hero Oscar

Inner

Image Group Delta

05:40-21:28

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744 H - % 100

Image Group ...

#brxe-ce8e501

.fr-image-group-delta

CONTE...STYLE

Use query loop

HTML tag

div

Display

grid

Gap

Grid template columns

Grid template rows

Grid auto columns

auto

Grid auto rows

auto

Grid auto flow

row

Justify items

Align items

Justify content

Align content

Align self

Flex grow

0

Flex shrink

1

Flex basis

auto

Layout

< HomeSave

Website Dimensions

Content WidthMobile/Desktop

320 px1280 px

Breakpoints

Header

Content Grid

Boxed Layout

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

+⌵⌵⌵⌵⌵⌵

v. 3.0.0-beta-2

06:23-20:44

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744 H - % 100

Image Group ...

#brxe-ce8e50 1

.fr-image-group-delta

CONTE... STYLE

Use query loop ☐

HTML tag div

Display grid

Gap

Grid template columns

Grid template rows

Grid auto columns auto

Grid auto rows auto

Grid auto flow row

Justify items

Align items

Justify content

Align content

Align self

Flex grow 0

Flex shrink 1

Flex basis auto

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Container

Layout

< Home Save

Website Dimensions

Content Width Mobile/Desktop

320 px 1366 px

Breakpoints

Header

Content Grid

Boxed Layout

Kevin's default

v. 3.0.0-beta-2

07:21 -19:46

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744 H - % 100

COLORS

CONTENT

LINKS

• TYPOGRAPHY

POPUP

ELEMENT - SECTION

• ELEMENT - CONTAINER

Display flex

Direction

Align main axis

Align cross axis

• Width var(--content-width)

Min. width

Max. width

Column gap

Row gap

Margin

Padding

ELEMENT - BLOCK

ELEMENT - DIV

ELEMENT - ACCORDION

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

You need to put the same width in the Page Builders Container. Here we make use of a variable

+

□

+

+

+

+

+

+

+

+

Structure

Hero Oscar

Inner

Image Group Delta

08:16

18:51

Block

#brxe-tiumdu

CONTE...STYLE

Use query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Elements

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744H -% 100

Structure

Hero Oscar

Inner

Image Group Delta

Block

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

2

A Block element is not a Container!
It's 100% wide by default

1

09:15-17:52

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744 H - % 100

Image

#brxe-vkybp1

CONTE...STYLE

LAYOUT

SPACING

Margin

Padding

SIZING

Width100%

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Positionstatic

Top

Right

Bottom

Left

Z-index0

Order0

Structure

Hero Oscar

Inner

Image Group Delta

Block

Image



Block

#brxe-tiumdu

content-width

OTHER CLASSES (3)

.content-wi

.content-width--safe

.content-width--narrow

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

Aspect ratio

POSITIONING

Positionstatic

Top

Right

Bottom

Left

Z-index0

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744H -% 100

Structure

Hero Oscar

Inner

Image Group Delta

Block

Image

You can also use a Utility class

11:05

-16:03

Block

#brxe-tiumdu

CONTE...STYLE

LAYOUT

SPACING

Margin

Padding

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

Aspect ratio

POSITIONING

Position

static

Top

Right

Bottom

Left

Z-index

0

acss101.sandbox.automaticcss.com

W 1744H -% 100

Structure

Hero Oscar

Inner


Image Group Delta

Block

Image

With 'calc' you can manipulate the Block element:

calc(var(--content-width) / 2)





Section

11:30-15:37

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744 H - % 100

Image Group ...

#brxe-ce8e50 1

.fr-image-group-delta

CONTE... STYLE

LAYOUT

SPACING

Margin

109 109

Padding

SIZING

Width 100%

Min. width

Max. width

Height

Min. height

Max. height

Aspect ratio

POSITIONING

Position static

Top

Right

Bottom

Left

Z-index 0

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Image

Structure


Hero Oscar

Inner

Image Group Delta

12:33

-14:34



ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

Mobile landscape (<= 767px)

W 766 H - % 100

Hero Oscar

#brxe-9200fc 1

.fr-hero-oscar

CONTE... STYLE

LAYOUT

SPACING

MARGIN

PADDING

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

Aspect ratio

POSITIONING

Position static

Top

Right

Bottom

Left

Z-index 0

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

But now you see the problem at the edges.

Also the content is touching the edges what we don't want

+ [] [] [] []

Structure

Hero Oscar

Inner

Image Group Delta

13:13

-13:54

Inner

#brxe-393b9a1

content-width--|

ELEMENT CLASSES

.fr-hero-oscar__inner

OTHER CLASSES (2)

.content-width--safe

.content-width--narrow

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Structure

Hero Oscar

Inner

Image Group Delta

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

Aspect ratio

POSITIONING

Positionstatic

Top

Right


Bottom


Left

Z-index0

15:11

11:56





Inner

.fr-hero-osca...

×

1

.fr-hero-oscar__inner

×

CONTE...

STYLE

LAYOUT

SPACING

Margin

189

189

Padding

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

Aspect ratio

POSITIONING

Position

static

Top

Right

Bottom

Left

Z-index

0

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

W 1744 H - % 100

Structure

Hero Oscar

Inner

Image Group Delta

der

here to fill up

Because this Block already has a class you could put the variable inside the class. But that would effect every Block which shares this class.


Dependent on the situation you could create a new class with the variable inside

16:43

10:25

Because this Block already has a class you could put the variable inside the class. But that would effect every Block which shares this class.

Dependent on the situation you could create a new class with the variable inside



1 item




I am a heading



This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have this placeholder text with your real content.

Sometimes it's nice to put in text just to get an idea of how text w



ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

Customize0NewEdit PostEdit with BricksRender with BricksAutomatic.css

Howdy, luxivihju4240



This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we replace this placeholder text with your real content.

Sometimes it's nice to put in text just to get an idea of how text will fill in a space on your website.

Traditionally our industry has used Lorem Ipsum. Unfortunately, not everyone is familiar with Lorem Ipsum, which can lead to confusion. I can't tell you how many times clients have asked me why their website is in another language!

There are other placeholder text alternatives like Hipster Ipsum, Zombie Ipsum, Bacon Ipsum, and many more. While often hilarious, they can also lead to much of the same confusion.

If you're curious, this is Website Ipsum. It was specifically developed for the use on development websites. Other than being less predictable, Website Ipsum is also formatted in patterns more similar to how real copy is formatted on the web today.



18:14

08:53

Page settings

GENERAL

SCROLL SNAP

ONE PAGE NAVIGATION

CUSTOM CODE

Custom CSS

```
1 body {
2   --content-width: 60ch;
3 }
```

Adds inline CSS to <head> tag.

Header scripts

Blog: Single

No WordPress added content found.

Structure

Section

Container

Heading

Post Content

We're now in the Blog Template and put CSS Code in the Page settings.

We only redefine the '--content-width' variable and we have a better content width for all Blog posts



20:25

-06:42


ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

Customize0NewEdit PostEdit with BricksRender with BricksAutomatic.css

Howdy, luxivihju4240

Generic Blog Post



This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Sometimes it's nice to put in text just to get an idea of how text will fill in a space on your website.

Traditionally our industry has used Lorem Ipsum, which is placeholder text written in Latin. Unfortunately, not everyone is familiar with Lorem Ipsum and that can lead to confusion. I can't tell you how many times clients have asked me why their website is in another language!

There are other placeholder text alternatives like Hipster Ipsum, Zombie Ipsum, Bacon Ipsum, and many more. While often hilarious, these placeholder passages can also lead to much of the same confusion.

If you're curious, this is Website Ipsum. It was specifically developed for the use on development websites. Other than being less confusing than other Ipsum's, Website Ipsum is also formatted in patterns more similar to how real copy is formatted on the web today.



20:33-06:34

ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

Customize0+ NewEdit PageEdit with BricksRender with BricksAutomatic.css

Howdy, luxivihju4240

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.




Not affecting the home page






20:50-06:17

**You can do this as well
on the Section level**






The image is a screenshot of a video player displaying a web development tutorial. The video content shows a web browser window with a URL 'acss101.sandbox.automaticcss.com'. The page displays a heading 'ACCENT HEADING' and a large text 'This is just a placeholder'. Below the text are three placeholder images. A yellow arrow points to the 'content-width--narrow' class in the left sidebar. The right sidebar shows the 'Structure' panel with 'Hero Oscar' selected. The bottom of the video player shows a progress bar and a thumbnail of a man wearing a cap and glasses.

☐ Title	Type	Conditions	Bundle	Tags	Shortcode	Author	Date
☐ Blog: Single — Bricks Edit Quick Edit Trash View Export Template Edit with Bricks	Single	Post type (Post)	-	-	[bricks_template id="207"]	luxivihiju4240	Published 2024/05/01 at 1:05 pm
☐ Title	Type	Conditions	Bundle	Tags	Shortcode	Author	Date

We go back to the Template for explaining the 'body class'







ACSS 101_02 - Establishing & Manipulating Your Site's Content Width.webm

acss101.sandbox.automaticcss.com

Customize 0 + New Edit Post Edit with Bricks Render with Bricks Automatic.css

Howdy, luxivihju4240

Generic Blog Post

body.post-template-de
fault.single.single-pos
t.postid-205.single-for
mat-standard.log... 2097 x 1498.51

Elements Console Source

```
<head>...</head>  
...<body class="post-template-default single postid-205 single-format-standard logged-in admin-bar bricks-is-frontend wp-embed-responsive test-body-class customize-support" style="--section-padding-x: clamp(20px, 15vw + 1.6443594646271507px, 80px);">  
  <a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a>  
  <main id="brx-content">  
    <section class="brxe-section">  
    </main>  
    <script src="https://acss101.sandbox.automaticcss.com/wp-includes/js/hoverintent-js.min.js?ver=2.2.1" id="hoverintent-js-js"></script>  
    <script src="https://acss101.sandbox.automaticcss.com/wp-includes/js/admin-bar.min.js?ver=6.5.2" id="admin-bar-js"></script>  
    <script id="bricks-scripts-js-extra">  
  </script>  
</body>
```

Event Listeners

```
:hover .cls  
p(20px, 15vw + 80px);  
frontend.mi...712324173:1
```

25:47

25:47 01:20

ass.customize-support

body {

generic-blog-post/:62

We could also add the Utility class we made in the previous steps and every Blog post looks the same





