

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

acss-101.sandbox.automaticcss.com

W 1497 H - % 100

Text link

#brxe-juoftr

CONTENTSTYLE

Text link

Link to

External URL

URL

#

Attribute: rel

Attribute: aria-label

Attribute: title

Open in new tab

ICON

Icon

Structure

Section

Intro Bravo

Heading

Container

Button

Text link

Basic Text

Section

Intro Bravo

Heading

Container

Button

Text link

Basic Text

Section

Intro Bravo

Heading

Container

Button

Buttons vs links

I am a button

Text link

I'm a button

Important to know is the difference between Buttons and Links

VIDEO

How to apply button styles

Just use a utility class!

I am a button

Text link

I'm a button

Variants: Dark & Light

Frames.io

Frames (Bricks)

Icons

ACSS.com

Envato Elements:...

Inspiration

Pull Requests

Tools

New Tab

Buttons (Builder)

00:54

-36:57

Google

Facebook

YouTube

Brave

Firefox

Opera

Chrome

Edge

Safari

Brave

Firefox

Opera

Chrome

Edge

Safari

<> Dev

Frames.io

Frames (Bricks)

Icons

ACSS.com

Envato Elements:...

Inspiration

Pull Requests

Tools

+ New Tab

Buttons (Builder)

acss-101.sandbox.automaticcss.com

W 1497 H - % 100

Button

#brxe-yrshji

CONTENT

STYLE

I am a button

Size

Default

Style

Primary

Circle

Outline

LINK

Link type

External URL

URL

#

Attribute: rel

Attribute: aria-label

Attribute: title

Open in new tab

ICON

Icon

Buttons vs links

I am a button

The Bricks Button element

Text link

I'm a button

Section

How to apply button styles

Just use a utility class!

I am a button

Text link

I'm a button

Variants: Dark & Light

Structure

Section

Intro Bravo

Heading

Container

Button

Text link

Basic Text

Section

Intro Bravo

Container

Button

Text link

Basic Text

Section

Intro Bravo

Container

Button

01:03

-36:48

Intro Bravo

Heading

A man with a beard and glasses, wearing a black cap and a maroon shirt, smiling broadly with his eyes closed.

A man with a beard and glasses, wearing a black cap and a maroon t-shirt, speaking enthusiastically.


```

"Skip to main content">Skip to main content</a> flex
▼ <main id="brx-content">
  ▼ <section class="brxe-section"> flex
    ▶ <div class="brxe-container fr-intro-bravo"> ...
      </div> flex
    ▼ <div class="brxe-container"> flex
      ...
      <a class="brxe-button bricks-button bricks-backg
round-primary" href="#">I am a button</a> flex
      == $0
      <a class="brxe-text-link" href="#">Text link</a>
flex
      <button class="brxe-text-basic">I'm a button
</button>
</div>
er a.brxe-button.bricks-button.bricks-background-primary
Styles Computed Layout Event Listeners >>
Filter :hov .cls +, ,
element.style {
}
.bricks-background-primary { frontend.mi...719241710:1
background-color: var(--bricks-color-primary);
}
.brxe-button { frontend.mi...719241710:1
width: auto;
}
.bricks-button { frontend.mi...719241710:1
align-items: center;
border-width: 0;
color: var(--bricks-text-dark);
display: inline-flex;
gap: 10px;
justify-content: center;
letter-spacing: .5px;
padding: .5em 1em;
text-align: center;
}
[class*=brxe-] { frontend.mi...719241710:1
max-width: 100%;
}

```

Buttons vs links

a.brxe-button.bricks-b
utton.bricks-backgroun
d-primary 149.23 x 42.94

am a button

Text link

I'm a button

The Button element in Bricks is actually not a Button but an <a> tag

How to apply button styles

Just use a utility class!

I am a button

Text link

I'm a button

Variants: Dark & Light





Elements

Console

>>

Settings

Close

"Skip to main content">Skip to main content flex

<main id="brx-content">

<section class="brxe-section"> flex

<div class="brxe-container fr-intro-bravo"> ...

</div> flex

<div class="brxe-container"> flex

<a class="brxe-button bricks-button bricks-backg
round-primary" href="#">I am a button flex

Text link

flex

<button class="brxe-text-basic">I'm a button

</button> == \$0

</div>

</section>

n.brxe-section div.brxe-container button.brxe-text-basic

Styles

Computed

Layout

Event Listeners

>>

Filter

:hov .cls + -

element.style {

}

[class*=brxe-] {

max-width: 100%;

}

button, input, optgroup, select,

textarea {

font-family: inherit;

text-align: inherit;

}

button {

border: ▶ none;

cursor: pointer;

outline: ▶ none;

padding: ▶ 0;

}

[type=reset], [type=submit],

button, html [type=button] {

-webkit-appearance: button;

}

button, select {

text-transform: none;

Buttons vs links

I am a button

Text link

button.brxe-text-basic 97.06 x 20.7

I'm a button

Only this custom element is an actual Button

How to apply button styles

Just use a utility class!

I am a button

Text link

I'm a button

Variants: Dark & Light



Elements

Console

>>

Settings

Close

"Skip to main content">Skip to main content flex

<main id="brx-content">

<section class="brxe-section"> flex

<div class="brxe-container fr-intro-bravo"> ...

</div> flex

<div class="brxe-container"> flex

<a class="brxe-button bricks-button bricks-backg
round-primary" href="#">I am a button flex

Text link

flex

<button class="brxe-text-basic">I'm a button

</button> == \$0

</div>

</section>

n.brxe-section div.brxe-container button.brxe-text-basic

Styles

Computed

Layout

Event Listeners

>>

Filter

:hov .cls + -

element.style {

}

[class*=brxe-] {

max-width: 100%;

}

button, input, optgroup, select,

textarea {

font-family: inherit;

text-align: inherit;

}

button {

border: ▶ none;

cursor: pointer;

outline: ▶ none;

padding: ▶ 0;

}

[type=reset], [type=submit],

button, html [type=button] {

-webkit-appearance: button;

}

button, select {

text-transform: none;

}

acss-101.sandbox.automaticcss.com/buttons/?bricks_preview=1719241718#

frontend.mi...719241710:1

Buttons vs links

I am a button

Text link

I'm a button

Links are navigational elements! So if you want the user go to a different place on your site you better use a link

How to apply button styles

Just use a utility class!

I am a button

Text link

I'm a button

Variants: Dark & Light



Elements

Console

>>

Settings

Close

"Skip to main content">Skip to main content

<main id="brx-content">

<section class="brxe-section">

<div class="brxe-container fr-intro-bravo">

</div>

<div class="brxe-container">

<a class="brxe-button bricks-button bricks-backg
round-primary" href="#">I am a button

Text link

<button class="brxe-text-basic">I'm a button
</button>

</div>

</section>

n.brxe-section

div.brxe-container

button.brxe-text-basic

Styles

Computed

Layout

Event Listeners

>>

Filter

:hov .cls

+

+

+

element.style {

}

[class*=brxe-] {

max-width: 100%;

}

button, input, optgroup, select,
textarea {

font-family: inherit;

text-align: inherit;

}

button {

border: none;

cursor: pointer;

outline: none;

padding: 0;

}

[type=reset], [type=submit],
button, html [type=button] {

-webkit-appearance: button;

}

button, select {

text-transform: none;

acss-101.sandbox.automaticcss.com

acss-101.sandbox.automaticcss.com

Customize

0

New

Edit Page

Edit with Bricks

Render with Bricks

Automatic.css

Howdy, luxivihju4240

Buttons vs links

I am a button

Text link

I'm a button

The "real" button is for triggering on page events

For example: Modal, Form and stuff on the page

How to apply button styles


Just use a utility class!


I am a button

Text link


I'm a button

Variants: Dark & Light





The screenshot shows a web browser window displaying a video player. The video player has a dark theme and a sidebar on the left. The sidebar contains a search bar and a list of items, including 'Text link', 'Link to', 'External URL', 'URL', 'Attribute: rel', 'Attribute: aria-label', 'Attribute: title', and 'Open in new tab'. The video player is titled 'ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm'. The video content is titled 'How to apply button styles' and shows a red button labeled 'I am a button' and a red button labeled 'Text link' with a yellow circle around it. The video player has a sidebar on the right with a 'Structure' panel. The video player is titled 'ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm'.



The screenshot displays a web browser window with a video player. The video content shows a web design interface. On the left, there is a sidebar with various tools and settings, including a 'Container' panel with options like 'HTML tag', 'Display', 'Flex wrap', 'Direction', 'Align self', 'Align main axis', 'Align cross axis', 'Column gap', 'Row gap', 'Flex grow', 'Flex shrink', 'Flex basis', and 'Order'. The main canvas area features a red background with the text 'Variants: Dark & Light' and two yellow buttons, one of which is highlighted with a red circle. The right sidebar contains a 'Structure' panel showing a hierarchy of elements. The video player has a progress bar at the bottom showing 05:09 / -32:43. A small inset video in the bottom right corner shows a man wearing a cap and glasses speaking.

A man with a beard and glasses, wearing a maroon t-shirt and a black baseball cap, smiling at the camera. The background is a blurred indoor setting with a white door.

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

acss-101.sandbox.automaticcss.com

W 1497 H - % 100

Button

.btn--outline

.btn--primary

.btn--outline

CONTENT

STYLE

I am a button

Size: Default

Style: Primary

Circle: ☐

Outline: ☒

LINK

Link type: External URL

URL: #

Attribute: rel

Attribute: aria-label

Attribute: title

Open in new tab: ☐

ICON

Icon: ☐

Typography: ☐

Structure

Button

Text link

Basic Text

Section

Intro Bravo

Heading

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Section

Container

Container

Stacking classes.

I am a button

1

Variants: Outline (By Default)

Can we make the outline version the default?

I am a button

What about black, white, and neutral?

Frames.io

Frames (Bricks)

Icons

ACSS.com

Envato Elements:...

Inspiration

Pull Requests

Tools

New Tab

Buttons (Builder)

Buttons - acss-101...

07:20

-30:31

07:20

-30:31

07:20

-30:31



Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Primary

Secondary

Solid

Background

red

Text Color

red

Border Color

red

Focus Color

--secondary-light

Dark

Background

--secondary-dark

Text Color

--secondary-ultra-light

Border Color

--secondary-dark

Focus Color

--secondary-semi-dark

Light

Background

--secondary-ultra-light

Text Color

--secondary

Border Color

--secondary-ultra-light

Focus Color

--secondary-light

Container

#brxe-dnfxye

CONTENT

STYLE

Query loop

HTML tag

div

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

acss-101.sandbox.automaticcss.com

W 1284 H - % 100

... you have control over the Secondary Button

Variants: Outline (By Default)

Can we make the outline version the default?

I am a button

What about black, white, and neutral?

I am a button I am a button I am a button

Let's talk about global styling vs button set styling

I am a button I am a button I am a button

Structure

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Intro Bravo

09:03

-28:48

Apple

Google

Hand

Sketch

VS Code

Terminal

Trash

Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Primary

Solid

Background

--primary

Text Color

--primary-ultra-light

Border Color

--primary

Focus Color

--primary-light

Dark

Background

--primary-dark

Text Color

--primary-ultra-light

Border Color

--primary-dark

Focus Color

--primary-semi-dark

Light

Background

--primary-ultra-light

Text Color

--primary

Border Color

--primary-ultra-light

Focus Color

--primary-light

Outline

Container

#brxe-dnfxye

CONTENT

STYLE

Query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

acss-101.sandbox.automaticcss.com

W 1284 H - % 100

Variants: Outline (By Default)

Can we make the outline version the default?

I am a button

What about black, white, and neutral?

I am a button I am a button I am a button

Let's talk about global styling vs button set styling

I am a button I am a button I am a button

Structure

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Container

Section

Intro Bravo



HomeSave

Background--primary-ultra-light

Text Color--primary

Border Color--primary-ultra-light

Focus Color--primary-light

Outline

Backgroundtransparent

Text Color--primary

Border Color--primary

Focus Color--primary-semi-light

Dark Outline

Backgroundtransparent

Text Color--primary-dark

Border Color--primary-dark

Focus Color--primary-semi-dark

Light Outline

Backgroundtransparent

Text Color--primary-light

Border Color--primary-light

Focus Color--primary-light

Neutral

Container

#brxe-dnfxye

CONTENTSTYLE

Query loop

HTML tagdiv

Displayflex

Flex wrapNo wrap

Direction

Align self

Align main axis

Align cross axis

Column gap30px

Row gap30px

Flex grow0

Flex shrink1

Flex basisauto

Order0

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

acss-101.sandbox.automaticcss.com

W 1284H -% 100

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Container

Section

Intro Bravo

Paint a button

Variants: Outline (By Default)

Can we make the outline version the default?

I am a button

What about black, white, and neutral?

I am a buttonI am a buttonI am a button

Let's talk about global styling vs button set styling

I am a buttonI am a buttonI am a button

Structure

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Container

Section

Intro Bravo

09:39

-28:13

Buttons & Links

< Home

Save

Buttons

Links

Options

Buttons (Master)

Primary

- Primary Buttons
- Light/Dark Variants
- Outline Variants

Neutral

Container

#brxe-dnfxye

CONTENT

STYLE

Query loop

HTML tag

div

display

flex

flex v

flex h

align self

Align main axis

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Variants: Outline (By Default)

Can we make the outline version the default?

Now we have turned off
the other Variants

What about black, white, and neutral?

I am a button

I am a button

I am a button

Let's talk about global styling vs button set styling

I am a button

I am a button

I am a button

Structure

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Button

Section

Intro Bravo

Section

Intro Bravo

Section

Intro Bravo

Section

Intro Bravo

Section

Intro Bravo

Section

Intro Bravo

v. 3.0.0

Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Primary

Solid

Background

--primary

Text Color

--primary-ultra-light

Border Color

--primary

Focus Color

--primary-light

Neutral

Container

#brxe-dnfxye

CONTENT

STYLE

Query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Align

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

acss-101.sandbox.automaticcss.com

W 1284 H - % 100

Paint a button

Can we make the outline version the default?

+

What about black, white, and neutral?

I am a button

I am a button

I am a button

Let's talk about global styling vs button set styling

I am a button

I am a button

I am a button

Structure

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Container

Now you have much less options compared to the previous settings

Let's talk about global styling vs button set styling

I am a button

I am a button

I am a button

Let's talk about global styling vs button set styling

I am a button

I am a button

I am a button



Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Primary

Solid

Background

1

transparent

Text Color

--primary-ultra-light

Border Color

--primary

Focus Color

--primary-light

Neutral

Container

#brxe-dnfxye

CONTENT

STYLE

Query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Text link

I'm a button

How to apply button styles

Just use a utility class!

I am a button

Text link

I'm a button

Container

To make these Buttons default 'Outline' we just change the settings

Variants: Dark & Light

I am a button

I am a button

Structure

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Button

Section

Intro Bravo

v. 3.0.0

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

acss-101.sandbox.automaticcss.com

W 1284 H - % 100

11:00 -26:51

Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Primary

Solid

Background

Transparent

Text Color

--primary

Border Color

--primary

Focus Color

--primary-light

Neutral

Container

#brxe-dnfxye

CONTENT

STYLE

Query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

30px

Row gap

30px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Text link

I'm a button

How to apply button styles

Just use a utility class!

I am a button

Text link

Text link

I'm a button

I am a button

I am a button

Structure

Container

Button

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Button

Section

Container

Intro Bravo

v. 3.0.0

1

2

3

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

acss-101.sandbox.automaticcss.com

W 1284 H - % 100

11:13

-26:38



Buttons & Links

< Home

Save

Buttons

Links

Options

Buttons (Master)

Primary

Neutral

Neutral Button

Light/Dark Variants

Outline Variants

Section

#brxe-clkkxr

CONTENT

STYLE

Query loop

HTML tag

section

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

64.8947px

Row gap

64.8947px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Can we make the outline version the default?

I am a button

What about black, white, and neutral?

I am a button

I am a button

I am a button

Let's talk about global styling vs button set styling

I am a button

I am a button

I am a button

But these are boring! I want gradient buttons.

I am a button

Structure

Section

Intro Bravo

Heading

Container

Button

Text link

Basic Text

Section

Intro Bravo

Heading

Basic Text

Container

Button

Text link

Basic Text

Section

Intro Bravo

Heading

v. 3.0.0

13:12

-24:40

Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Primary

Neutral

Section

#brxe-vywedt1

.bg--neutral-semi-dark

CONTENT

STYLE

Query loop

HTML tag

section

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

64.8947px

Row gap

64.8947px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

acss-101.sandbox.automaticcss.com

W 1284H -% 100

I am a buttonI am a buttonI am a button

Let's talk about global styling vs button set styling

I am a buttonI am a buttonI am a buttonI am a button

But these are boring! I want gradient buttons.

I am a button

Controlling Focus Color

I am a button

Structure

Button

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Button

Button

Button

Section

Intro Bravo

Heading

Container

Button

Button

Apple

Google

Hand

Sketch

Cursor

16:40


21:11

Volume

Network

System

Trash



Variants: Dark & Light

Text link

Section

Variants: Dark & Light

The image shows a web browser window displaying a CSS sandbox application. The browser's address bar shows the URL 'acss-101.sandbox.automaticcss.com'. The application interface is divided into several sections. On the left, there is a sidebar with a 'Home' button and a 'Save' button. Below these are settings for 'Button Typography (All)' (Line Height: 1, Letter Spacing: 0, Font Weight: 400, Font Style: Normal, Text Transform: None, Text Decoration: None) and 'Button Border Styles (All)' (Border Width: 2px, Border Style: Solid, Outline Border Width: 2px, Border Radius: --radius). A yellow box highlights the 'Button Transition (All)' section, which includes a toggle for 'Use Global Transition' and a 'Transition' input field. The main content area has a title 'Buttons vs links' and two examples: a red button labeled 'I am a button' and a text link labeled 'Text link' with the text 'I'm a button'. Below this, a section titled 'How to apply button styles' says 'Just use a utility class!' and shows three examples: a red button labeled 'I am a button', a red button labeled 'Text link', and a red button labeled 'button'. At the bottom of the page, there is a red banner with the text 'Variants: Dark & Light'. On the right side, there is a 'Structure' panel showing a tree view of the page elements. In the bottom right corner, there is a video inset showing a man with a beard and glasses speaking. The browser's status bar at the bottom shows the time as 19:52 and the battery level as 17:59.

The image is a screenshot of a web browser displaying a CSS sandbox interface. The browser's address bar shows the URL 'acss-101.sandbox.automaticcss.com'. The interface is divided into several sections. On the left, there is a sidebar with various settings. The 'Section' settings include a class name '#brxe-vywedt', a background color '.bg--neutral-semi-dark', and a 'CONTENT' tab. Below this, there are settings for 'Query loop', 'HTML tag' (set to 'section'), 'Display' (set to 'flex'), 'Flex wrap' (set to 'No wrap'), 'Direction' (set to 'row'), 'Align self' (set to 'center'), 'Align main axis' (set to 'center'), 'Align cross axis' (set to 'center'), 'Column gap' (set to '64.8947px'), 'Row gap' (set to '64.8947px'), 'Flex grow' (set to '0'), 'Flex shrink' (set to '1'), and 'Flex basis' (set to 'auto'). The 'Button Transition (All)' section is highlighted with a yellow box, and it contains a toggle for 'Use Global Transition' which is currently turned on. A yellow callout box with the text 'You can turn that off and type in your custom values' points to this toggle. The main content area displays two examples: a red button labeled 'I am a button' and a text link 'Text link' with the text 'I'm a button'. Below these examples, there is a red bar with the text 'Variants: Dark & Light'. On the right side, there is a 'Structure' panel showing a tree view of the page's components, including 'Section', 'Intro Bravo', 'Heading', 'Basic Text', 'Container', and 'Button'. In the bottom right corner, there is a video inset showing a man with a beard and glasses, wearing a black cap and a maroon shirt, speaking. The browser's status bar at the bottom shows the time '19:52' and the battery level '17:59'.

Buttons & Links

Buttons

Links

Options

Global (All Buttons)

Primary

Solid

Background

Text Color

Border Color

Focus Color

Neutral

Button

#brxe-mtdzns

CONTENT

STYLE

I am a button

HTML tag

Size

Circle

Outline

LINK

Link type

ICON

Icon

acss-101.sandbox.automaticcss.com

W 1284 H - % 100

I am a button

I am a button

I am a button

I am a button

I am a button

This is not 'background-color' input, it's 'background' input. So you can use multiple values

But these are

Controlling Focus Color

I am a button

accent heading

Let's style a third party button

Structure

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Button

Button

Button

Section

Intro Bravo

Heading

Container

Button

Button

Button

Section

v. 3.0.0

21:07

-16:44

Apple

Google

Hand

Sketch

VS Code

Terminal

Volume

Network

Bluetooth

Wi-Fi

Cellular

Battery



Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Primary

Solid

Background

eg, --primary, --primary-light

Text Color

--primary-ultra-light

Border Color

--primary

Focus Color

--primary-light

Neutral

Button

#brxe-mtdzns

CONTENT

STYLE

I am a button

HTML tag

span

Size

Default

Style

Primary

Circle

Outline

LINK

Link type

Select link type

ICON

Icon

acss-101.sandbox.automaticcss.com

W 1284 H - % 100

I am a button

I am a button

I am a button

I am a button

But these are boring! I want gradient buttons.

I am a button

Controlling Focus Color

I am a button

Gradient Button

accent heading

Let's style a third party button

Structure

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Button

Button

Button

Section

Intro Bravo

Heading

Container

Button

Button

Button

v. 3.0.0

21:37

-16:14

Apple

Google

Hand

Sketch

VS Code

Terminal

System

Trash

HomeSave

Button Spacing and Dimension (All)

Padding

.75em

1.5em

Minimum Button Width

140px

Button Typography (All)

Line Height

1

Letter Spacing

0

Font Weight

400

Font Style

Normal

Text Transform

None

Text Decoration

None

Custom Button Text Size

Button Border Styles (All)

Border Width

2px

Border Style

Solid

Outline Border Width

2px

Border Radius

--radius

Button Transition (All)

Use Global Transition

Primary

Neutral

Article Section Juliet

#brxe-878a45

1

.fr-article-section-juliet

CONTENT

STYLE

Query loop

HTML tag

section

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

64.8947px

Row gap

64.8947px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

acss-101.sandbox.automaticcss.com

W 1284H -% 100

accent heading

Let's style a third party button

SAVED

November 3, 2023

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihiju4240

Load more (2)

This is a facet from WP Grid Builder

Let's style a completely custom button

Name should start with " btn--" and then you can use an ACSS @btn recipe

Structure

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Button

Button

Button

Section

Intro Bravo

Heading

Container

Button

Button

Button

Facet

23:26

-14:26

Elements

Console

>>

Settings

Close

auto;"> flex

<div class="brxe-wpgb-facet" style="pointer-events: auto;">

<div class="wpgb-facet wpgb-facet-1" data-facet="1" data-grid="bricks-element-31e076" style="pointer-events: auto;">

<button type="button" class="wpgb-button wpgb-load-more" style="pointer-events: auto;">Load more (2)</button> == \$0

</div>

<style style="pointer-events: auto;">...

</style>

</div>

</div>

-facet.wpgb-facet-1

button.wpgb-button.wpgb-load-more

Styles

Computed

Layout

Event Listeners

>>

Filter

:hov .cls + - -

element.style {

pointer-events: auto;

}

.wpgb-facet button.wpgb-button { facets.css?ver=2.0.4:9

appearance: none;

-webkit-appearance: none;

border: none;

border-radius: var(--wpgb-border-radius);

box-shadow: none;

color: #fff;

cursor: pointer;

font-size: 18px;

font-style: unset;

font-weight: 500;

height: auto;

letter-spacing: 0;

line-height: 20px;

margin: 0;

max-height: unset;

padding: 15px 36px;

text-decoration: unset;

text-transform: none;

transition: background-color .25s ease;

acss-101.sandbox.automaticcss.com

acss-101.sandbox.automaticcss.com Customize 0 + New Edit Page Edit with Bricks Render with Bricks Automatic.css

Howdy, luxivihju4240

Let's style a third party button



November 3, 2023

button.wpgb-button.wpgb-load-more 186.39 x 50

Load more (2)

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihju4240

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button



Elements

Console

>>

Settings

Close

auto;"> flex

<div class="brxe-wpgb-facet" style="pointer-events: auto;">

<div class="wpgb-facet wpgb-facet-1" data-facet="1" data-grid="bricks-element-31e076" style="pointer-events: auto;">

...

<button type="button" class="wpgb-button wpgb-load-more" style="pointer-events: auto;">Load more (2)</button> == \$0

</div>

<style style="pointer-events: auto;">...

</style>

</div>

</div>

-facet.wpgb-facet-1

button.wpgb-button.wpgb-load-more

Styles

Computed

Layout

Event Listeners

>>

Filter

:hov .cls + -

element.style

pointer-events: auto;

}

.wpgb-facet button.wpgb-button { facets.css?ver=2.0.4:9

appearance: none;

-webkit-appearance: none;

border: none;

border-radius: var(--wpgb-border-radius);

box-shadow: none;

color: #fff;

cursor: pointer;

font-size: 18px;

font-style: unset;

font-weight: 500;

height: auto;

letter-spacing: 0;

line-height: 20px;

margin: 0;

max-height: unset;

padding: 15px 36px;

text-decoration: unset;

text-transform: none;

transition: background-color .25s ease;

}

acss-101.sandbox.automaticcss.com

acss-101.sandbox.automaticcss.com Customize 0 + New Edit Page Edit with Bricks Render with Bricks Automatic.css

Howdy, luxivihju4240

Let's style a third party button



November 3, 2023

button.wpgb-button.wpgb-load-more 186.39 x 50

Load more (2)

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihju4240

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button



Elements

Console

auto;"> flex

<div class="brxe-wpgb-facet" style="pointer-events: auto;">

<div class="wpgb-facet wpgb-facet-1" data-facet="1" data-grid="bricks-element-31e076" style="pointer-events: auto;">

<button type="button" class="wpgb-button wpgb-load-more" style="pointer-events: auto;">Load more (2)</button> == \$0

</div>

<style style="pointer-events: auto;">...

</div>

</div>

-facet.wpgb-facet-1

button.wpgb-button.wpgb-load-more

Styles

Computed

Layout

Event Listeners

Filter

:hov .cls + -

padding: 15px 50px;

text-decoration: unset;

text-transform: none;

transition: background-color .25s ease;

}

.wpgb-facet .wpgb-apply, .wpgb-facet .wpgb-load-more {

background-color: var(--wpgb-accent-scheme-1);

}

[type=reset], [type=submit], button, html [type=button] {

☒ -webkit-appearance: button;

}

.wpgb-facet *, .wpgb-facet :after, .wpgb-facet :before {

box-sizing: border-box;

}

button, input, optgroup, select, textarea {

font-family: inherit;

text-align: inherit;

}

button {

Let's style a third party button

November 3, 2023

Load more (2)

Different selectors to style this button

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihju4240

Elements

Console

Settings

Close

auto;"> flex

<div class="brxe-wpgb-facet" style="pointer-events: auto;">

<div class="wpgb-facet wpgb-facet-1" data-facet="1" data-grid="bricks-element-31e076" style="pointer-events: auto;">

<button type="button" class="wpgb-button wpgb-load-more" style="pointer-events: auto;">Load more (2)</button> == \$0

</div>

<style style="pointer-events: auto;">...

</style>

</div>

</div>

-facet.wpgb-facet-1

button.wpgb-button.wpgb-load-more

Styles

Computed

Layout

Event Listeners

Filter

:hov .cls + -

padding: 15px 50px;

text-decoration: underline;

text-transform: uppercase;

background-color: var(--wpgb-accent-scheme-1);

Specificity: (0,2,0)

.wpgb-facet .wpgb-apply, .wpgb-facet .wpgb-load-more {

background-color: var(--wpgb-accent-scheme-1);

}

[type=reset], [type=submit], button, html [type=button] {

background-color: var(--wpgb-accent-scheme-1);

}

.wpgb-facet *, .wpgb-facet :after, .wpgb-facet :before {

background-color: var(--wpgb-accent-scheme-1);

}

button, input, optgroup, select, textarea {

font-family: inherit;

text-align: inherit;

}

button {

acss-101.sandbox.automaticcss.com

acss-101.sandbox.automaticcss.com Customize 0 + New Edit Page Edit with Bricks Render with Bricks Automatic.css

Howdy, luxivihju4240

Let's style a third party button



November 3, 2023

button.wpgb-button.wpgb-load-more 186.39 x 50

Load more (2)

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...


luxivihju4240

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button





Elements

Console

>>

Settings

Close

auto;">

flex

<div class="brxe-wpgb-facet" style="pointer-events: auto;">

<div class="wpgb-facet wpgb-facet-1" data-facet="1" data-grid="bricks-element-31e076" style="pointer-events: auto;">

...

<button type="button" class="wpgb-button wpgb-load-more" style="pointer-events: auto;">

Load more (2)</button> == \$0

</div>

<style style="pointer-events: auto;">

</style>

</div>

</div>

-facet.wpgb-facet-1

button.wpgb-button

wpgb-load-more

Styles

Computed

Layout

Event Listeners

>>

Filter

:hov .cls + -

element.style {

Specificity: (0,2,1) : auto;

.wpgb-facet button.wpgb-button { facets.css?ver=2.0.4:9

appearance: none;

-webkit-appearance: none;

border: none;

border-radius: var(--wpgb-border-radius);

box-shadow: none;

color: #fff;

cursor: pointer;

font-size: 18px;

font-style: unset;

font-weight: 500;

height: auto;

letter-spacing: 0;

line-height: 20px;

margin: 0;

max-height: unset;

padding: 15px 36px;

text-decoration: unset;

text-transform: none;

transition: background-color .25s ease;

acss-101.sandbox.automaticcss.com

acss-101.sandbox.automaticcss.com Customize 0 + New Edit Page Edit with Bricks Render with Bricks Automatic.css

Howdy, luxivihju4240

Let's style a third party button



November 3, 2023

button.wpgb-button.wpgb-load-more 186.39 x 50

Load more (2)

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihju4240

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button



Elements

Console

>>

Settings

Close

auto;"> flex

<div class="brxe-wpgb-facet" style="pointer-events: auto;">

<div class="wpgb-facet wpgb-facet-1" data-facet="1" data-grid="bricks-element-31e076" style="pointer-events: auto;">

<button type="button" class="wpgb-button wpgb-load-more" style="pointer-events: auto;">

Load more (2)</button> == \$0

</div>

<style style="pointer-events: auto;">...

</style>

</div>

</div>

-facet.wpgb-facet-1

button.wpgb-button.wpgb-load-more

Styles

Computed

Layout

Event Listeners

>>

Filter

:hov .cls + -

element.style {

pointer-events: auto;

}

.wpgb-facet

button.wpgb-button

facets.css?ver=2.0.4:9

appearance: none;

-webkit-appearance: none;

border: none;

border-radius: var(--wpgb-border-radius);

box-shadow: none;

color: #fff;

cursor: pointer;

font-size: 18px;

font-style: unset;

font-weight: 500;

height: auto;

letter-spacing: 0;

line-height: 20px;

margin: 0;

max-height: unset;

padding: 15px 36px;

text-decoration: unset;

text-transform: none;

transition: background-color .25s ease;

acss-101.sandbox.automaticcss.com

Customize 0 + New Edit Page Edit with Bricks Render with Bricks Automatic.css

Howdy, luxivihju4240

Let's style a third party button



November 3, 2023

Load more (2)

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihju4240

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button



This selector alone will not work for us because it has too much specificity which we need to override

Global SCSS

< Home

Save

```
1 button.wpgb-button
```

Article Section Juliet

```
#brxe-878a45
```

```
.fr-article-section-juliet
```

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

64.8947px

Row gap

64.8947px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

accent heading

Let's style a third party button



November 3, 2023

Load more (2)

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihiju4240

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button

Structure

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Button

Button

Button

Section

Intro Bravo

Heading

Container

Button

Button

Button

Section

Google

Facebook

YouTube

Opera

Brave

Firefox

Chrome

Edge

Safari

Internet Explorer

Opera Mini

Opera Mobile

Opera Tablet

Opera TV

Opera Desktop

Opera Mobile

Opera Tablet

Opera TV

Opera Desktop

Frames.io

Frames (Bricks)

Icons

ACSS.com

Envato Elements:...

Inspiration

Pull Requests

Tools

New Tab

Buttons (Builder)

Buttons - acss-101...

Global SCSS

Home

Save

1

2

3

button.wpgb-button.wpgb-button.wpgb-button

{

}

Article Section Juliet

#brxe-878a45

.fr-article-section-juliet

CONTENT

STYLE

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

64.8947px

Row gap

64.8947px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Now we have more specificity to override the original

acss-101.sandbox.automaticcss.com

accent heading

Let's style a third party button



Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihiju4240

November 3, 2023

Load more (2)

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button

Structure

Section

Intro Bravo

Heading

Basic Text

Container

Button

Section

Container

Container

Container

Section

Intro Bravo

Container

Container

Container

Section



27:00

-10:52

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

acss-101.sandbox.automaticcss.com

W 1497 H - % 100

Search elements ...

PINNED ELEMENTS

Basic TextImage

LAYOUT

SectionContainerBlockDiv

BASIC

HeadingRich TextText linkButtonIconVideo

GENERAL

Nav (Nestable)DropdownOffcanvasToggleDividerIcon Box

Let's style a third party button



November 3, 2023

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihju4240

Load more (2)

Section

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button

Structure

SectionSectionSectionSectionSectionSectionSectionSectionArticle Section JulietSection

Buttons (Builder)

Buttons - acss-101...

Frames.io

Frames (Bricks)

Icons

ACSS.com

Envato Elements:...

Inspiration

Pull Requests

Tools

New Tab

Buttons (Builder)

Buttons - acss-101...

28:03

-09:49

Buttons (Builder)

Buttons - acss-101...

Global SCSS

Home

Save

1

button.wpgb-button.wpgb-button.wpgb-button {

2

@include btn(primary);

3

}

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

acss-101.sandbox.automaticcss.com

W 997 H - % 100

Search elements ..

PINNED ELEMENTS

Basic TextImage

LAYOUT

SectionContainerBlockDiv

BASIC

HeadingRich TextText linkButtonIconVideo

GENERAL

Nav (Nestable)DropdownOffcanvasToggleDividerIcon Box

A Sass Mixin

v. 3.0.0

accent heading

Let's style a third party button



Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihiju4240

November 3, 2023

Load more (2)

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button

Structure

Section

Section

Section

Section

Section

Section

Section

Section

Section

Article Section Juliet

Section



Buttons & Links

< Home

Save

Buttons

Links

Options

Global (All Buttons)

Button Spacing and Dimension (All)

Padding

3em

3em

Minimum Button Width

140

px

Button Typography (All)

Line Height

1

Letter Spacing

0

Font Weight

400

Font Style

Normal

Text Transform

None

Text Decoration

None

Custom Button Text Size

Button Border Styles (All)

Border Width

2px

Border Style

Solid

Outline Border Width

2px

Border Radius

--radius

Button Transition (All)

Search elements ...

PINNED ELEMENTS

Basic Text

Image

LAYOUT

BLOCK

DIV

BASIC

Heading

Rich Text

Text link

Button

Icon

Video

GENERAL

Nav (Nestable)

Dropdown

Offcanvas

Toggle

Divider

Icon Box

Now we can control the Facet from the ACSS Dashboard

acss-101.sandbox.automaticcss.com

Let's style a third party button



Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihiju4240

November 3, 2023

Load more (2)

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button

Structure

Section

Section

Section

Section

Section

Section


Section

Section


Article Section Juliet

Section





The image is a composite of two main visual elements. The top portion is a screenshot of a web browser window displaying a tutorial on styling buttons using Automatic CSS. The browser's address bar shows 'acss-101.sandbox.automaticcss.com'. The page content includes a heading 'Let's style a third party button' followed by an image of a white Tesla Cybertruck. Below the image is a 'Load more (2)' button, which is circled in purple. The bottom section of the page has the heading 'Let's style a completely custom button' and a yellow button that says 'I am a button'. The Automatic CSS sidebar is visible on the left, showing various styling options like Layout, Color Palette, Typography, Spacing, Buttons & Links, Backgrounds & Text, Borders & Dividers, Additional Styling, Frames, Form, Global SCSS, Options, Cheatsheet, and Deprecated. The bottom portion of the image is a video frame showing a man with a beard, glasses, and a black cap with a yellow logo, wearing a maroon t-shirt. He appears to be speaking or presenting. The overall image is a dark-themed desktop environment.





automaticcss

Find a setting...

Layout

Color Palette

Typography

Spacing

Buttons & Links

Backgrounds & Text

Borders & Dividers

Additional Styling

Frames

Form

Global SCSS

Options

Cheatsheet

Deprecated

Button

.btn--very-custom

.btn--very-custom

CONTENT

STYLE

I am a button

Size

Default

Style

Primary

Circle

Outline

LINK

Link type

External URL

URL

#

Attribute: rel

Attribute: aria-label

Attribute: title

Open in new tab

ICON

Icon

Typography

acss-101.sandbox.automaticcss.com

accent heading

Let's style a third party button

If you start the custom class with '.btn--' ACSS applies the basic button styles to it automatically



Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihju4240

November 3, 2023

Load more (2)

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

I am a button

Structure

Section

Section

Section

Section

Section

Section

Section

Section

Section

Article Section Juliet

Section

Container

Container

Button

ACSS 101_10 - All Things Buttons (Styles, Variants, Mixins, Recipes, & Custom Buttons).webm

Mac OS Dock with various application icons and a video player interface at the bottom.

The image is a composite of three main visual elements. On the left is a vertical sidebar with a dark theme, featuring a search bar, a list of resources (Frames.io, Bricks, Icons, ACSS.com, Envato Elements, Inspiration, Pull Requests, Tools), and a 'Buttons (Builder)' section at the bottom. The central part of the image is a browser window showing a tutorial page titled 'Let's style a third party button' and 'Let's style a completely custom button'. The page includes a Tesla Cybertruck image and a 'Load more (2)' button. On the right is a 'Structure' panel showing a hierarchical list of page elements like 'Section', 'Container', and 'Button'. A yellow callout bubble with the text 'To call a recipe end the entry with a semicolon' points to a code editor snippet in the bottom left corner of the browser window. In the bottom right corner, there is a video inset of a man with a beard and glasses, wearing a maroon shirt and a black cap, speaking. The overall background is a dark, textured surface.

Buttons (Builder)

ACSS.com

Icons

Frames (Bricks)

Frames.io

Dev

acss-101

.btn--very-custom

CONTENT

STYLE

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Transition

Custom CSS

1

/* Custom Button Styles

2 Use in conjunction with custom .btn-- class

3 Customize the values below to your liking */

4 %root% {

5 --btn-background: var(--primary);

6 --btn-background-hover: var(--primary-hover);

7 --btn-text-color: var(--primary-ultra-light);

8 --btn-text-color-hover: var(--primary-ultra-light);

9 --btn-border-color: var(--primary);

10 --btn-border-color-hover: var(--primary-hover);

11 --focus-color: var(--primary-light);

12 --btn-border-width: var(--btn-outline-border-width);

13 }

14

15 /* End Custom Button Styles */

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

acss-101.sandbox.automaticcss.com

W 1197 H - % 100

Let's style a third party button

accent heading

Let's style a third party button



November 3, 2023

Load more (2)

Let's style a completely custom button

Name should start with ".btn--" and then you can use an ACSS @btn recipe.

Structure

Section

Section

Section

Section

Section

Section

Section

Section

Section

Section

Section

Article Section Juliet

Section

Container

Container

Button

Uncategorized

Tesla Cybertruck Is Like Nothing Else Out There, And Drivers Want That (Copy)

Let's face it. The basic pickup truck design hasn't really changed in the last 70 years. It's body proportions and...

luxivihiju4240

luxivihiju4240



35:06

-02:46