

ACSS 101_19- Global Border System.webm

BraveFile Edit View History Bookmarks Profiles Tab Window Help

wealthy-waguespack-97m.zipwp.dev/borders/?bricks_preview=1735685454

FBYTXXZipWPBusinessCircleResourcesPersonalAmazon

ACSS 101Customize30NewEdit PageWS FormEdit with BricksRender with BricksAutomatic.css

Howdy, unh7dhyusggd

VIDEO

Auto Radius

ACSS establishes a global border radius for the website and automatically applies it to all images.



Global Border Style w/ Border Classes

ACSS establishes a global border style that can be applied with border classes.

00:28-17:54





- Find a setting...
- Layout
- Color Palette
- Typography
- Spacing
- Buttons & Links
- Backgrounds & Text
- Borders & Dividers
- Cards
- Icons
- Additional Styling
- Frames
- Form
- Global SCSS
- Options
- Cheatsheet

Auto Radius

ACSS establishes a global border radius for the website and automatically applies it to all images.



Auto Radius

ACSS establishes a global border radius for the website and automatically applies it to all images.



BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks_preview=1735685454

FBYTZXZipWPBusinessCircleResourcesPersonalAmazon

Borders & Dividers

< HomeSave

Borders

Additional Radius Options

Auto Radius Selectors

```
":where(img):not(header img)",  
":where(figure:not(figure:has(img)))"
```

Add Radius Automatically

Generate Extra Radius Sizes

Dividers

ACSS 101Customize30+ NewEdit PageWS FormEdit with BricksRender with BricksAutomatic.css

Auto Radius

ACSS establishes a global border radius for the website and automatically applies it to all images.



02:12-16:10

Both are on by default

BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks_preview=1735685454

FBYTZipWPBusinessCircleResourcesPersonalAmazon

ACSS 101Customize30NewEdit PageWS FormEdit with BricksRender with BricksAutomatic.css

Howdy, unh7dhyusggd

Borders & Dividers

< HomeSave

Borders

Border Radius0

Border Width8px

Border Stylesolid

Border Color (Dark)--primary-dark-trans-2

Border Color (Light)--primary-light-trans-3

Primary Border Style

var(--border-size) var(--border-style) var(--border-color-light)


Additional Radius Options

Dividers

Auto Radius

ACSS establishes a global border radius for the website and automatically applies it to all images.





Global Border Style w/ Border Classes

ACSS establishes a global border style that can be applied with border classes.

v. 3.2.9

03:58-14:23

If you don't want radius at all

A portrait of a man with a beard, glasses, and a black cap, looking directly at the camera. He is wearing a dark shirt. The background is dark and out of focus.

BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks_preview=1735685454

FBYTXXZipWPBusinessCircleResourcesPersonalAmazon

Borders & Dividers

< HomeSave

Borders

Border Radius10px

Border Width8px

Border Stylesolid

Border Color (Dark)--primary-dark-trans-3

Border Color (Light)--primary-light-trans-3

Primary Border Style

var(--border-size) var(--border-style) var(--border-color-light)

Additional Radius Options

Dividers

ACSS 101Customize30+NewEdit PageWS FormEdit with BricksRender with BricksAutomatic.css

Global Border Style w/ Border Class

ACSS establishes a global border style that can be applied with border



05:41-12:40

BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks_preview=1735685454

FBYTXXZipWPBusinessCircleResourcesPersonalAmazon

Borders & Dividers

< HomeSave

Borders

Border Radius10px

Border Width8px

Border Stylesolid

Border Color (Dark)--primary-dark-trans-3

Border Color (Light)--primary-light-trans-3

Primary Border Style

var(--border-size) var(--border-style) var(--border-color-light)

Additional Radius Options

Dividers

ACSS 101Customize30+ NewEdit PageWS FormEdit with BricksRender with BricksAutomatic.css

Global Border Style w/ Border Class

ACSS establishes a global border style that can be applied with border



06:14-12:07

Brave

File Edit View History Bookmarks Profiles Tab Window Help

ACSS 101_19- Global Border System.webm

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FB YT X ZipWP Business Circle Resources Personal Amazon

b

W 1971 H - % 100

Image

.border

.border

CONTENT

STYLE

Large (1024x682)

HTML tag

Sources

+ ADD SOURCE

Show different images per breakpoint

Aspect ratio

Object fit cover

Object position 50% 50%

Custom alt text

Caption type No caption

Loading lazy

Show title

Stretch

Image Overlay

LINK TO

None

ICON

Only rendered if link is set.

Disable icon

Icon

Icon typography

MASK

Mask

Select

Search settings ...

Global Border Style w/ Border Classes

ACSS establishes a global border style that can be applied with border classes.

07:11

-11:11

Structure

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Image

Image

Image

Image

Applying Border Styles

Applying Border Styles

BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FBYTZipWPBusinessCircleResourcesPersonalAmazon

b

🔍🔖🔗🔧🔍+

Image

.border-block

.border-block

CONTENTSTYLE



Large (1024x682)

HTML tag

Sources

+ ADD SOURCE

Show different images per breakpoint

Aspect ratio

Object fitcover

Object position50% 50%

Custom alt text

Caption typeNo caption

Loadinglazy

Show title

Stretch

Image Overlay

LINK TO

None

ICON

Only rendered if link is set.

Disable icon

Icon

Icon typography

MASK


Mask

Select

Search settings ...

Global Border Style w/ Border Classes

ACSS establishes a global border style that can be applied with border classes.



Structure

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Image


Image

Image

Image

Applying Border Styles

Applying Border Styles



07:34-10:47







ACSS 101_19- Global Border System.webm

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FB YT X ZipWP Business Circle Resources Personal Amazon

b

Image

.border-left

.border-left

CONTENT

Large (1024x682)

HTML tag

Sources

+ ADD SOURCE

Show different images per breakpoint

Aspect ratio

Object fit

Object position

Custom alt text

Caption type

Loading

Show title

Stretch

Image Overlay

LINK TO

None

ICON

Only rendered if link is set.

Disable icon

Icon

Icon typography

MASK

Mask

Select

Search settings ...

Structure

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Image

Image

Image

Image

Applying Border Styles

Applying Border Styles

09:04

09:18

ACSS 101_19- Global Border System.webm

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FB YT X ZipWP Business Circle Resources Personal Amazon

Image

.border-left...

.border-left-dark

CONTENT

STYLE

Large (1024x682)

HTML tag

Sources

+ ADD SOURCE

Show different images per breakpoint

Aspect ratio

Object fit

Object position

Custom alt text

Caption type

Loading

Show title

Stretch

Image Overlay

LINK TO

None

ICON

Only rendered if link is set.

Disable icon

Icon

Icon typography

MASK

Mask

Select

Search settings ...

Structure

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Image

Image

Image

Image

Applying Border Styles

Applying Border Styles

09:16

-09:05





Change as you like

A portrait of a man with a beard and glasses, wearing a black baseball cap and a black shirt. He is looking slightly to the right of the camera. The background is dark and out of focus.

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Transition

all

Learn more about CSS filters

Learn more about CSS transitions

Custom CSS

```
1 %root% {
2   border: var(--border);
3 }
```

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Search settings ...

ACSS 101_19- Global Border System.webm

This CSS is tied to the custom class

Concentric Radius

Use the @concentric-radius

11:13

-07:08

BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FBYTXXZipWPBusinessCircleResourcesPersonalAmazon

Image

#brxe-jahezr

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

• CSS

CSS Filters

Learn more about CSS filters

Transition

all

Custom CSS

```
1 %root% {
2   border: var(--border-size) var(--border-style) hotpink;
3 }
```

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Search settings ...

W1617H%100

Image

Image

Applying Border Styles

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Applying Border Styles

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius.

12:24-05:58

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius.

12:24-05:58

BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FBYTXXZipWPBusinessCircleResourcesPersonalAmazon

Image

#brxe-jahezr

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

Transition

all

Learn more about CSS transitions

Custom CSS

```
1 %root% {
2   border-width: var(--border-size);
3   border-style: var(--border-style);
4   border-color: var(--border-color-light);
5 }
```

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Search settings ...

W1617H-100%



Structure

Applying Border Styles

Applying Border Styles

Applying Border Styles

Intro Alpha

Container


Image

Image

Applying Border Styles

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius.



13:08-05:13



ACSS 101_19- Global Border System.webm

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Transition

all

Learn more about CSS filters

Learn more about CSS transitions

Custom CSS

1 @border

@media screen {

}

Recipe

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Con

Use the @concentric-radius

c radiu

13:21

-05:00

ACSS 101_19- Global Border System.webm

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Transition

all

Learn more about CSS filters

Learn more about CSS transitions

Custom CSS

```
1 /* Begin Border */
2 %root%:where(:not(:is(figure, picture))),
3 %root%:where(figure, picture) > img {
4   border: var(--border);
5   border-radius: var(--radius);
6 }
7 /* End Border */
```

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes


Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES





Con

Use the @concentric-radius

c radiu



13:22

-05:00

BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FBYTZipWPBusinessCircleResourcesPersonalAmazon

Image

#brxe-okhcqj

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

Transition

all

Learn more about CSS transitions

Custom CSS

```
1 %root% {
  color: firebrick;
}
```

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Search settings ...

W1617H-100%



Structure

Applying Border Styles

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Applying Border Styles

Intro Alpha

Wrapper

Image

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius.



14:19-04:03



BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FBYTXXZipWPBusinessCircleResourcesPersonalAmazon

b

W 1617H -% 100

Wrapper

.border

width--1border

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Transition

Custom CSS

CSS classes

CSS ID

Search settings ...

Structure

Applying Border Styles

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Applying Border Styles


Intro Alpha

Wrapper

Image

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius.



BORDER / BOX SHADOW >

GRADIENT / OVERLAY >

SHAPE DIVIDERS >

TRANSFORM >

• CSS ▾

CSS Filters

[Learn more about CSS filters](#)

Transition

all

[Learn more about CSS transitions](#)

• Custom CSS <

```
1 @concentric-radius|
  @media radius {
  }
```

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

+ Search settings ...

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius



BORDER / BOX SHADOW >

GRADIENT / OVERLAY >

SHAPE DIVIDERS >

TRANSFORM >

• CSS ▾

CSS Filters

[Learn more about CSS filters](#)

Transition

all

[Learn more about CSS transitions](#)

• Custom CSS <

```
1 /* Concentric Radius */
2 /*
3  Parent element radius..
4  Read documentation if you're unsure how this all works.
5  */
6 %root% {
7   --padding: var(--space-m);
8   padding: var(--padding);
9   border-radius: calc(var(--radius) + var(--padding) / 2);
10 }
11
12 /*
13  Change selector below based on which child
14  needs the inner radius.
15  */
```

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

+ Search settings ...

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius



BraveFileEditViewHistoryBookmarksProfilesTabWindowHelp

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FBYTZipWPBusinessCircleResourcesPersonalAmazon

Applying Border Styles

#brxe-wxcdej

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

Transition

all

Learn more about CSS transitions

Custom CSS

1 %root% {
 color: firebrick;
}

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

Search settings ...

W1617H-100%



Structure

Applying Border Styles

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Applying Border Styles

Intro Alpha

Wrapper

Image

Concentric Radius

Use the @concentric-radius; recipe to automatically add a concentric radius.



Image



15:49-02:33

Brave

File Edit View History Bookmarks Profiles Tab Window Help

wealthy-waguespack-97m.zipwp.dev/borders/?bricks=run

FB YT X ZipWP Business Circle Resources Personal Amazon

b

Wrapper

#brxe-cqbfzj 2

.width--1 .border

CONTENT

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

Transition

all

Learn more about CSS transitions

Custom CSS

1 %root% { color: firebrick; }

Use "%root%" to target the element wrapper. Add "%root%" via keyboard shortcut "r + TAB".

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

Search settings ...

Concentric Radius

Do this on the wrapper

Use the @concentric-radius; recipe to automatically add a concentric radius.

Structure

Applying Border Styles

Applying Border Styles

Applying Border Styles

Intro Alpha

Container

Image

Image

Applying Border Styles

Intro Alpha

Wrapper

Image

16:50

-01:31