




This is a traditional header.
It pushes the content down

Link to video

Link to blog

Awesome and catchy heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Primary action

Secondary action


Section heading


This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.


Call to action











Awesome and catchy heading

This could be fixed by manually adding additional padding to all hero sections...

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt
 ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur ac **You co**
 sed do eiusmod tempor incididunt ut labore et dolore magna aliq **class**

You could also add a custom class with padding to each hero section on each page


Primary action

Secondary action

Section heading

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Call to action



This is just a placeholder headline, we will replace it soon

☑ This is just a placeholder



This is just a placeholder headline, we will replace it soon

☑ This is just a placeholder



This is just a placeholder headline, we will replace it soon

☑ This is just a placeholder

ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS « bricks-acss — xHeader (Template) xHome — bricks-acss x +

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

bricks-acss20NewWS FormAutomatic CSS

Howdy, Natalia Doe

DashboardBricksPostsMediaPagesCommentsTestimonialsWS FormAppearancePlugins 2UsersToolsSettingsAutomatic CSSAutomatic CSSPlugin LicenseImport & ExportCopy & Delete PostsMeta BoxWPCodeBoxEasy Author Avatar Image SettingsPlasterCollapse menu

ViewportPaletteTypographySpacingButtons & LinksAdditional StylingOptionsFramesForms (Beta)Guides

SAVE CHANGESVersion 2.3.0

More styling settings.

Accessibility

Focus Outline Colorvar(--action)

Focus Outline Offset.25em

Header Styling

Header Heights

Offset Page Content Automaticallyonoff

Scroll Styling

Scroll Offsets

Sticky Settings

Offset Sticky Elements Automaticallyonoff

Manual Sticky Offsets

Box Shadows

Box Shadow 1

Box Shadow 2

Box Shadow 3

Selection Styling

Thank you for creating with WordPress.

amazonmusic


9


zoom

03:42

ACSS has a solution for the problem







ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x | Header (Template) x | Home - bricks-acss x +

Not Secure | bricksacss.local/home/?bricks_preview=1675962770

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

ElementsConsoleSources>>1⚙️⋮✕

```
</div>
<a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a>
<a class="skip-link" href="#brx-footer" aria-label="Skip to footer">Skip to footer</a>
... <header id="brx-header" class="sticky" data-slide-up-after="9999"> == $0
  > <div id=
    ...</div>
  </header>
  <main id="brx-content">...</main>
  <script type="text/javascript">...</script>
... wp-embed-responsive.customize-support header#brx-header.sticky ...
```

StylesComputedLayoutEvent ListenersDOM Breakpoints>>

marginborderpadding1686x110926

Filter

background-sizecover

box-sizingborder-box

colorrgb(54, 54, 54)

displayblock

font-family"Fira Sans"

font-size22px

height110px

left0px

line-height33px

overflow-wrapbreak-word

positionfixed

right0px

⋮ ConsoleWhat's New ✕

Highlights from the Chrome 109 update

Dimensions: Responsive1686x1068100%No throttling⌵⋮

bricks-acssCustomize20+ NewCopy thisEdit PageWS FormEdit with BricksRender with BricksAutomatic CSSHowdy, Natalia Doe

Home

logoipsum

Awesome and catchy heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Primary actionSecondary action

Section heading

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

05:15

ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS « bricks-acss — xHeader (Template) xHome — bricks-acss x+

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

bricks-acss20NewWS FormAutomatic CSS

Howdy, Natalia Doe

Dashboard

Bricks

Posts

Media

Pages

Comments

Testimonials

WS Form

Appearance

Plugins 2

Users

Tools

Settings

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Copy & Delete Posts

Meta Box

WPCodeBox

Easy Author Avatar Image Settings

Plaster

Collapse menu

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.3.0

Focus Outline Color

var(--action)

Focus Outline Offset

.25em

Header Styling

Header Heights

Set your header height (per breakpoint). Used for var(--header-height), automatic sticky offset, and automatic scroll offset.

Header Height

110px

Header Height (L)

0px

Header Height (M)

0px

Header Height (S)

0px

Offset Page Content Automatically

onoff

Scroll Styling

Scroll Offsets

Sticky Settings

Offset Sticky Elements Automatically

onoff

Manual Sticky Offsets

Box Shadows


Box Shadow 1

Thank you for creating with WordPress.

If you want this for every breakpoint you put in the values here

version 6.1.1






Check your breakpoints


```
... wp-embed-responsive.customize-support header#brx-header.sticky ...
```

2

☐ Show all ☐ Group

3


×



Call to action



This is just a placeholder headline, we replace it soon



ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS ← bricks-acss ×Header (Template) ×Home – bricks-acss ×

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

bricks-acss20NewWS FormAutomatic CSS

Howdy, Natalia Doe

Dashboard

Bricks

Posts

Media

Pages

Comments

Testimonials

WS Form

Appearance

Plugins 2

Users

Tools

Settings

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Copy & Delete Posts

Meta Box

WPCodeBox

Easy Author Avatar Image Settings

Plaster

Collapse menu

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.3.0

Focus Outline Color

var(--action)

Focus Outline Offset

.25em

Header Styling

Header Heights

Set your header height (per breakpoint). Used for var(--header-height), automatic sticky offset, and automatic scroll offset.

Header Height

110px

Header Height (L)

105.68px

Header Height (M)

0px

Header Height (S)

0px

Offset Page Content Automatically

onoff

Scroll Styling

Scroll Offsets

Sticky Settings

Offset Sticky Elements Automatically

onoff

Manual Sticky Offsets

Box Shadows

Box Shadow 1

Thank you for creating with WordPress.

Exact value



Version 6.1.1

ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — xHeader (Template) xHome — bricks-acss x +

Not Secure | bricksacss.local/template/header/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

Template settings

Default templates are disabled. Set template conditions or enable default templates.

• HEADER

Header locationTop

STICKY HEADER

• Sticky header

Sticky on scroll

• Slide up after (px)

Scrolling text color

Scrolling background

Scrolling box shadow

Transition

background-color 0.2s, transform 0.4s

• CONDITIONS

POPULATE CONTENT

Mobile landscape (<= 767px)

Home

Structure

Header Alpha

Inner

Logo

Nav Menu

amazon music

Telegram

Google

Calendar

Firefox

Safari

Messages

WhatsApp

Visual Studio Code

Discord

Zoom

Photoshop

Lightroom

VS Code

Terminal

System Monitor

System Preferences

System Settings

System Information

System Log

System Activity Monitor

System Profiler

System Keychain

System Preferences

System Settings

System Information

System Log

System Activity Monitor

System Profiler

System Keychain

06:34



ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x | Header (Template) x | Home - bricks-acss x +

Not Secure | bricksacss.local/home/?bricks_preview=1675962770

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

ElementsConsoleSources>>1⚙️⋮✕

```
</div>
<a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a>
<a class="skip-link" href="#brx-footer" aria-label="Skip to footer">Skip to footer</a>
... <header id="brx-header" class="sticky" data-slide-up-after="9999"> == $0
  > <div id="brxe-4cd9cb" class="brxe-section fr-header-alpha">
    ...</div> flex
  </header>
  <main id="brx-content">...</main>
  <script type="text/javascript">...</script>
... wp-embed-responsive.customize-support header#brx-header.sticky ...
```

StylesComputedLayoutEvent ListenersDOM Breakpoints>>

2

margin

border

padding

767x103.125

918.875

Filter

Show all

Group

background-size

cover

box-sizing

border-box

color

rgb(54, 54, 54)

display

block

font-family

"Fira Sans"

font-size

22px

height

103.125px

left

0px

line-height

33px

overflow-wrap

break-word

position

fixed

right

0px

ConsoleWhat's New ✕

Highlights from the Chrome 109 update

Dimensions: Responsive 767 x 1068 100% No throttling ⚙️⋮

1

WordPress

logoipsum

Awesome and catchy heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Primary action

Secondary action


Section heading

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Call to action

This is just a placeholder headline, we will replace it soon

06:39



ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x | Header (Template) x | Home - bricks-acss x +

Not Secure | bricksacss.local/home/?bricks_preview=1675962770

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

ElementsConsoleSources>>1⚙️⋮✕

```
</div>
<a class="skip-link" href="#brx-content" aria-label="Skip to
main content">Skip to main content</a>
<a class="skip-link" href="#brx-footer" aria-label="Skip to f
ooter">Skip to footer</a>
... <header id="brx-header" class="sticky" data-slide-up-after=
"9999"> == $0
  ▶ <div id="brxe-4cd9cb" class="brxe-section fr-header-alpha">
    ...</div> flex
  </header>
  ▶ <main id="brx-content">...</main>
  ▶ <script type="text/javascript">...</script>
... wp-embed-responsive.customize-support header#brx-header.sticky ...
```

StylesComputedLayoutEvent ListenersDOM Breakpoints>>

2

margin

border

padding

478x99.813

922.188

FilterShow allGroup

background-sizecover

box-sizingborder-box

colorrgb(54, 54, 54)

displayblock

font-family"Fira Sans"

font-size22px

height99.8125px3

left0px

line-height33px

overflow-wrapbreak-word

positionfixed

right0px

⋮ ConsoleWhat's New ✕

Highlights from the Chrome 109 update

Dimensions: Responsive478x1068100%No throttling⋮

1

logoipsum

Awesome and catchy heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Primary action

Secondary action

Section heading

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Call to action

06:52



ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS - bricks-acss - xHeader (Template) xHome - bricks-acss x

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

bricks-acss20NewWS FormAutomatic CSS

Howdy, Natalia Doe

Dashboard

Bricks

Posts

Media

Pages

Comments

Testimonials

WS Form

Appearance

Plugins2

Users

Tools

Settings

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Copy & Delete Posts

Meta Box

WPCodeBox

Easy Author Avatar Image Settings

Plaster

Collapse menu

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.3.0

Focus Outline Color

var(--action)

Focus Outline Offset

.25em

Header Styling

Header Heights

Set your header height (per breakpoint). Used for var(--header-height), automatic sticky offset, and automatic scroll offset.

Header Height

110

px

Header Height (L)

105.68

px

Header Height (M)

103.12

px

Header Height (S)

95.81

px

Offset Page Content Automatically

on

off

Scroll Styling

Scroll Offsets

Sticky Settings

Offset Sticky Elements Automatically

on

off


Manual Sticky Offsets

Box Shadows

Box Shadow 1

Thank you for creating with WordPress.

06:59



ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS ← bricks-acss — xHeader (Template) xHome — bricks-acss x +

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

bricks-acss20 + NewWS FormAutomatic CSS

Howdy, Natalia Doe

DashboardBricksPostsMediaPagesCommentsTestimonialsWS FormAppearancePlugins 2UsersToolsSettingsAutomatic CSSAutomatic CSSPlugin LicenseImport & ExportCopy & Delete PostsMeta BoxWPCodeBoxEasy Author Avatar Image SettingsPlasterCollapse menu

ViewportPaletteTypographySpacingButtons & LinksAdditional StylingOptionsFramesForms (Beta)GuidesSAVE CHANGESVersion 2.3.0

Additional StylingMore styling settings.

Accessibility

Focus Outline Colorvar(--action)

Focus Outline Offset.25em

Header Styling

Header HeightsSet your header height (per breakpoint). Head for var(--header-height), automatic sticky offset, and automatic scroll offset.

Header Height0px

Header Height (L)0px

Header Height (M)0px

Header Height (S)0px

Offset Page Content Automaticallyonoff


Scroll Styling

Scroll Offsets


Sticky Settings


Offset Sticky Elements Automaticallyonoff

We're taking the values out to check the scroll to anchor link

version 6.1.1

08:15





ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS ← bricks-acss — xHeader (Template) xHome — bricks-acss — x

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

bricks-acss20NewWS FormAutomatic CSS

Howdy, Natalia Doe

DashboardBricksPostsMediaPagesCommentsTestimonialsWS FormAppearancePlugins 2UsersToolsSettingsAutomatic CSSAutomatic CSSPlugin LicenseImport & ExportCopy & Delete PostsMeta BoxWPCodeBoxEasy Author Avatar Image SettingsPlasterCollapse menu

ViewportPaletteTypographySpacingButtons & LinksAdditional StylingOptionsFramesForms (Beta)Guides

SAVE CHANGESVersion 2.3.0

Focus Outline Colorvar(--action)

Focus Outline Offset.25em

Header Styling

Header HeightsSet your header height (per breakpoint). Used for var(--header-height), automatic sticky offset, and automatic scroll offset.

Header Height105px

Header Height (L)0px

Header Height (M)0px

Header Height (S)0px

Offset Page Content Automaticallyonoff

Scroll Styling

Scroll Offsets

Sticky Settings

Offset Sticky Elements Automaticallyonoff

Manual Sticky Offsets

Box Shadows

Box Shadow 1

Box Shadow 2

You must toggle this new feature on if you're using sticky or overlay header

ACSS 2.3 - Automatic Overlay Header Offset Features.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS ← bricks-acss ×Header (Template) ×Home – bricks-acss ×

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaAdventure

bricks-acss20NewWS FormAutomatic CSS

Howdy, Natalia Doe

Dashboard

Bricks

Posts

Media

Pages

Comments

Testimonials

WS Form

Appearance

Plugins 2

Users

Tools

Settings

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Copy & Delete Posts

Meta Box

WPCodeBox

Easy Author Avatar Image Settings

Plaster

Collapse menu

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.3.0

Offset Page Content Automatically ☒

Scroll Styling ☒

Scroll Offsets

Sticky Settings ☒

Offset Sticky Elements Automatically ☒

Manual Sticky Offsets

Box Shadows

Box Shadow 1

Box Shadow 2

Box Shadow 3

Selection Styling ☒

Selection Background

Selection Text Color

Alt Selection Background

Alt Selection Text Color

Radius System

Base Radius

Thank you for creating with WordPress.

10:33

amazon music

zoom

Ps

Lr

discord

obs

vs code

chrome

firefox

calendar

mail

photos

finder

trash

