

ACSS 2.4- Easy Custom Corner Ribbons.mp4

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Ribbons - Automatic.css | Ribbons (Builder) | Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLC

Search elements ...

PINNED ELEMENTS

Container | Heading | Rich Text | Nav Menu

LAYOUT

Section | Block | Div

BASIC

Basic Text | Button | Icon | Image | Video

GENERAL

Divider | Icon Box | Icon List | List

Link to video

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Pricing Section Alpha

Intro Alpha

Accent Heading

Heading

Lede

Pricing Grid Alpha

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

00:13





ACSS 2.4- Easy Custom Corner Ribbons.mp4

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Ribbons - Automatic.css | Ribbons (Builder) | Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLG

Basic Text

.ribbon

1

.ribbon

CONTENT

STYLE

Best Option

Select text on canvas to format it. To add headings, paragraphs, and images use the "Rich Text" element.

HTML tag

span

Link to

Select link type

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

2

Best Option

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

amazon music

7

13

LIVE

3

1

01:51



ACSS 2.4- Easy Custom Corner Ribbons.mp4

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Ribbons - Automatic.css | Ribbons (Builder) | Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLG

Basic Text

1

.ribbon--top-right

x 2

.ribbon

.ribbon--top-right

CONTENT

STYLE

Best Option

Select text on canvas to format it. To add headings, paragraphs, and images use the "Rich Text" element.

HTML tag

span

Link to

Select link type

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

2

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Best Option

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

amazon music

7

MAR 13

7

LIVE

3

zoom

1

3

02:20



Your heading

In Chrome it looks good but in Firefox it's broken. Why? Firefox is yet not supporting the Has selector

CHOOSE PLAN

CHOOSE PLAN

CHOOSE PLAN



ACSS 2.4- Easy Custom Corner Ribbons.mp4

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Ribbons - Automatic.css | Ribbons (Builder) | Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLG

.fr-price-card-alpha

2

.fr-price-card-alpha

CONTENT

STYLE

Padding

var(--space-l)

var(--t)

var(--space-l)

var(--t)

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

100%

POSITIONING

Position

relative

3

Top

Right

Bottom

Left

Z-index

0

MISC

Overflow

Opacity

Cursor

visible

1

auto

INNER CONTAINER / DIV

Margin

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

03:21



ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Ribbons - Automatic.cssRibbons (Builder)Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

W1741H100%

Mon Mar 13 2:40 PM

.fr-price-card-alpha

1

CONTENT

STYLE

Max. width

100%

Height

Min. height

Max. height

POSITIONING

Positionrelative

Top

Right

Bottom

Left

Z-index0

MISC

Overflowhidden

Opacity1

Cursorauto

INNER CONTAINER / DIV

Margin

Padding

TYPOGRAPHY

BACKGROUND

Structure

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Best Option

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

amazon music

7

13

7

LIVE

3

1

03:25





Your heading


By default the ribbon gets the websites action color


CHOOSE PLAN

CHOOSE PLAN

CHOOSE PLAN







ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Ribbons - Automatic.cssRibbons (Builder)Ribbons - bricks-acss

automaticcss.com/docs/ribbons/

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

Automatic.cssCustomize6NewEdit DocWS FormEdit with BricksRender with BricksRank Math SEOAutomatic CSSPerfmattersEDD4Preview With Tag

Howdy, Kevin Geary

Sticky

Flexbox

Border Radius

Display

Position

Spacing

Overlays

Columns

Lists

Accessibility

Centering

Links

Buttons

Z-Index

Breakouts

Height

Backgrounds

Opacities

Size

Video

Grids

Images

Width

Flex & Grid Alignment

Visibility

Forms

Box Shadows

Elements

1. Globally

2. Contextually

3. Individually

Customization is done via the following locally scoped variables:

--ribbon-offset

--ribbon-width

--ribbon-padding

--ribbon-background-color

--ribbon-text-color

--ribbon-text-size

--ribbon-shadow

For reference, the default values for these are as follows:

Offset: -2rem

Width: 30rem

Padding: .5em 1em

Background Color: var(--action)

Text Color: var(--white)

Text Size: var(--text-s)

Shadow: 0 5px 10px var(--shade-trans-10);

To style a ribbon contextually, create a custom modifier class to identify it and then set its styling via locally scoped variables. You only need to add the variables you want to change. So if you like all the default ribbon styling but want to change the background color, text color, and shadow, you only need to alter those three variables:

```
.ribbon--sale {
  --ribbon-background-color: var(--primary);
  --ribbon-text-color: var(--primary-ultra-light);
  --ribbon-shadow: 0 0 30px -3px var(--primary-ultra-dark-trans-20);
}
```

When adding your new "sale" ribbon, you'll want to add the standard `ribbon` class and your new

amazon music

Google

Calendar

Firefox

Safari

Messages

WhatsApp

Visual Studio Code

Telegram

Discord

Zoom

Photoshop

Lightroom

App Store

System Settings

Calendar

Photos

Files

Trash

05:26



ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

zoom

Mon Mar 13 2:44 PM

Ribbons - Automatic.cssRibbons (Builder)Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

Update

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

W1660H100%

Ribbon

.ribbon

.ribbon

.ribbon--top-right

CONTENTSTYLE

LAYOUTTYPOGRAPHYBACKGROUNDBORDER / BOX SHADOWGRADIENT / OVERLAYTRANSFORM

CSS

CSS Filters

CSS transition

Custom CSS

1 root {

2 --ribbon-offset: -3rem;

3 }

Structure

AmountPeriodDescriptionFeaturesFooterCTA ButtonPrice Card AlphaHeaderHeadingBodyPrice WrapperCurrencyAmountPeriodDescriptionFeaturesFooterCTA ButtonRibbonPrice Card Alpha

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Best Option

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Use "root" to target the element wrapper: root { background: blue }

amazon music

13

7

zoom

07:10



ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Ribbons - Automatic.cssRibbons (Builder)Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

b

Zoom1660H100%

Mon Mar 13 2:44 PM

Ribbon

.ribbon

.ribbon

.ribbon--top-right

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

1 root {

2 --ribbon-offset: 1rem;

3 }

Use "root" to target the element wrapper: root { background: blue }

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod

At this point it's not wide enough to fill the space

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Best Option

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Ribbon

Price Card Alpha

07:33

amazon music

Google

Calendar

Firefox

Safari

Messages

Visual Studio Code

Discord

Zoom

Photoshop

Lr

Illustrator

VS Code

App Store

System Settings

Trash





ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Ribbons - Automatic.cssRibbons (Builder)Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

Ribbon

.ribbon

.ribbon

.ribbon--top-right

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

CSS transition

Custom CSS

1 root {

2 --ribbon-offset: -1rem;

3 --ribbon-width: 40rem;

4 }

Structure

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Ribbon

Price Card Alpha

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Better now

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Use "root" to target the element wrapper: root { background: blue }

08:31

amazon music

chrome

firefox

safari

vs code

zoom

photoshop

luminar

discord

slack

spotify

telegram

whatsapp

mail

calendar

photos

notes

reminders

contacts

maps

weather

clock

calculator

terminal

browser

mail

calendar

photos

notes

reminders

contacts

maps

weather

clock

calculator

terminal

browser



ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Ribbons - Automatic.cssRibbons (Builder)Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

Ribbon

.ribbon

.ribbon

.ribbon--top-right

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

1 root {

2 --ribbon-background-color: var(--base);

3 --ribbon-text-color: var(--base-ultra-light);

4 }

Use "root" to target the element wrapper: root { background: blue }

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Best Option

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Amount

Period

Description

Features

Footer

CTA Button

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Ribbon

Price Card Alpha

09:56



ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

zoom

Mon Mar 13 2:47 PM

Ribbons - Automatic.css

Ribbons (Builder)

Ribbons - bricks-acss

+

Not Secure | bricksacss.local/ribbons/?bricks_preview=1678732291

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

bricks-acssCustomize20NewEdit PageWS FormEdit with BricksRender with BricksAutomatic CSS

Howdy, Natalia Doe

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Best Option

amazon music

7

MAR 13

LIVE

3

10:10

ACSS 2.4- Easy Custom Corner Ribbons.mp4

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Ribbons - Automatic.css | Ribbons (Builder) | Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLC

Basic Text

.ribbon

.ribbon

.ribbon--top-right

CONTENT

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

CSS transition

Custom CSS

```
1 root {
2   --ribbon-background-color: var(--action-ultra-dark);
3   --ribbon-text-color: var(--action-light);
4   --ribbon-text-size: var(--text-xs);
5 }
```

Use "root" to target the element wrapper: root { background: blue }

ACCENT HEADING

Your heading

If we have 2 ribbons both will react to the class changes

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Amount

Period

Description

Features

Footer

CTA Button

Basic Text

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Ribbon

Alpha

11:43







Basic Text

2

.ribbon--service

x 3

CONTENT

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

1

2

3

root {

--ribbon-background-color: gold;

--ribbon-text-color: black;

}

Use "root" to target the element wrapper: root { background: blue }

ACSS 2.4- Easy Custom Corner Ribbons.mp4

zoom

Mon Mar 13 2:52 PM

Not Secure | bricksacss.local/ribbons/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle ACSS UserMaven Avventure JS MTLC

Undo Structure

Amount

Period

Description

Features

Footer

CTA Button

Basic Text

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Ribbon

Alpha

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

1

Plan name

\$49 /mo

WORST OPTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

BEST OPTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

OK OPTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

amazon music

13

zoom

14:47



ACSS 2.4- Easy Custom Corner Ribbons.mp4

zoom

Mon Mar 13 2:52 PM

Ribbons - Automatic.css

Ribbons (Builder)

Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks_preview=1678732291

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

bricks-acssCustomize20NewEdit PageWS FormEdit with BricksRender with BricksAutomatic CSS

Howdy, Natalia Doe

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

WORST OPTION

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

BEST OPTION

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

KK OPTION

amazon music

13

7


LIVE

3

14:50







ACSS 2.4- Easy Custom Corner Ribbons.mp4

zoom

Mon Mar 13 2:54 PM

Ribbons - Automatic.css

Ribbons (Builder)

Ribbons - bricks-acss

+

automaticcss.com/docs/ribbons/

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

Automatic.cssCustomize6+NewEdit DocWS FormEdit with BricksRender with BricksRank Math SEOAutomatic CSSPerfmattersEDD4Preview With Tag

Howdy, Kevin Geary

.ribbon--sale class. This is the standard for how modifier classes work. One class adds base styling, and the modifier modifies the style.

Dynamic Ribbons

Sometimes you need Ribbons that are added, styled, and positioned based on dynamic data. This is easily doable with ACSS ribbons.

To get started, add your text element along with the base .ribbon class. Instead of using static text, insert dynamic data from a custom field.

To position the ribbon, use our preconfigured data attribute. Add data-ribbon-position to your element and then use one of the positioning values:

- top-right
- top-left

You can use your own custom data attribute to dynamically style the ribbon based on custom field values or some other parameter. Follow the same process that you would follow when creating a custom ribbon class.

Here's an example of our "on sale" ribbon styled using data attributes:


```
[data-ribbon-style="sale"] {
  --ribbon-background-color: var(--primary);
  --ribbon-text-color: var(--primary-ultra-light);
  --ribbon-shadow: 0 0 30px -3px var(--primary-ultra-dark-trans-20);
}
```

You can create as many ribbon styles as you want and then trigger which one gets used by dynamically passing the style name to the data attribute value.

Related Utilities

var(--ribbon-width)var(--ribbon-text-size)var(--ribbon-text-color)var(--ribbon-shadow)





17:01

ACSS 2.4- Easy Custom Corner Ribbons.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Ribbons - Automatic.cssRibbons (Builder)Ribbons - bricks-acss

automaticcss.com/docs/ribbons/

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

Automatic.cssCustomize6+NewEdit DocWS FormEdit with BricksRender with BricksRank Math SEOAutomatic CSSPerfmattersEDD4Preview With Tag

Howdy, Kevin Geary

To position the ribbon, use our preconfigured data attribute. Add `data-ribbon-position` to your element and then use one of the positioning values:

- top-right
- top-left

You can use your own custom data attribute to dynamically style the ribbon based on custom field values or some other parameter. Follow the same process that you would follow when creating a custom ribbon class.

Here's an example of our "on sale" ribbon styled using data attributes:

```
[data-ribbon-style="sale"] {
  --ribbon-background-color: var(--primary);
  --ribbon-text-color: var(--primary-ultra-light);
  --ribbon-shadow: 0 0 30px -3px var(--primary-ultra-dark-trans-20);
}
```

You can create as many ribbon styles as you want and then trigger which one gets used by dynamically passing the style name to the data attribute value.


Related Utilities

`var(--ribbon-width)``var(--ribbon-text-size)``var(--ribbon-text-color)``var(--ribbon-shadow)`
`var(--ribbon-padding)``var(--ribbon-offset)``ribbon--top-right``ribbon--top-left``ribbon`

Related FAQs

No Related FAQs





17:06



ACSS 2.4- Easy Custom Corner Ribbons.mp4

zoom

Mon Mar 13 2:55 PM

Ribbons - Automatic.css

Ribbons (Builder)

Ribbons - bricks-acss

Not Secure | bricksacss.local/ribbons/?bricks_preview=1678732291

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleACSSUserMavenAvventureJSMTLC

bricks-acss

Customize

2

0

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Automatic CSS

Howdy, Natalia Doe

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

WORST OPTION

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

CUSTOM FIELD TEXT

Plan name

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

OK OPTION

amazon music

7

MAR 13

zoom

1

3

17:39



ACSS 2.4- Easy Custom Corner Ribbons.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

zoom

Mon Mar 13 2:56 PM

Ribbons - Automatic.css

Ribbons (Builder)

Ribbons - bricks-acss

+

Not Secure | bricksacss.local/ribbons/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle ACSS UserMaven Avventure JS MTL

Update

Ribbon

#brxe-1ebmsv

1

.r1bbon

CONTENT

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

ATTRIBUTES

data-ribbon-position

data-ribbon-style

Name

data-ribbon-style

Value

service

ADD ATTRIBUTES

Custom attributes will be added to the most relevant HTML node.

ACCENT HEADING

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Plan name

\$49 /mo

WORST OPTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

CUSTOM FIELD TEXT

\$49 /mo

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Plan name

\$49 /mo

OK OPTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Awesome feature

Awesome feature

Awesome feature

Awesome feature

CHOOSE PLAN

Structure

Description

Features

Footer

CTA Button

Basic Text

Price Card Alpha

Header

Heading

Body

Price Wrapper

Currency

Amount

Period

Description

Features

Footer

CTA Button

Ribbon

Price Card Alpha

Header

With a second attribute we can dynamically input the class...



With a second attribute we can dynamically input the class...

Chrome

File Edit View History Bookmarks Profiles Tab Window Help

zoom

Mon Mar 13 2:57 PM

Ribbons - Automatic.css

WPCodeBox < bricks-acss < V

Ribbons (Builder)

Ribbons - bricks-acss

+

Not Secure | bricksacss.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle ACSS UserMaven Avventure JS MTLC

Update

bricks-acss 2 0 + New WS Form Automatic CSS

Howdy, Natalia Doe

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

Google Tag Manager Code

Add duplicate button to post management table

Make WPCodeBox full-width

Remove admin bar for all users except admins

Global

Cloud Snippets

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title

Global

Description (optional)

How to render the SCSS

Inline

Minify Output

Autoreload Changes

Where to insert the snippet

Frontend Header (Default) 10

Login Header 10

Admin Header 10

Add New

Snippet Order

10

Open condition builder

No conditions set

1

2

3

4

5

6

[data-ribbon-style="service"] {
 --ribbon-background-color: gold;
 --ribbon-text-color: black;
 --ribbon-padding: 1em 2em;
 --ribbon-shadow: 2px 2px 60px -10px var(--action);
}

Now we have tied the rules to the attribute

amazon music

chrome

calendar

firefox

safari

messages

vs code

globe

slack

live

clips

scissors

truck

discord

terminal

notepad

lr

ps

zoom

gear

monitor

info

code

app store

system

3

trash

20:13

20:13

20:13



Chrome

File Edit View History Bookmarks Profiles Tab Window Help

zoom

Mon Mar 13 2:58 PM

Ribbons - Automatic.css

WPCodeBox < bricks-acss - V

Ribbons (Builder)

Ribbons - bricks-acss

+

Not Secure | bricksacss.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle ACSS UserMaven Avventure JS MTLC

Update

bricks-acss 2 0 + New WS Form Automatic CSS

Howdy, Natalia Doe

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

Google Tag Manager Code

Add duplicate button to post management table

Make WPCodeBox full-width

Remove admin bar for all users except admins

Global*

Cloud Snippets

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title

Global

Description (optional)

How to render the SCSS

Inline

Minify Output

Autoreload Changes

Where to insert the snippet

Frontend Header (Default) 10

Login Header 10

Admin Header 10

Add New

Snippet Order

10

Open condition builder

No conditions set

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

[data-ribbon-style="service"] {

--ribbon-background-color: gold;

--ribbon-text-color: black;

--ribbon-padding: 1em 2em;

--ribbon-shadow: 2px 2px 60px -10px var(--action);

}

[data-ribbon-style="product"] {

--ribbon-background-color: gold;

--ribbon-text-color: black;

--ribbon-padding: 1em 2em;

--ribbon-shadow: 2px 2px 60px -10px var(--action);

}

[data-ribbon-style="base"] {

--ribbon-background-color: gold;

--ribbon-text-color: black;

--ribbon-padding: 1em 2em;

--ribbon-shadow: 2px 2px 60px -10px var(--action);

}

[data-ribbon-style="gold"] {

--ribbon-background-color: gold;

--ribbon-text-color: black;

--ribbon-padding: 1em 2em;

--ribbon-shadow: 2px 2px 60px -10px var(--action);

}

You can create as much rules as you want.

You don't need one for the default because if no attribute is set the ribbon is default...

amazon music

chrome

calendar

firefox

safari

messages

photos

vs code

globe

live

clips

scissors

truck

discord

terminal

notepad

lr

ps

zoom

gear

monitor

info

code editor

app store

system

trash

21:22

21:22

21:22