

ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & Breakpoints x Settings bricks-acss — Word x Alerts (Builder) x +

Not Secure | bricksacss.local/wp-admin/admin.php?page=bricks-settings#tab-general

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

bricks-acss30+NewWS FormAutomatic CSS

DashboardBricksGetting StartedTemplatesSettingsCustom FontsSidebarsSystem InformationLicensePostsMediaPagesCommentsReviewsToolsTestimonialsWS FormAppearancePlugins3UsersToolsSettingsAutomatic CSSMeta BoxWPCodeBoxEasy Author Avatar Image SettingsPlasterCollapse menu

SettingsExport SettingsImport Settings

GeneralBuilder accessTemplatesBuilderPerformanceAPI keysCustom code

Post types

Select post types to [edit with Bricks](#).

Posts

Pages

Reviews

Tools

Testimonials

Gutenberg data

[Convert Gutenberg data](#) into Bricks data and vice versa.

Load Gutenberg data into Bricks

Save Bricks data as Gutenberg data

SVG uploads

SVG files describe images in XML format and can therefore contain malicious code. With [SVG uploads](#) enabled Bricks will try to sanitize SVG files during upload.

Administrator

Editor

Author

Contributor

Miscellaneous

Disable Bricks Open Graph meta tags

Disable Bricks SEO meta tags

Generate custom image sizes

Enable "Delete Bricks data" button

Disable "Skip links"

Query Bricks data in search results

Custom breakpoints

[Custom breakpoints](#) are best configured before you start working on your site.

EXPERIMENTAL

Custom breakpoints

Regenerate CSS files

Convert

Running the [Converter](#) detects any outdated Bricks data and automatically updates it to the latest syntax.

EXPERIMENTAL

Please create a full-site backup before running the converter.

Convert "Container" to new "Section" & "Block" elements

Convert element IDs & classes

Add "position: relative" as needed

Entry animation to interaction

Convert

Save Settings

Reset Settings


Link to video

Link to article

Howdy, Natalia Doe

amazon music

00:57



ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Website Width & Breakpoints | Automatic CSS | Alerts (Builder)

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-viewport

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLC | Maradels

bricks-acss | 3 | 0 | New | WS Form | Automatic CSS

Howdy, Natalia Doe

Dashboard

Bricks

Posts

Media

Pages

Comments

Reviews

Tools

Testimonials

WS Form

Appearance

Plugins 3

Users

Tools

Settings

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Meta Box

WPCodeBox

Easy Author Avatar Image Settings

Plaster

Collapse menu

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.4.0-beta-1

Viewport

Website width & breakpoints.

Website Dimensions

Website Width1366px

Viewport Minimum320px

Breakpoints

ACTIVE BREAKPOINTS

XL1280px

L992px

M768px

S480px

BREAKPOINT OPTIONS

Add XXL Breakpointonoff

Add XS Breakpointonoff

Body

Boxed Layoutonoff

Website Background Colorvar(--white)

Thank you for creating with WordPress.

version 6.1.1

01:48

Kevin's sweetspot breakpoint 1366 is okay as well because there are no large gaps to the others



- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Reviews
- Tools
- Testimonials
- WS Form
- Appearance
- Plugins 3
- Users
- Tools
- Settings

- Automatic CSS
- Plugin License
- Import & Export

WPCodeBox

P Plaster

 Collapse menu

Guides

Version 2.4.0-beta-1

px

320 px

px

2

1440 px

px

1280 px

px

992 px

px

768 px

px

480 px

px



on off

on off

☐ off

on off

☐ off

```
var(--white)
```

9

Section 6.1.1

ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & Breakpoints - xAutomatic CSS - bricks-acss - xAlerts (Builder)

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-viewport

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

bricks-acss30NewWS FormAutomatic CSSHowdy, Natalia Doe

Dashboard

Bricks

Posts

Media

Pages

Comments

Reviews

Tools

Testimonials

WS Form

Appearance

Plugins 3

Users

Tools

Settings

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Meta Box

WPCodeBox

Easy Author Avatar Image Settings

Plaster

Collapse menu

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.4.0-beta-1

Viewport

Website width & breakpoints.

Website Dimensions

Website Width1600px↻

Viewport Minimum320px↻

Breakpoints

ACTIVE BREAKPOINTS

XXL1440px↻

XL1280px↻

L992px↻

M768px↻

S480px↻

XS360px↻

BREAKPOINT OPTIONS

Add XXL Breakpointonoff↻


Add XS Breakpointonoff↻


Body

Boxed Layoutonoff↻

Thank you for creating with WordPress.

version 6.1.1





The dots appear if the setting is activated in Bricks




It's very important to read and understand this!

If you find too much of a gap between one breakpoint and another, activating the XS breakpoint as an additional option can help.

Mapping Breakpoints in Bricks Builder

Whether you're sticking to the standard breakpoints or adding additional breakpoints, we recommend mapping all your ACSS breakpoints over to Bricks. This will keep the names and values consistent and ensure your site works fluidly.

First, ensure you've turned on Custom Breakpoints in Bricks' settings:



ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

Website Width & Breakpoints - xAutomatic CSS < bricks-acss - xAlerts (Builder)x+

automaticcss.com/docs/viewport/

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

matches the XL breakpoint value set in ACSS minus one pixel.

- Click the pencil next to the "tablet portrait" breakpoint and change the name to "L." Make sure the value matches the L breakpoint value set in ACSS minus one pixel.
- Click the pencil next to the "mobile landscape" breakpoint and change the name to "M." Make sure the value matches the M breakpoint value set in ACSS minus one pixel.
- Click the pencil next to the "mobile portrait" breakpoint and change the name to "S." Make sure the value matches the S breakpoint value set in ACSS minus one pixel.

Now your breakpoint names in Bricks map perfectly to your breakpoint names in ACSS.

If you're using additional breakpoints:

- Click the pencil next to the base breakpoint and change the value to your website width.
- Click the pencil next to the "tablet portrait" breakpoint and change the name to "L." Make sure the value matches the L breakpoint value set in ACSS minus one pixel.
- Click the pencil next to the "mobile landscape" breakpoint and change the name to "M." Make sure the value matches the M breakpoint value set in ACSS minus one pixel.
- Click the pencil next to the "mobile portrait" breakpoint and change the name to "S." Make sure the value matches the S breakpoint value set in ACSS minus one pixel.
- Click the "+" sign to add a new breakpoint. Set the name to "XXL" and set the value to match the XXL breakpoint value you set in ACSS minus one pixel.
- Click the "+" sign to add a new breakpoint. Set the name to "XL" and set the value to match the XL breakpoint value you set in ACSS minus one pixel.
- If you added an XS breakpoint, click the "+" sign to add a new breakpoint. Set the name to "XS" and set the value to match the XS breakpoint value you set in ACSS minus one pixel.


Your custom/additional breakpoints now map perfectly to your breakpoint names and values in ACSS.

Related Utilities

No related utilities.

Related FAQs





03:35



ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & Breakpoints - xAutomatic CSS < bricks-acss - xAlerts (Builder) x +

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

Search elements ...

PINNED ELEMENTS

ContainerHeadingRich TextNav Menu

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

+ - x

Keydesktop

Label *Desktop

Width (px) *1600

Editing the base breakpoint width affects all media queries.

Width (Builder)1600

Icon

UPDATE

CANCEL

Desktop

Base breakpoint

Tablet portrait

max-width: 991px

Mobile landscape

max-width: 767px

Mobile portrait

max-width: 478px

Structure

Click on any element to add it to your canvas.

03:53



Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Website Width & Breakpoints - x | Automatic CSS < bricks-acss - x | Alerts (Builder) x +

Not Secure | bricksacss.local/alerts/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLC | Maradels

Search elements ...

PINNED ELEMENTS

- Container
- Heading
- Rich Text
- Nav Menu

LAYOUT

- Section
- Block
- Div

BASIC

- Basic Text
- Button
- Icon
- Image
- Video

GENERAL

- Divider
- Icon Box
- Icon List
- List

BREAKPOINTS EXPERIMENTAL

Key: tablet_portrait

Label: Tablet portrait

Width (px): 991

Width (Builder): 991

Icon: [Icons]

Base breakpoint: [Toggle]

UPDATE **CANCEL**


Desktop	Base breakpoint	[Toggle]
Tablet portrait	max-width: 991px	[Toggle]
Mobile landscape	max-width: 767px	[Toggle]
Mobile portrait	max-width: 478px	[Toggle]

Structure

Click on any element to add it to your canvas.

This is equivalent to L (see next slide)

04:02





ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & BreakpointsAutomatic CSS < bricks-acssAlerts (Builder)

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

Search elements...

PINNED ELEMENTS

ContainerHeadingRich TextNav Menu

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

Desktop

Base breakpoint

L

max-width: 991px

Mobile landscape

max-width: 767px

Mobile portrait

max-width: 478px

Structure

Click on any element to add it to your canvas.

04:49



ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & Breakpoints - xAutomatic CSS < bricks-acss - xAlerts (Builder) x +

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

Search elements ...

PINNED ELEMENTS

ContainerHeadingRich TextNav Menu

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

+ - x

Desktop

Base breakpoint

🔄 / 🔍 / ⚙️

L

max-width: 991px

🔄 / 🔍 / ⚙️

M

max-width: 767px

🔄 / 🔍 / ⚙️

Mobile portrait

max-width: 478px

🔄 / 🔍 / ⚙️

Structure

Click on any element to add it to your canvas.

EDITED: BREAKPOINT

04:59

🔊

🖥️







ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & Breakpoints - xAutomatic CSS < bricks-acss - xAlerts (Builder) x +

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

Search elements ...

PINNED ELEMENTS

ContainerHeadingRich TextNav Menu

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

+ - x

Desktop

Base breakpoint

Desktop

max-width: 991px

max-width: 767px

max-width: 479px

Structure

Click on any element to add it to your canvas.

Now (not earlier) we can add our XXL and XS breakpoints

05:31



ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Website Width & Breakpoints - x Automatic CSS < bricks-acss - x Alerts (Builder) x +

Not Secure | bricksacss.local/alerts/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle ACSS UserMaven Avventure JS MTLC Maradels

Search elements ...

PINNED ELEMENTS

- Container
- Heading
- Rich Text
- Nav Menu

LAYOUT

- Section
- Block
- Div

BASIC

- Basic Text
- Button
- Icon
- Image
- Video

GENERAL

- Divider
- Icon Box
- Icon List
- List

Structure

Click on any element to add it to your canvas.

BREAKPOINTS EXPERIMENTAL

Key x1

Label * XL

Width (px) *

Width (Builder)

Icon

CREATE CANCEL

Desktop	Base breakpoint	🔄 / 🔴
L	max-width: 991px	🔄 / 🔴
M	max-width: 767px	🔄 / 🔴
S	max-width: 479px	🔄 / 🔴

To set up a new breakpoint in Bricks it needs actually 2! So we setup XL first...

05:46

ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & BreakpointsAutomatic CSS < bricks-acssAlerts (Builder)

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-viewport

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

bricks-acss30NewWS FormAutomatic CSS

Howdy, Natalia Doe

Dashboard

Bricks

Posts

Media

Pages

Comments

Reviews

Tools

Testimonials

WS Form

Appearance

Plugins 3

Users

Tools

Settings

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Meta Box

WPCodeBox

Easy Author Avatar Image Settings

Plaster

Collapse menu

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.4.0-beta-1

Viewport

Website width & breakpoints.

Website Dimensions

Website Width1600px

Viewport Minimum320px

Breakpoints

ACTIVE BREAKPOINTS

XXL1440px

XL1280px

L992px

M768px

S480px

XS360px

BREAKPOINT OPTIONS

Add XXL Breakpointonoff

Add XS Breakpointonoff

Body

Boxed Layoutonoff

Thank you for creating with WordPress.

05:49

amazonmusic

Google

VS Code

Zoom

Discord

Photoshop

Lr

Trash

Get the value





ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & BreakpointsAutomatic CSS <bricks-acssAlerts (Builder)

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

Search elements...

PINNED ELEMENTS

ContainerHeadingRich TextNav Menu

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

Desktop

Base breakpoint

XL

CUSTOM

max-width: 1279px

L

max-width: 991px

M

max-width: 767px

S

max-width: 479px

Structure

Click on any element to add it to your canvas.

06:00



ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & Breakpoints - xAutomatic CSS < bricks-acss - xAlerts (Builder) x +

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

Search elements ...

PINNED ELEMENTS

ContainerHeadingRich TextNav Menu

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

Keyxxl

Label *XXL

Width (px) *1439

Width (Builder)1439

Icon

CREATECANCEL

DesktopBase breakpoint

XLCUSTOMmax-width: 1279px

Lmax-width: 991px

Mmax-width: 767px

Smax-width: 479px

Structure

Click on any element to add it to your canvas.

amazon music

Google

Firefox

VS Code

Discord

Zoom

Photoshop

Lightroom

Apple

System



ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & BreakpointsAutomatic CSS <bricks-acssAlerts (Builder)

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

Search elements...

PINNED ELEMENTS

ContainerHeadingRich TextNav Menu

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

Desktop

use breakpoint

XXL

CUSTOM

max-width: 1439px

XL

CUSTOM

max-width: 1279px

L

max-width: 991px

M

max-width: 767px

S

max-width: 479px

Structure

Click on any element to add it to your canvas.

06:26

Base breakpoint

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

Website Width & Breakpoints - x Automatic CSS < bricks-acss - x Alerts (Builder)

Not Secure | bricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-viewport

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | Pings unread | InnerCircle | ACSS | UserMaven | Avventure | JS | MTLC | Maradels

bricks-acss 3 0 + New WS Form Automatic CSS Howdy, Natalia Doe

Dashboard
Bricks
Posts
Media
Pages
Comments
Reviews
Tools
Testimonials
WS Form
Appearance
Plugins 3
Users
Tools
Settings
Automatic CSS
Automatic CSS
Plugin License
Import & Export
Meta Box
WPCodeBox
Easy Author
Avatar Image
Settings
Plaster
Collapse menu

Viewport
Palette
Typography
Spacing
Buttons & Links
Additional Styling
Options
Frames
Forms (Beta)
Guides
SAVE CHANGES
Version 2.4.0-beta-1

Viewport
Website width & breakpoints.

Website Dimensions

Website Width	1600	px	↻
Viewport Minimum	320	px	↻

Breakpoints

ACTIVE BREAKPOINTS

XXL	1440	px	↻
XL	1280	px	↻
L	992	px	↻
M	768	px	↻
S	480	px	↻
XS	360	px	↻

BREAKPOINT OPTIONS

Add XXL Breakpoint	on	off	↻
Add XS Breakpoint	on	off	↻

Body

Boxed Layout	on	off	↻
--------------	----	-----	---

Thank you for creating with WordPress.

version 6.1.1

06:37

We need XS as well

ACSS 2.4- Two New Customizable Breakpoints (XXL and XS).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Website Width & Breakpoints - xAutomatic CSS < bricks-acss - xAlerts (Builder) x +

Not Secure | bricksacss.local/alerts/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeniusPings unreadInnerCircleACSSUserMavenAvventureJSMTLCMaradels

b

Search elements ...

PINNED ELEMENTS

ContainerHeadingRich TextNav MenuSectionBlockDivBasic TextButtonIconImageVideoDividerIcon BoxIcon ListList

LAYOUT

SectionBlockDiv

BASIC

Basic TextButtonIconImageVideo

GENERAL

DividerIcon BoxIcon ListList

BREAKPOINTS

EXPERIMENTAL

+ - x

Keyxs

Label *XS

Width (px) *359

Width (Builder)359phone-portrait

Icon

CREATE

CANCEL

Desktop

Base breakpoint

XXL

CUSTOM

max-width: 1439px

XL

CUSTOM

max-width: 1279px

L

max-width: 991px

M

max-width: 767px

S

max-width: 479px

Structure

Click on any element to add it to your canvas.

amazon music

chrome

firefox

safari

slack

vs code

discord

luma

photoshop

zoom

spotify

mail

calendar


photos


trash

06:44










See the detailed documentation



Bricks Custom Breakpoint Settings

Once that's enabled, you can edit breakpoints in Bricks from any page as long as you have the builder open.

In the builder, click the three dots next to the breakpoints to open the editor panel.

