

# Viewport

Website width & breakpoints.

## Website Dimensions

Website Width

1366px

Viewport Minimum

320px

## Breakpoints

ACTIVE BREAKPOINTS

XL

1280px

L

992px

M

768px

S

480px

BREAKPOINT OPTIONS

Add XXL Breakpoint i

onoff

Add XS Breakpoint i

onoff

## Body

Boxed Layout i

onoff

Website Background Color i

var(--white)

# Palette

Brand colors & shades.

Action 

on

off



Hex Value

#E56C70



Edit Action Shades

Adjust each shade's HSL values. Higher values provide more saturation/lightness and lower values provide less. Don't adjust the hue unless you know exactly what you're doing.

HSL: 358°, 70%, 66%

|                                                                                                 |                                                                                                                   |                                                                                                                  |                                                                                                                    |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|  Hover       | <div>358</div> <div>H</div>  | <div>70</div> <div>S</div>  | <div>1,15</div> <div>L</div>  |
|  Ultra Light | <div>358</div> <div>H</div>  | <div>70</div> <div>S</div>  | <div>95</div> <div>L</div>    |
|  Light       | <div>358</div> <div>H</div>  | <div>70</div> <div>S</div>  | <div>85</div> <div>L</div>    |
|  Medium      | <div>358</div> <div>H</div>  | <div>70</div> <div>S</div>  | <div>50</div> <div>L</div>    |
|  Dark        | <div>358</div> <div>H</div>  | <div>70</div> <div>S</div>  | <div>25</div> <div>L</div>    |
|  Ultra Dark  | <div>358</div> <div>H</div>  | <div>70</div> <div>S</div>  | <div>10</div> <div>L</div>    |

## Primary i

on

off



Hex Value

#E56C70



### Edit Primary Shades ▲

Adjust each shade's HSL values. Higher values provide more saturation/lightness and lower values provide less. Don't adjust the hue unless you know exactly what you're doing.

HSL: 358°, 70%, 66%



Hover

358

H



70

S



1,15

L



Ultra Light

358

H



70

S



95

L



Light

358

H



70

S



85

L



Medium

358

H



70

S



50

L



Dark

358

H



70

S



25

L



Ultra Dark

358

H



70

S



10

L



## Secondary ⓘ

on

off



Hex Value

#6C5879



### Edit Secondary Shades



Adjust each shade's HSL values. Higher values provide more saturation/lightness and lower values provide less. Don't adjust the hue unless you know exactly what you're doing.

HSL: 276°, 16%, 41%



Hover

276

H



16

S



1,15

L



Ultra Light

276

H



16

S



95

L



Light

276

H



16

S



85

L



Medium

276

H



16

S



50

L



Dark

276

H



16

S



25

L



Ultra Dark

276

H



16

S



10

L



## Accent

on

off



Hex Value

#EAAC8B



### Edit Accent Shades

Adjust each shade's HSL values. Higher values provide more saturation/lightness and lower values provide less. Don't adjust the hue unless you know exactly what you're doing.

HSL: 21°, 69%, 73%



Hover

21

H



69

S



1,15

L



Ultra Light

21

H



69

S



95

L



Light

21

H



69

S



85

L



Medium

21

H



69

S



50

L



Dark

21

H



69

S



25

L



Ultra Dark

21

H



69

S



10

L



Base 

on

off



Hex Value

#344F6F



## Edit Base Shades



Adjust each shade's HSL values. Higher values provide more saturation/lightness and lower values provide less. Don't adjust the hue unless you know exactly what you're doing.

HSL: 213°, 36%, 32%



Hover

213

H



36

S



1,15

L



Ultra Light

213

H



36

S



95

L



Light

213

H



36

S



85

L



Medium

213

H



36

S



50

L



Dark

213

H



36

S



25

L



Ultra Dark

213

H



36

S



10

L



## Shade

Hex Value

#000000



### Edit Shades

Adjust each shade's HSL values. Higher values provide more saturation/lightness and lower values provide less. Don't adjust the hue unless you know exactly what you're doing.

HSL: 0°, 0%, 0%



Hover

0

H



0

S



1,15

L



Ultra Light

0

H



0

S



95

L



Light

0

H



0

S



85

L



Medium

0

H



0

S



50

L



Dark

0

H



0

S



25

L



Ultra Dark

0

H



0

S



10

L



# Contextual Colors i

on

off



## Success



HSL: 133°, 61%, 41%

Success Color

#29A745

Success Light

133

H

61

S

85

L

Success Dark

133

H

61

S

15

L

Success Hover

133

H

61

S

1,15

L



Contextual Colors i

on

off

Success

Danger

HSL: 354°, 71%, 54%

Hex Value

#DC3545



Danger Light

354

H

71

S

85

L



Danger Dark

354

H

71

S

15

L



Danger Hover

354

H

71

S

1,15

L

Contextual Colors i

on

off

Success

Danger

Warning

HSL: 45°, 100%, 52%

Warning Color

#FFC10A



Warning Light

45

H



100

S



85

L



Warning Dark

45

H



100

S



15

L



Warning Hover

45

H



100

S



1,15

L



Info

Contextual Colors i

on

off

Success

Danger

Warning

Info

HSL: 188°, 77%, 41%

Info Color

#18A2B8

Info Light

188

H

77

S

85

L

Info Dark

188

H

77

S

15

L

Info Hover

188

H

77

S

1,15

L

# Typography

Fluid responsive headings & text.

Root Font Size 

62,5 %



## Text

Default Text Color 

var(--base-ultra-dark)



Base Text Size 

16 px



18 px



Desktop Scale 

Perfect Fourth (1.333)



Mobile Scale 

Minor Third (1.200)



## Text Line Heights



Set the line height for each text size.

XXL Text Line Height

1,5



XL Text Line Height

1,5



L Text Line Height

1,5



M/Base Text Line Height

1,5



S Text Line Height

1,5



XS Text Line Height

1,5



## Text Line Lengths

Set the text line length to a specific number of characters for maximum readability. The recommended value is anywhere from 45ch to 80ch. This setting only affects paragraphs and lists, but can affect containers when a text size class is applied at the container level.

XXL Text Line Length



XL Text Line Length



L Text Line Length



M/Base Text Line Length



S Text Line Length



XS Text Line Length



## Text Size Overrides

Set any text size manually. The first input is the mobile value and the second input is the desktop value. You can choose to leave the mobile input blank and only change the desktop value if you'd like. All sizes will remain responsive according to the values you set.

|     |                                  |                                 |                                |                                  |                                 |                                |
|-----|----------------------------------|---------------------------------|--------------------------------|----------------------------------|---------------------------------|--------------------------------|
| XXL | <input type="text" value="min"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> | <input type="text" value="max"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> |
| XL  | <input type="text" value="min"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> | <input type="text" value="max"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> |
| L   | <input type="text" value="min"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> | <input type="text" value="max"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> |
| M   | <input type="text" value="min"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> | <input type="text" value="max"/> | <input type="text" value="px"/> | <input type="text" value="↶"/> |
| S   | <input type="text" value="14"/>  | <input type="text" value="px"/> | <input type="text" value="↶"/> | <input type="text" value="16"/>  | <input type="text" value="px"/> | <input type="text" value="↶"/> |
| XS  | <input type="text" value="13"/>  | <input type="text" value="px"/> | <input type="text" value="↶"/> | <input type="text" value="14"/>  | <input type="text" value="px"/> | <input type="text" value="↶"/> |

## Headings

Base Heading Size 

16

px



20

px



Desktop Scale 

Perfect Fifth (1.500)



Mobile Scale 

Minor Third (1.200)





## Heading Colors



Set default colors for each heading level using an ACSS variable. **NOTE: ACSS does not set heading colors by default. The following fields only have placeholders.**

H1

`var(--base-ultra-dark)`



H2

`var(--base-ultra-dark)`



H3

`var(--base-ultra-dark)`



H4

`var(--base-ultra-dark)`



H5

`var(--base-ultra-dark)`



H6

`var(--base-ultra-dark)`



## Heading Line Heights



Set the line height for each heading size.

H1

1,2



H2

1,2



H3

1,2



H4

1,2



H5

1,2



H6

1,2



## Heading Line Lengths

Set the heading line length to a specific number of characters for maximum readability. The recommended value is anywhere from 45ch to 80ch.

H1

100%



H2

100%



H3

100%



H4

100%



H5

100%



H6

100%



## Heading Size Overrides

Set any heading size manually. The first input is the mobile value and the second input is the desktop value. You can choose to leave the mobile input blank and only change the desktop value if you'd like. All sizes will remain responsive according to the values you set.

H1

min

px



max

px



H2

min

px



max

px



H3

min

px



max

px



H4

min

px



max

px



H5

16

px



18

px



H6

14

px



16

px



## 'Larger' Multiplier

Text Larger ⓘ

1,15



1,15



## Fallbacks ⓘ

Edit Fallbacks



XXL/H1

26

px



XL/H2

23

px



L/H3

20

px



M/H4

18

px



S/H5

14

px



XS/H6

13

px



# Spacing

Fluid responsive spacing.

## Main Spacing

Base Spacing i

24px

↶

30px

↷

Desktop Scale i

Perfect Fifth (1.500)

▼

↷

Mobile Scale i

Perfect Fourth (1.333)

▼

↷

## Section Spacing

Base Multiplier (Desktop) i

3

↷

Base Multiplier (Mobile) i

2

↷

Side Padding i

16px

↶

60px

↷

## Contextual Spacing

Content Gap i

var(--space-m)

↷

Container Gap i

var(--space-xl)

↷

Grid Gap i

var(--space-m)

↷

# Buttons & Links

Global button & link styling.

## Button Functionality

on

off



## Button Defaults

Custom Button Text Size 

on

off



Button Padding 

.75em

y



1.5em

x



Minimum Button Width 

150

px



## Button Text Styling



Line Height

1



Letter Spacing 

0



Font Weight

400 ▼



Font Style

Normal ▼



Text Transform

None ▼



Text Decoration

None ▼





## Button Border Styling

Border Width

2,5

px



Outline Border Width

2,5

px



Button Radius 

0



## Link Defaults

Link Color

`var(--action)`



Link Hover Color

`var(--action-hover)`



Link Weight

400 ▼



Link Decoration

None ▼



## Action Button

Load Action Button Styles 

on

off



Edit Action Button Styling



# Action Button

Load Action Button Styles ⓘ

on

off



## Edit Action Button Styling



Background Color

var(--action)



Hover Background Color

var(--action-hover)



Text Color

var(--action-ultra-light)



Hover Text Color

var(--action-ultra-light)



Border Color

var(--action)



Hover Border Color

var(--action-hover)



Outline Text Color

var(--action)



Outline Hover Text Color

var(--action-ultra-light)



## Primary Button

Load Primary Button Styles 

on

off



## Secondary Button

Load Secondary Button Styles 

on

off



## Accent Button

Load Accent Button Styles 

on

off



## Base Button

Load Base Button Styles 

on

off



## Black Button

Load Black Button Styles 

on

off



## White Button

Load White Button Styles 

on

off



### Edit White Button Styling

Background Color

`var(--shade-white)`



Hover Background Color

`var(--action-hover)`



Text Color

`var(--shade-black)`



Hover Text Color

`var(--shade-white)`



Border Color

`var(--shade-white)`



Hover Border Color

`var(--shade-black)`



Outline Text Color

`var(--shade-white)`



Outline Hover Text Color

`var(--action-ultra-light)`



# Additional Styling

More styling settings.

## Accessibility

Focus Outline Color

`var(--action)`



Focus Outline Offset

`.25em`



## Header Styling

### Header Heights

Set your header height (per breakpoint). Used for `var(--header-height)`, automatic sticky offset, and automatic scroll offset.

Header Height

0

px



Header Height (L) 

0

px



Header Height (M) 

0

px



Header Height (S) 

0

px



Offset Page Content Automatically 

on

off





## Scroll Styling

### Scroll Offsets

While header heights (above) are used for scroll offset, you can choose to set an additional offset value to increase the offset.

Scroll Offset 

0

px



Scroll Offset (L) 

0

px



Scroll Offset (M) 

0

px



Scroll Offset (S) 

0

px



## Sticky Settings

Offset Sticky Elements Automatically 

on

off



### Manual Sticky Offsets

If you don't use auto-offset, you can set manual offsets for your sticky offset classes.

Top Margin (Small) 

2.5%



Top Margin (Medium) 

5%



Top Margin (Large) 

10%



# Box Shadows

## Box Shadow 1



Warning: Setting these values will replace `.box-shadow--m` and `var(--box-shadow-m)` with a custom name and value.

Box Shadow 1 Name 

m



Box Shadow 1 Value 

Add value to override



## Box Shadow 2



## Box Shadow 3



## Box Shadows

Box Shadow 1



Box Shadow 2



Warning: Setting these values will replace **.box-shadow--l** and **var(--box-shadow-l)** with a custom name and value.

Box Shadow 2 Name 

|



Box Shadow 2 Value 

Add value to override



Box Shadow 3



# Box Shadows

Box Shadow 1



Box Shadow 2



Box Shadow 3



Warning: Setting these values will replace `.box-shadow--xl` and `var(--box-shadow-xl)` with a custom name and value.

Box Shadow 3 Name 

xl



Box Shadow 3 Value 

Add value to override



## Selection Styling

Selection Background 

**var(--action)**



Selection Text Color 

**var(--action-dark)**



Alt Selection Background 

**var(--base)**



Alt Selection Text Color 

**var(--white)**



## Radius System

Base Radius 

1rem



Radius Scale 

1.5



## Columns

### Column Widths

Adjust the widths of text columns (.col-width classes).

Column Width (Small)

13

rem



Column Width (Medium)

25

rem



Column Width (Large)

38

rem



### Column Rule Widths



## Columns

Column Widths 

Column Rule Widths 

Adjust the width of text column rulers (vertical dividers).

Column Rule Width (Small)

0,1

em



Column Rule Width (Medium)

0,3

em



Column Rule Width (Large)

0,5

em



# Options

Set the options for the Automatic.css plugin

## Smooth Scrolling

Enable CSS Smooth Scrolling 

on

off



## Paragraphs & Headings

Fix Paragraph & Heading Spacing? 

on

off



Default Paragraph Spacing 

1em



Default Heading Spacing 

1.5em



## Builder Settings

Variable Expansion & Validation 

on

off



Framework Settings

Pro Mode ⓘ

Activate

Reset

Background Classes ⓘ

onoff↶

Owl Spacing Classes ⓘ

onoff↶

Margin Classes ⓘ

onoff↶

Padding Classes ⓘ

onoff↶

Section Padding Classes ⓘ

onoff↶

Overlay Classes ⓘ

onoff↶

Text Color Classes ⓘ

onoff↶

Link Color Classes ⓘ

onoff↶

Opacity Classes ⓘ

onoff↶

Box-Shadow Classes ⓘ

onoff↶

Breakout Classes ⓘ

onoff↶

Position Classes ⓘ

onoff↶

Flip Classes ⓘ

onoff↶

Object Fit Classes ⓘ

onoff↶

Height Classes ⓘ

onoff↶

Grid Classes ⓘ

onoff↶

Gap Classes ⓘ

onoff↶

Flexbox Classes ⓘ

onoff↶

Width Classes ⓘ

onoff↶

Rounded / Radius ⓘ

onoff↶

Aspect Ratio Classes ⓘ

onoff↶

Z-Index Classes ⓘ

onoff↶

Column Classes ⓘ

onoff↶

Marker Color Classes ⓘ

onoff↶

Display Classes ⓘ

onoff↶

Visibility Classes ⓘ

onoff↶

Corner Ribbons ⓘ

onoff↶

Contextual Color Classes ⓘ

onoff↶

Plugin Settings

Admin Bar Link ⓘ

onoff↶

Admin Link Position ⓘ

90↶

Receive Beta Releases

onoff↶

Enable Debugging

onoff↶

Delete On Deactivation ⓘ

no↶

# Frames

Set global styling for Frames components.

Note: A [Frames membership](#) is required.

Load Frames Styling 

on

off



Backgrounds

Background (Light)

var(--shade-ultra-light)



Background (Dark)

var(--shade-ultra-dark)



Text

Text (Light)

var(--shade-ultra-light)



Text (Dark)

var(--shade-ultra-dark)



Content

Hero Padding 

var(--section-space-xl)



Lede Width 

60

ch



## Cards

### Spacing



Padding

`var(--space-m)`



Card Element Gap 

`var(--space-s)`



### Borders



### Avatars



## Cards

Spacing



Borders



Border Size

0.15rem



Border Color

var(--shade-light)



Border Style

Solid



Border Radius

var(--radius-xs)



Avatars



## Cards

Spacing



Borders



Avatars



Avatar Radius

50%



## Components

Table Of Contents (RC) 

on

off



Modal (RC) 

on

off



Trigger (RC) 

on

off



Slider (Beta) 

on

off



Slider Controls (Beta) 

on

off



## Additional Frames Options

Adjust Template Thumbnail Size 

on

off





## Forms (Beta)

Set global styling for forms using **.form--light** and **.form--dark**.

**Support for:** Bricks (native forms) & WSForm.

Load Forms Styling 

on

off



# Light Form Styles i

## Label Styling

Style your form labels (text above the inputs).

### TEXT

Text Color

var(--base-dark)



Text Size

14

px



16

px



Line Height

1



Font Weight

400



Text Transform

None



### BACKGROUND

Background Color

var(--whi



### SPACING

Bottom Margin

0.5em



Padding

0

y



0

x



## Light Form Styles

Label Styling 

Legend Styling 

Style your form legends (fieldset captions) – [Learn More](#)

Text Color

`var(--base-ultra-dark)`



Text Size

14

px



16

px



Line Height

1,2



Font Weight

400



Bottom Margin

1em



## Light Form Styles

Label Styling



Legend Styling



Help Styling



Style your form help text (text below the inputs)

Text Color

var(--shade-medium)



Text Size

12

px



14

px



Line Height

1,4



Font Weight

400



## Light Form Styles

Label Styling



Legend Styling



Help Styling



Field & Fieldset Styling



Style your fields & fieldsets – [Learn More](#)

Fieldset Bottom Margin 

1.5em



Field Bottom Margin 

1.5em



Grid Gutter 

2rem



Light Form Styles ⓘ

- Label Styling ▾
- Legend Styling ▾
- Help Styling ▾
- Field & Fieldset Styling ▾

Input Styling ▲

Style your form input fields.

Height ⓘ

50px↺

Input Padding

.5emy↺

1emx↺

BACKGROUND

Background Color

var(--white)↺

BORDER

Border Color

var(--shade-light)↺

Border Style

Solid ▾↺

Border Radius

var(--btn-radius)↺

Border Width (Y) ⓘ

1px↺

1px↺

Border Width (X) ⓘ

1px↺

1px↺

TEXT

Text Size

14px↺

18px↺

Font Weight

400 ▾↺

Line Height

1↺

Text Color

var(--shade-dark)↺

Placeholder Text Color

var(--shade-dark)↺

Placeholder Text Opacity

0,5↺

- Global & Submit Button Styling ▾

- Secondary Button Styling ▾

Global & Submit Button Styling

Applies to the submit button while also creating some shared styles for secondary buttons.

SPACING

Top Margin

0

Button Padding

.75emy

1.5emx

BACKGROUND

Background Color

var(--action)

Background Hover Color

var(--action-hover)

BORDER

Border Color

var(--action)

Hover Border Color

var(--action-hover)

Border Style

Solid

Border Radius

var(--f-light-input-radius)

Border Size

var(--btn-border-size)

TEXT

Text Size

14px

18px

Font Weight

400

Line Height

1

Text Color

var(--action-ultra-light)

Hover Text Color

var(--action-ultra-light)

Text Transform

None

Text Decoration

None

Secondary Button Styling

Secondary Button Styling

Change the color of your secondary form buttons.  
All other styles are shared with the primary submit style.

PREVIOUS BUTTON

|                        |                                     |   |
|------------------------|-------------------------------------|---|
| Background Color       | <div>var(--shade-light)</div>       | ↶ |
| Hover Background Color | <div>var(--shade-ultra-light)</div> | ↶ |
| Text Color             | <div>var(--shade-ultra-dark)</div>  | ↶ |
| Hover Text Color       | <div>var(--shade-ultra-dark)</div>  | ↶ |

SAVE BUTTON

|                        |                                     |   |
|------------------------|-------------------------------------|---|
| Background Color       | <div>var(--shade-light)</div>       | ↶ |
| Hover Background Color | <div>var(--shade-ultra-light)</div> | ↶ |
| Text Color             | <div>var(--shade-ultra-dark)</div>  | ↶ |
| Hover Text Color       | <div>var(--shade-ultra-dark)</div>  | ↶ |

RESET BUTTON

|                        |                                     |   |
|------------------------|-------------------------------------|---|
| Background Color       | <div>var(--shade-light)</div>       | ↶ |
| Hover Background Color | <div>var(--shade-ultra-light)</div> | ↶ |
| Text Color             | <div>var(--shade-ultra-dark)</div>  | ↶ |
| Hover Text Color       | <div>var(--shade-ultra-dark)</div>  | ↶ |

CLEAR BUTTON

|                        |                                     |   |
|------------------------|-------------------------------------|---|
| Background Color       | <div>var(--shade-light)</div>       | ↶ |
| Hover Background Color | <div>var(--shade-ultra-light)</div> | ↶ |
| Text Color             | <div>var(--shade-ultra-dark)</div>  | ↶ |
| Hover Text Color       | <div>var(--shade-ultra-dark)</div>  | ↶ |

Option Input Styling



## Option Input Styling

Style your radio and checkbox inputs. [Learn More](#)

Text Size

14

px



16

px



Font Weight

400



Background Color

transparent



Action Color 

var(--action)



Border Color

var(--shade-ultra-light)



## Progress Bar Styling



Style your progress bars.

Height

30

px



Background Color 

`var(--base-ultra-light)`



Fill Color 

`var(--action)`



Border Radius

`var(--btn-radius)`



## Tab Styling

Style your tabs.

### SPACING

Left/Right Margin

0

Tab Padding

.75em

y

1.5em

x

### BACKGROUND

Background Color

transparent

Active Background Color

transparent

### BORDERS

Border Color

var(--action)

Active Border Color

var(--action)

Border Bottom Color

var(--action)

Border Style

Solid

Border Radius

0

Border Size

0

Active Bottom Border Size

3px

### TEXT

Text Size

16

px

18

px

Font Weight

400

Active Font Weight

600

Line Height

1

Text Color

var(--shade-dark)

Active Text Color

var(--shade-dark)

Text Align

Center

Text Transform

None

Text Decoration

None

### TAB GROUP (TABS CONTAINER)

Background Color

transparent

Tab Padding

0

y

0

x

Border Bottom Size

2px

Border Bottom Style

Solid

Border Bottom Color

var(--shade-ultra-light)

Margin Bottom

3rem

Range Slider Styling

## Range Slider Styling

Style your range sliders. Note: to customize the color of the lower and upper track you need to enable it in Range Slider's Field Settings

Left Track Color 

**`var(--base-ultra-light)`**



Right Track Color 

**`var(--base-ultra-light)`**



Thumb Color 

**`var(--action)`**



**Dark Form Styles (Coming Soon)** ⓘ

# Guides

Helpful resources for ACSS.

## Setup Guide

Automatic.css is fundamentally different from other utility class systems. This is precisely what makes it so powerful and preferential. Before trying to use the system, it's important that you understand how it works. You'll find all documentation, setup steps, tips, tricks, and support in the [private Automatic.css Community](#) (license required).

## Style Guide (Oxygen)

To install the official ACSS UI Style Guide in Oxygen, click the Oxygen design set key to copy it and then follow our [UI Style Guide installation instructions](#)

Design Set Key 

aHROcHM6Ly91aS5hdXRvbWFOaWNjc3MuY29tCkF1dG9tYXRpYyBDU1MgU3R5bGUgR3VpZGUKQi9rMDRtYVU2TjVV

## Style Guide (Bricks)

To install the official ACSS UI Style Guide in Bricks Builder, copy the remote template URL below and follow [these instructions](#).

Remote Template URL 

https://bricksui.automaticcss.com