

The image is a screenshot of a web browser displaying the AutoGRID application. The browser's address bar shows the URL "training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true". The application interface is divided into several sections. On the left, there is a sidebar with a dark background containing various tools and settings. At the top of the sidebar is a "Section (#25)" header with icons for adding, deleting, and duplicating sections. Below this is a "Section" dropdown menu with a "Choose selector to edit..." button. Underneath is a text input field for "Enter class name..." and an "add class..." button. The sidebar also features "SUGGESTED CLASSES" (e.g., "col-span--1-1") and "EXISTING SELECTORS" (e.g., "section-25-109"). Further down, there are "Child Element Layout" options (Vertical, Horizontal, Grid) and "Horizontal Item Alignment" options (Left, Center, Right, Stretch). At the bottom of the sidebar is a "Tag" dropdown menu set to "section" and a "Use custom tag" checkbox. A "Add Shape Divider" button is also present. The main content area is a large, light blue canvas. In the center of the canvas, the text "Create section" is displayed in a blue font, and below it, the word "Video" is displayed in a large, black font. On the right side of the canvas, there is a "Structure" panel with a close button. It shows a tree view with "Inner Content" and "Section (#25)". The bottom of the image shows a video player interface with a progress bar, play/pause button, and a small video thumbnail of a man with glasses and a beard.

AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Geni.us InnerCircle FB Ad Comments DocReady Discord

+ Add < Hide

Structure History Manage Back to WP Save

Section (#25)

Section

class

bg--base-ultra-li

state

Primary Advanced

Text Color

Background Color

Child Element Layout

Vertical Horizontal Grid

Tag

section

Use custom tag

Add Shape Divider

Section


Structure

Expand All Collapse All

Inner Content

Section (#25)

bg-base-ultra-light



AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business, Hosting, Resources, Personal, MarketingAutomat..., Basecamp, Facebook, Geni.us, InnerCircle, FB Ad Comments, DocReady, Discord

+ Add

< Hide

Div (#26)

Section > Div

class

grid--3

state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Width

px

Background color

Tag

div

Use custom tag

Structure

History

Manage

Back to WP

Save

Expand All

Collapse All

Inner Content

Section (#25)

grid--3

Navigation icons: back, forward, search, etc.

-14:57

Volume icon

Fullscreen icon

+ Add

< Hide

Div (#27)
Section > Div > Div
Choose selector to edit...

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Horizontal Item Alignment

Left

Center

Right

Stretch

Vertical Item Alignment

Top

Middle

Bottom

Space Around

Space Between

Width

px

Background color

Tag

div

Use custom tag

Structure

History

Manage

Back to WP

Save

Inner Content


Section (#25)

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true


Div

Div

Div in grid container



-14:51



AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Geni.us InnerCircle FB Ad Comments DocReady Discord

+ Add < Hide

Div (#27)
Section > Div > Div

class

pad--xl

state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Width

Background color

Tag

div

Use custom tag

Double-click this headline to edit the text.

pad—xl for the div with heading

Structure

Expand All Collapse All


Inner Content

Section (#25)

14:25

14:25

14:25



AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Geni.us InnerCircle FB Ad Comments DocReady Discord

+ Add< Hide

Div (#27)
Section > Div > Div
class text--white state

PrimaryAdvanced

Layout Child Elements
VerticalHorizontalGrid

Width
px

Background color

Tag
div
Use custom tag

Double-click this headline to edit the text.

text--white

Structure

Expand AllCollapse All

Inner Content

Section (#25)

Save


Div

Div

14:19







+ Add

< Hide

Div (#38)
Section > Div > Div

class

rounded-m

state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Horizontal Item Alignment

Left

Center

Right

Stretch

Vertical Item Alignment

Top

Middle

Bottom

Space Around

Space Between

Width
px

Background color

Tag

div

Use custom tag

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Duplicate

Structure

Expand All Collapse All

Inner Content

Section (#25)

Div (#26)

Div (#27)

Heading (#28)

Div (#30)

Div (#32)

Div (#34)

Div (#36)


Div (#38)

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Geni.us InnerCircle FB Ad Comments DocReady Discord

Other Bookmarks

Structure History Manage Back to WP Save



The screenshot displays the AutoGRID web application interface, which is a visual editor for creating web layouts. The main workspace shows a light blue background with a 2x3 grid of red rectangular blocks, each labeled "Grid Cell". Below the grid, the text "gap--m" is visible, likely representing a CSS gap property. The left sidebar contains a "Div (#26)" panel with settings for "Section", "Layout Child Elements" (Vertical, Horizontal, Grid), "Width", "Background color", and "Tag". The right sidebar shows a "Structure" panel with a tree view of the page hierarchy, including "Inner Content", "Section (#25)", "Div (#26)", "Div (#27)", "Heading (#28)", "Div (#30)", "Div (#32)", "Div (#34)", "Div (#36)", and "Div (#38)". A video feed of a man with glasses and a blue shirt is visible in the bottom right corner. The browser's address bar shows the URL "training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true".

+

Add

<

Hide

Div (#26)

Section > Div

class

gap--m

state

grid--l

add class...

SUGGESTED CLASSES

class

grid--l-2

class

grid--l-1

EXISTING SELECTORS

id

div_block-26-109

class

grid--3

class

gap--m

Background color

Tag

div

☐

Use custom tag

Div

Section

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Structure

History

Manage

Back to WP

Save

Structure

Expand All

Collapse All

Inner Content

Section (#25)

Div (#26)

Div (#27)

Heading (#28)

Div (#30)

Div (#32)

Div (#34)

Div (#36)

Div (#38)

At L breakpoint it looks squeezed

0

100

200

300

400

500

600

700

800

900

1000

1100

1200

1300

1400

1500

1600

1700



The image shows a web browser window with the URL 'training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true'. The browser's address bar and tabs are visible at the top. The main content area of the browser displays a web design tool interface. On the left, there is a sidebar with a 'Div (#26)' section, a 'Primary' tab, and a 'Layout Child Elements' section. The main area of the tool shows a grid of six red rectangular blocks, each labeled 'Grid Cell'. A yellow box with the text 'grid--m-1' is overlaid on the grid. On the right, there is a 'Structure' panel showing a tree view of the page elements. In the bottom right corner, there is a small video inset showing a man with glasses and a beard, wearing a blue t-shirt, speaking. The browser's status bar at the bottom shows the time as -12:40.

AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Geni.us InnerCircle FB Ad Comments DocReady Discord Other Bookmarks

+ Add < Hide

Div (#40)

Section > Div

class grid--5 state

Primary Advanced

Layout Child Elements

Vertical Horizontal Grid

Width

Background color

Tag

div

Use custom tag

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Div

grid--5

Structure

Expand All Collapse All

Inner Content

- Section (#25)
 - Div (#26)
 - Div (#27)
 - Heading (#28)
 - Div (#30)
 - Div (#32)
 - Div (#34)
 - Div (#36)
 - Div (#38)
 - Div (#40)

Section

This becomes a staggered grid where one element has 3 columns and the other 2 columns

-11:28

AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business, Hosting, Resources, Personal, MarketingAutomat..., Basecamp, Facebook, Geni.us, InnerCircle, FB Ad Comments, DocReady, Discord

+ Add

< Hide

Div (#38)

Section > Div > Div

class

col-span--3

state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Width

px

Background color

red

Tag

div

Use custom tag

Structure

History

Manage

Back to WP

Save

Inner Content

Section (#25)

Div (#26)

Div (#27)

Heading (#28)

Div (#41)

Div (#30)

Div (#32)

Div (#34)

Div (#36)

Div (#40)

Div (#38)

Div (#44)

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

col-span--3

Div

Div

Navigation icons

-11:09

Volume icon

Fullscreen icon

+ Add

< Hide

Div (#44)
Section > Div > Div

class

col-span--2

state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Width

Background color

Tag

div

Use custom tag

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Structure

Expand All

Collapse All

Inner Content

Section (#25)

Div (#26)

Div (#27)

Heading (#28)

Div (#41)

Div (#30)

Div (#32)

Div (#34)


Div (#36)

Div (#40)

Div (#38)

Div (#44)

col-span--2



The screenshot displays the AutoGRID web application interface. The main workspace shows a light blue background with a grid of 8 red rectangular components, each labeled "Grid Cell". The components are arranged in two rows of three and one row of two. Below the grid, the text "gap--m" is visible. The left sidebar contains settings for "Div (#40)", including options for "Primary", "Advanced", "Layout Child Elements", "Width", "Background color", and "Tag". The right sidebar shows the "Structure" of the page, listing various divs and sections. A video feed of a man is visible in the bottom right corner.

+ Add

< Hide

Div (#40)
Section > Div
class grid--1-1 state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Width
px

Background color

Tag
div

Use custom tag

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

grid--1-1

Structure

Expand All Collapse All

Inner Content

- Section (#25)
 - Div (#26)
 - Div (#27)
 - Heading (#28)
 - Div (#41)
 - Div (#30)
 - Div (#32)
 - Div (#34)
 - Div (#36)
 - Div (#40)
 - Div (#38)
 - Div (#44)

Gap not wanted. Now it's a broken grid

The screenshot displays the AutoGRID web application interface, which is a visual editor for creating web layouts. The main workspace shows a 3x2 grid of red rectangular components, each labeled "Grid Cell". Below this grid, a text box contains the text "col-span=1-1 for both".

The left sidebar contains a "Div (#44)" panel with settings for the selected element. It shows the "class" as "col-span=1-1" and the "tag" as "div". Below this, there are tabs for "Primary" and "Advanced" settings, and a "Layout Child Elements" section with icons for "Vertical", "Horizontal", and "Grid" layouts. The "Width" is set to "px" and the "Background color" is a light gray. The "Tag" is set to "div" with a "Use custom tag" checkbox.

The right sidebar shows a "Structure" panel with a tree view of the page hierarchy. The tree starts with "Inner Content", followed by "Section (#25)", "Div (#26)", "Div (#27)", "Heading (#28)", "Div (#41)", "Div (#30)", "Div (#32)", "Div (#34)", "Div (#36)", "Div (#40)", "Div (#38)", and finally "Div (#44)" which is highlighted in blue.

A video feed of a man with glasses and a beard, wearing a blue t-shirt, is visible in the bottom right corner of the screen. The overall interface is dark-themed with a light gray workspace.

The image is a screenshot of a web browser displaying the 'AutoGRID' application. The browser's address bar shows the URL 'training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true'. The application interface is divided into several sections. On the left, there is a sidebar with a '+ Add' button and a '< Hide' button. Below these, there is a 'Section (#46)' header with a 'class' dropdown set to 'owl--xl' and a 'state' dropdown. Underneath, there are tabs for 'Primary' and 'Advanced'. The 'Primary' tab is active, showing 'Text Color' and 'Background Color' sliders, and a 'Child Element Layout' section with three icons: 'Vertical', 'Horizontal', and 'Grid'. The 'Grid' icon is selected. Below the layout icons is a 'Tag' dropdown set to 'section' and a 'Use custom tag' checkbox. At the bottom of the sidebar is an 'Add Shape Divider' button. The main workspace is a light blue area containing a grid of red rectangular cells. The grid consists of three rows: the first two rows have three cells each, and the third row has two cells. Each cell contains the text 'Grid Cell' in white. At the bottom of the workspace, there is a light blue rectangular area with a white box containing the text 'New section with owl--xl'. On the right side of the application, there is a 'Structure' panel with a list of elements. The list includes 'Inner Content', 'Section (#25)', 'Div (#26)', 'Div (#27)', 'Heading (#28)', 'Div (#41)', 'Div (#30)', 'Div (#32)', 'Div (#34)', 'Div (#36)', 'Div (#40)', 'Div (#38)', 'Div (#44)', and 'Section (#46)'. The 'Section (#46)' element is highlighted in blue. In the bottom right corner, there is a small video inset showing a man with glasses and a beard, wearing a blue t-shirt, speaking. The video player controls at the bottom of the screen show a progress bar at -08:39.

The screenshot displays the AutoGRID web application interface, which is used for creating and managing grid layouts. The main workspace shows a 3x3 grid of red rectangular blocks, each labeled "Grid Cell". The left sidebar contains a settings panel for the selected "Div (#47)". This panel includes options for "Layout Child Elements" (Vertical, Horizontal, Grid), "Horizontal Item Alignment" (Left, Center, Right, Stretch), "Vertical Item Alignment" (Top, Middle, Bottom, Space Around, Space Between), "Width" (input field), "Background color" (color picker), "Tag" (dropdown menu), and a checkbox for "Use custom tag". The right sidebar shows the "Structure" panel, which displays a tree view of the page hierarchy. The tree view shows a hierarchy starting with "Inner Content", followed by "Section (#25)", "Div (#26)", "Div (#27)", "Heading (#28)", "Div (#48)", "Div (#41)", "Div (#32)", "Div (#34)", "Div (#36)", "Div (#40)", "Div (#38)", "Div (#44)", and "Section (#46)". A video feed of a man with glasses is visible in the bottom right corner of the screen.

The screenshot displays the AutoGRID web application interface. The main workspace shows a grid layout with 8 red rectangular components, each labeled "Grid Cell". The layout is organized into three rows: the first row has 3 cells, the second row has 3 cells, and the third row has 2 cells. Below this grid is a single, wider red rectangular component, also labeled "Grid Cell".

On the left sidebar, the "Div (#47)" panel is active. It shows a "class" dropdown menu with the value "grid--auto-2" selected. An orange arrow points from this dropdown to the "Grid Cell" component at the bottom of the grid.


On the right sidebar, the "Structure" panel is visible, showing a tree view of the page hierarchy. The tree includes sections and divs, with "Div (#47)" highlighted.

A video inset in the bottom right corner shows a man with glasses and a beard, wearing a blue t-shirt, speaking.

The screenshot displays the AutoGRID web application interface, which is a visual editor for creating responsive grids. The main workspace shows a 3x3 grid of red rectangular components, each labeled "Grid Cell". A new "Grid Cell" component is being added at the bottom, indicated by a "Duplicated" label. The left sidebar contains settings for the selected "Div (#52)", including layout child elements (Vertical, Horizontal, Grid), horizontal and vertical item alignment, and width/background color options. The right sidebar shows a "Structure" panel with a tree view of the page hierarchy. A video feed of a man with glasses is visible in the bottom right corner.

The screenshot displays the AutoGRID web application interface. The main workspace shows a grid layout with red "Grid Cell" blocks. A sidebar on the left contains settings for the selected "Div (#47)", including layout child elements (Vertical, Horizontal, Grid), width, background color, and tag. A "Structure" panel on the right shows a hierarchical tree of the page content. A video feed of a man with glasses is visible in the bottom right corner.





The screenshot displays the AutoGRID web application interface, which is a visual editor for creating web layouts. The main workspace shows a grid of six red rectangular components, each labeled "Grid Cell", arranged in two rows of three. The left sidebar contains a settings panel for the selected "Div (#79)". This panel includes options for "Layout Child Elements" (Vertical, Horizontal, Grid), "Horizontal Item Alignment" (Left, Center, Right, Stretch), "Vertical Item Alignment" (Top, Middle, Bottom, Space Around, Space Between), "Width" (px), "Background color", and "Tag" (div). The right sidebar features a "Structure" panel showing a hierarchical tree view of the page layout, with "Div (#79)" highlighted. A video feed of a man with glasses is visible in the bottom right corner of the interface.

AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Geni.us InnerCircle FB Ad Comments DocReady Discord

+ Add < Hide

Div (#83)

Section > Div > Div

class rounded-m state

Primary Advanced

Layout Child Elements

Vertical Horizontal Grid

Horizontal Item Alignment

Left Center Right Stretch

Vertical Item Alignment

Top Middle Bottom

Space Around Space Between

Width

px

Background color

Tag

div

Use custom tag

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

grid--auto-4

Structure

Expand All Collapse All

Inner Content

- Section (#25)
 - Div (#26)
 - Div (#27)
 - Heading (#28)
 - Div (#48)
 - Div (#41)
 - Div (#32)
 - Div (#34)
 - Div (#36)
 - Div (#40)
 - Div (#38)
 - Div (#44)
- Section (#46)
 - Div (#47)
 - Div (#30)
 - Div (#52)
 - Div (#54)
 - Div (#55)
 - Div (#57)
 - Div (#79)
- Div (#59)
 - Div (#60)
 - Div (#62)
 - Div (#81)
- Div (#83)



AutoGRID - Site Title

training.digitalgravy.dev/autogrid/?ct_builder=true&ct_inner=true

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Geni.us InnerCircle FB Ad Comments DocReady Discord

+ Add < Hide

Div (#69)

Section > Div

class grid--auto-6 state

Primary Advanced

Layout Child Elements

Vertical Horizontal Grid

Width

Background color

Tag

div

Use custom tag

Grid Cell

Grid Cell

Grid Cell

Grid Cell

grid--auto-5

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

grid--auto-6

Grid Cell

Grid Cell

Grid Cell

Grid Cell


Grid Cell


Structure

Expand All Collapse All


- Div (#26)
- Div (#27)
 - Heading (#28)
- Div (#48)
- Div (#41)
- Div (#32)
- Div (#34)
- Div (#36)
- Div (#40)
 - Div (#38)
 - Div (#44)
- Section (#46)
 - Div (#47)
 - Div (#30)
 - Div (#52)
 - Div (#54)
 - Div (#55)
 - Div (#57)
 - Div (#79)
 - Div (#59)
 - Div (#60)
 - Div (#62)
 - Div (#81)
 - Div (#83)
 - Div (#64)
 - Div (#65)

-06:25










The small items are still in 2 columns because they are simply too small. Auto Grid takes care automatically





The screenshot displays the Material Design Inspector interface. At the top, there's a dark blue header with a '+ Add' button and a '< Hide' button. Below this, the selected component is 'Div (#99)'. To its right are four icons: a group of people, a link, a document, and a trash can. Underneath, the 'Section > Div' is shown. A toolbar contains a monitor icon with a dropdown, a 'class' input field with 'gap--1' entered, and a 'state' button. Below the toolbar are two tabs: 'Primary' (selected) and 'Advanced'. The 'Layout Child Elements' section shows three options: 'Vertical' (selected, with a hamburger menu icon), 'Horizontal' (with three vertical bars), and 'Grid' (with a grid icon). The 'Width' section has a text input field with 'px' as a unit. The 'Background color' section features a color picker with a white circle. The 'Tag' section shows a dropdown menu with 'div' selected. At the bottom, there's a checkbox for 'Use custom tag' which is currently unchecked.

[illegible]

Structure

[Expand All](#) [Collapse All](#)

- ⊖ Div (#27)
 - ⊖ Heading (#28)
- ⊕ Div (#48)
- ⊕ Div (#41)
- ⊕ Div (#32)
- ⊕ Div (#34)
- ⊕ Div (#36)
- ⊖ Div (#40)
 - ⊕ Div (#38)
 - ⊕ Div (#44)
- ⊖ Section (#46)
 - ⊖ Div (#47)
 - ⊕ Div (#30)
 - ⊕ Div (#52)
 - ⊖ Div (#54)
 - ⊕ Div (#55)
 - ⊕ Div (#57)
 - ⊕ Div (#79)
 - ⊖ Div (#59)
 - ⊕ Div (#60)
 - ⊕ Div (#62)
 - ⊕ Div (#81)
 - ⊕ Div (#83)
 - ⊖ Div (#64)
 - ⊕ Div (#65)
 - ⊕ Div (#67)
 - ⊕ Div (#85)
 - ⊕ Div (#87)
 - ⊕ Div (#89)
 - ⊖ Div (#69)
 - ⊕ Div (#70)
 - ⊕ Div (#100)
 - ⊕ Div (#72)
 - ⊕ Div (#91)
 - ⊕ Div (#93)
 - ⊕ Div (#95)
 - ⊕ Div (#99)





Div (#116)

Section > Div

class

grid--2-3

state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Width

px

Background color

Tag

div

☐

Use custom tag

[illegible]

+ Add

< Hide

Div (#126)

Section > Div

class

grid--3-2

state

Primary

Advanced

Layout Child Elements

Vertical

Horizontal

Grid

Width

px

Background color

Tag

div

Use custom tag

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Structure

Expand All Collapse All

Heading (#28)

Div (#48)

Div (#41)

Div (#32)

Div (#34)

Div (#36)

Div (#40)

Div (#38)

Div (#44)

Section (#46)

Div (#47)

Div (#30)

Div (#52)

Div (#54)

Div (#55)

Div (#57)

Div (#79)

Div (#59)

Div (#60)

Div (#62)

Div (#81)

Div (#83)

Div (#64)

Div (#65)

Div (#67)

Div (#85)

Div (#87)

Div (#89)

Div (#69)

Div (#70)

Div (#100)

Div (#72)

Div (#91)

Div (#93)

Div (#95)

Div (#99)

Div (#106)



training.digitalgravy.dev/autogrid/

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell



AutoGRID - Site Title

AutoGRID - Site Title

training.digitalgravy.dev/autogrid/

Business Hosting Resources Personal MarketingAutomat... Basecamp Facebook Other Bookmarks

Site Title Customize 8 0 + New Edit Page WS WS Form Rank Math SEO

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell



training.digitalgravy.dev... | Business | Hosting | Resources | Other Bookmarks

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell



AutoGRID - Site Title

AutoGRID - Site Title

training.digitalgravy.dev/autogrid/

Business, Hosting, Resources, Personal, MarketingAutomat..., Basecamp, Facebook, Geni.us, InnerCircle, FB Ad Comments, DocReady, Discord

Site Title, Customize, 8, 0, + New, Edit Page, WS Form, Rank Math SEO

Howdy, kevin@digitalgravy.co

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Recommended: Always use Auto Grid if you don't need granular control over the grid

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

Grid Cell

