

ACSS Changelog

[Link to video](#)



Automatic Variable & Calc Expansion

AUTOMATICCSS.COM



Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

Chrome

File Edit View History Bookmarks Profiles Tab Window Help

Automatic CSS < bricks-acss — x 2.2 (Builder)

Not Secure | bricksacss.local/2-2/?bricks=run

Facebook Hey! Business Personal Hosting Resources Edit Page Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Plausible Pika EasyWeb Prospects

b

Block

.new-years-card

.new-years-card

CONTENT

STYLE

Use query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

normal

Row gap

normal

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

.new-years-card

GLOBAL CLASS CREATED

Structure

Section

Container

Block

02:35



Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)x+

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

Heading

.new-years-card_heading

x1

.new-years-card_heading

CONTENT

STYLE

Card heading

⚡

Tag

h3

▼

Type

None

▼

Style

None

▼

Link to

Select link type

▼

SEPARATOR

>

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

GLOBAL CLASS CREATED

Structure

Section

Container

Block

Heading

Basic Text

Basic Text

02:59

🔊

🔍









Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

Block

.new-years-card

.new-years-card

CONTENTSTYLE

LAYOUT

SPACING

Margin

Padding

var(--space-m)

padding-top

SIZING

Width

Min. width

Max. width

100%

Height

Min. height

Max. height

POSITIONING

Position

static

Top

Right

Bottom

Left

Z-index

0

Card heading

Here goes your text ... Select any part of your text to access the formatting

Call to action

Structure

Section

Container

Block

Heading


Basic Text

Basic Text

Result







Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGenl.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

b

Block

.new-years-card

.new-years-card

CONTENTSTYLE

Use query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

normal

Row gap

--space-xs * 1.1

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Structure

Section

Container

Block

Heading

Basic Text


Basic Text

Just type '--space-xs * 1.1'

05:41









Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)x+

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGenl.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

b

Block

.new-years-cardx1

.new-years-card

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root {
2   gap: var(--space-xs);
3 }
```

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

+

Structure

Section

Container

Block

Heading

Basic Text

Basic Text

Result

1 root {
2 gap: var(--space-xs);
3 }



Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGenl.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

Block

.new-years-card

.new-years-card

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root {
2   gap: --text-xs * 1.1
3 }
```

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

+|+|+

Structure

Section

Container

Block

Heading

Basic Text

Basic Text

Works as well for calc

09:25





[Link to video](#)



Contextual Utility Classes & Variables

AUTOMATICCSS.COM

Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGenl.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

Section#brxe-ecuyzt

CONTENTSTYLE

HTML tagsection

Displayflex

Flex wrapNo wrap

Direction

Align self

Align main axis

Align cross axis

Column gapnormal

Row gapnormal

Flex grow0

Flex shrink1

Flex basisauto

Order0

Section heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Call to action

Structure

Section

Container

Heading

Basic Text

Container

Block

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Container

Container





Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

b

Container

#brxe-rbtvtg1

.gap--s

CONTENTSTYLE

Use query loop

HTML tagdiv

Displayflex

Flex wrapNo wrap

Direction

Align self

Align main axis

Align cross axis

Column gap20px

Row gap20px

Flex grow0

Flex shrink1

Flex basisauto

Order0

Section heading

Here goes your text ... Select any part of your text to access the formatting toolbar

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar

Call to action

Call to action

Structure

Section

Container

Heading

Basic Text

Container

Block

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Bringing contextual classes to ACSS:
Content Gap, Container Gap and Grid Gap

amazon music

Google

Calendar

Firefox

Safari

Messages

Visual Studio Code

Discord

Zoom

Photoshop

Illustrator

Lightroom

Spotify

Calendar

22

15:19

Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)x+

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

Section

.container-gap

.container-gap

CONTENT

STYLE

HTML tag

section

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

normal

Row gap

67.5px

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

Section heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Call to action

Structure

Section

Container

Heading

Basic Text

Container

Block

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

15:45

Containers all get '.container-gap' on the section level

Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — x2.2 (Builder)

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

Container

.grid-gap

.grid--3

.grid--1

.grid--2

CONTENT

STYLE

Use query loop

HTML tag

div

Display

grid

Gap

Grid template columns

Grid template rows

Grid auto columns

auto

Grid auto rows

auto

Grid auto flow

row

Justify items

Align items

Justify content

Align content

Order

0

Section heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Call to action

Call to action

Structure

Section

Container

Heading

Basic Text

Container

Block

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block

Heading

Basic Text

Basic Text

Block


Heading


Basic Text

Basic Text

15:57







Automatic CSS (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS bricks-acss2.2 (Builder)2.2 bricks-acss

Not Securebricksacss.local/wp-admin/admin.php?page=automatic-css#acss-tab-spacing

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

bricks-acss10NewWS FormAutomatic CSS

DashboardBricksPostsMediaPagesCommentsWS FormAppearancePlugins1UsersToolsSettingsAutomatic CSSAutomatic CSSPlugin LicenseImport & ExportFrames LicenseMeta BoxWPCodeBoxPlasterCollapse menu

Howdy, kevin@digitalgravy.co

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Forms (Beta)

Guides

SAVE CHANGES

Version 2.2.0.1

Spacing

Fluid responsive spacing.

Main Spacing

Base Spacing24px30px

Desktop ScalePerfect Fifth (1.500)

Mobile ScalePerfect Fourth (1.333)

Section Spacing

Base Multiplier (Desktop)3

Base Multiplier (Mobile)2

Side Padding24px60px

Contextual Spacing

Content Gapvar(--space-m)

Container Gapvar(--space-xl)

Grid Gapvar(--space-m)

Here you can change the new contextual values

You can use any value you want. Variables are recommended. But if you want to use 'calc' you can do so

Thank you for creating with WordPress.


6.1.1

amazon music

22

zoom

17:05




[Link to video](#)



CSS Grid Variables

AUTOMATICCSS.COM



Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Automatic CSS < bricks-acss - x 2.2 (Builder) Edit Page #2.2* < bricks-acss - x 2.2 - bricks-acss Alisha Thomas + Andrea Macco x +

Not Secure | bricksacss.local/2-2/?bricks=run

Facebook Hey! Business Personal Hosting Resources Edit Page Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Plausible Pika EasyWeb Prospects

Container

.variable-grid x 1

.variable-grid

CONTENT STYLE

Use query loop

HTML tag div

Display grid

Gap

Grid template columns

Grid template rows

Grid auto columns

Grid auto rows

Grid auto flow

Justify items

Align items

Justify content

Align content

Order 0

Structure

Section

Container

This is new to Bricks 1.6.1 and now you can use the grid variables inside a custom class!





Automatic.css (ACSS) v2.2 - NEW Features Overview (Merry Christmas!).mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Automatic CSS < bricks-acss — 2.2 (Builder) Edit Page "2.2" < bricks-acss — 2.2 - bricks-acss Alisha Thomas + Andrea Macco

Not Secure | bricksacss.local/2-2/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebProspects

b

Container

.variable-grid

.variable-grid

CONTENT

STYLE

Use query loop

HTML tag

div

• Display

grid

• Gap

var(--grid-gap)

• Grid template columns

var(--grid-3)

Grid template rows

Grid auto columns

auto

Grid auto rows

auto

Grid auto flow

row

Justify items

Align items

Justify content

Align content

Order

0

Structure

Section

Container

Block

Block

Block

Block

Block

Block

Block

Block

21:33

21:33

21:33

--grid-gap







The screenshot displays the Automatic CSS (ACSS) v2.2 web application. The interface is divided into three main sections:

- Left Sidebar (Container Settings):** Contains settings for a selected container. The 'Display' is set to 'grid'. The 'Grid template columns' is set to 'var(--grid-2)'. Other settings include 'HTML tag' (div), 'Gap' (var(--grid-gap)), 'Grid template rows' (auto), 'Grid auto columns' (auto), 'Grid auto rows' (auto), 'Grid auto flow' (row), 'Justify items' (flex-end), 'Align items' (center), 'Justify content' (flex-end), 'Align content' (center), and 'Order' (0).
- Central Canvas:** Shows a visual representation of the grid layout. It consists of a large container with a grid of 2 columns and 8 rows. The grid is defined by light blue lines. A small toolbar at the bottom center of the canvas allows for adding, deleting, and resizing grid items.
- Right Sidebar (Structure):** Shows the hierarchical structure of the page. It includes a 'Section' and a 'Container' which contains multiple 'Block' elements.

A red callout box with the text "All grid settings can now be referenced with grid variables" is overlaid on the central canvas, highlighting the new feature.