Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples | Docs: Home (Tem... | Home (Builder)

release with tons of new features and improvements that both beginners and advanced users are sure to love. Please review the changelog in detail before upgrading.

Official support for GeneratePress & GenerateBlocks (Beta)	NEW
New Gutenberg Features	NEW
PX to REM Auto Conversion (ctr)	NEW
New SCSS function ctr($pixel-value) for converting pixels to rem in SCSS	NEW
New class & variable for referencing website's content width	NEW
New class & variable for "safe" content width (auto-gutter)	NEW
Overlay Mixin	NEW
Clickable Parent Mixin	NEW
Focus-Parent (Utility Classes & Mixin)	NEW
Button Mixin	NEW
"Delay Children" Animation Mixin	NEW
Automatic Contextual Spacing	NEW
Automatic Text & Heading Balancing	NEW
Manual Text & Heading Balancing	NEW
Text & Heading Unbalancing	NEW
Preliminary Container Query Support	NEW
Un-Deprecated Ultra-Dark Trans Variants	NEW
"Smart Spacing" for lists and list items	NEW
Box-shadow focus style option	NEW
Official Fluent Form Styling Support	NEW
Save ACSS Dashboard Settings with CMD + S	ENHANCE
Reduce Motion Option Switch	ENHANCE

Video



05:33

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Add New Page ‹ ACSS v2.6 — | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post-new.php?post_type=page

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples | Docs: Home (Tem... | Home (Builder)

EDIT WITH BRICKS

Publishing... | Cancel

Gutenberg

Type / to choose a block



Page

06:26

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Add New Page ‹ ACSS v2.6 — | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post.php?post=336&action=edit

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples | Docs: Home (Tem... | Home (Builder)

EDIT WITH BRICKS

Switch to draft | Preview | Update

List View | Outline

Container

Comes from Generate

Gutenberg

New position. This takes away the need for scrolling if you want to add a class to an element

Page | Block

Container

CSS CLASSES

Separate multiple classes with spaces.

Layout

DISPLAY

Default

POSITION

Default

OVERFLOW-X

Default

OVERFLOW-Y

Default

Z-INDEX

BLOCK ALIGNMENT

Change the width of this block using a method defined by your theme.

Flex Child

Page published. View Page

Page › Container

06:49

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Add New Page ‹ ACSS v2.6 — | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post.php?post=336&action=edit

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

EDIT WITH BRICKS

Switch to draft | Preview | Update

List View | Outline

Container

Gutenberg

Page | Block

automatic.css

Search

Accessibility

Right click functionality. The height is adjustable.
You can also freely position the window

Border

Box-Shadow

Breakout

Button

Center

Col/Row Span

Flex

Page › Container

09:22

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Add New Page ‹ ACSS v2.6 — | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post.php?post=336&action=edit

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

EDIT WITH BRICKS

Switch to draft | Preview | Update

List View | Outline

Container

Gutenberg

Page | Block

Container

CSS CLASSES

Separate multiple classes with spaces.

Same hover functionality as in Bricks

automatic.css

back

Background

Action

bg--action-light

Primary

Secondary

WIDTH | HEIGHT

Page › Container

10:42

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Add New Page ‹ ACSS v2.6 — | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post.php?post=336&action=edit

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

EDIT WITH BRICKS

Switch to draft | Preview | Update

List View | Outline

Container

Gutenberg

You can add a class but you can not edit the styles.
The below settings don't apply to that class!

Page | Block

Container

CSS CLASSES

custom-class

Separate multiple classes with spaces.

Layout

DISPLAY

Default

POSITION

Default

OVERFLOW-X | OVERFLOW-Y

Default | Default

Z-INDEX

WIDTH | HEIGHT

Page › Container

11:22

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Add New Page ‹ ACSS v2.6 — | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post.php?post=336&action=edit

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

EDIT WITH BRICKS

Switch to draft | Preview | Update

List View | Outline

Container

Gutenberg

This only works on pages and not in posts by default. But there's a function.php available to make it possible in posts as well

Page | Block

Container

CSS CLASSES

Separate multiple classes with spaces.

Layout

DISPLAY

Default

POSITION

Default

OVERFLOW-X

Default

OVERFLOW-Y

Default

Z-INDEX

WIDTH

HEIGHT

Page › Container

12:52

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Add New Page ‹ ACSS v2.6 — | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post.php?post=336&action=edit

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

EDIT WITH BRICKS | Switch to draft | Preview | Update

List View | Outline

Container

Container

Gutenberg

Variables and calc expansion works in these inputs as well

Page | Block

Flex Child

Sizing

WIDTH | HEIGHT

MIN WIDTH | MIN HEIGHT

MAX WIDTH | MAX HEIGHT

Spacing

PADDING

Top | Left | Right

Right

BORDER

Page › Container › Container

15:55

Exploring ACSS v2.6!.webm

Header (Template) | Home (Builder) | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

release with tons of new features and improvements that both beginners and advanced users are sure to love. Please review the changelog in detail before upgrading.

- Official support for GeneratePress & GenerateBlocks (Beta) — NEW
- New Gutenberg Features — NEW
- PX to REM Auto Conversion (ctr) — NEW
- New SCSS function ctr($pixel-value) for converting pixels to rem in SCSS — NEW
- New class & variable for referencing website's content width — NEW
- New class & variable for "safe" content width (auto-gutter) — NEW
- Overlay Mixin — NEW
- Clickable Parent Mixin — NEW
- Focus-Parent (Utility Classes & Mixin) — NEW
- Button Mixin — NEW
- "Delay Children" Animation Mixin — NEW
- Automatic Contextual Spacing — NEW
- Automatic Text & Heading Balancing — NEW
- Manual Text & Heading Balancing — NEW
- Text & Heading Unbalancing — NEW



17:20

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

release with tons of new features and improvements that both beginners and advanced users are sure to love. Please review the changelog in detail before upgrading.

- Official support for GeneratePress & GeneratePress Blocks (Beta) — NEW
- New Gutenberg Features — NEW
- PX to REM Auto Conversion (ctr) — NEW
- New SCSS function ctr($pixel-value) for converting pixels to rem in SCSS — NEW
- New class & variable for referencing website's content width — NEW
- New class & variable for "safe" content width (auto-gutter) — NEW
- Overlay Mixin — NEW
- Clickable Parent Mixin — NEW
- Focus-Parent (Utility Classes & Mixin) — NEW
- Button Mixin — NEW
- "Delay Children" Animation Mixin — NEW
- Automatic Contextual Spacing — NEW
- Automatic Text & Heading Balancing — NEW
- Manual Text & Heading Balancing — NEW
- Text & Heading Unbalancing — NEW



25:48

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-typography

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Typography

Fluid responsive headings & text.

This is set in ACSS before as 62,5%. The only reason for this setting was to make it easy for users to work with rem units. 1 rem = 10 pixel (and not 16)

Root Font Size | 100 | %

Headings

The downside of that old setting: If a plugin (like form) uses rem units they look a lot smaller due to this setting

Base Heading Size | 18

Desktop Scale | Perfect Fourth (1.333)

Mobile Scale | Minor Third (1.200)

Heading Colors

Heading Line Heights

Heading Line Lengths

Heading Size Overrides

Automatically Balance Headings | on | off

Text



Thank you for creating with WordPress.

Version 6.2.2

17:36

Exploring ACSS v2.6!.webm

Chrome File Edit View History Bookmarks Profiles Tab Window Help — Thu Aug 3 11:22 AM

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-typography

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS Hey! Notification i... UserMaven Avventure JS MTLC Examples

ACSS v2.6 0 New Automatic CSS — Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Typography

Fluid responsive headings & text.

Now you can set this to 100% because the math is done by ACSS

Root Font Size 100 %

Headings

Base Heading Size 18 px 20 px

Desktop Scale Perfect Fourth (1.333)

Mobile Scale Minor Third (1.200)

Heading Colors

Heading Line Heights

Heading Line Lengths

Heading Size Overrides

Automatically Balance Headings on off

Text



Thank you for creating with WordPress.

Version 6.2.2

20:24

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

#brxe-nrrcfj 2

.pad--m .bg--action

CONTENT STYLE

Padding

29.7361

29.736 29.736

29.7361

SIZING

Width 640ctr

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

Top

Right

Bottom

Left

Z-index 0

automatic.css

If you want to make this container 640 pixel wide the calculation to rem is done with 'ctr'

Structure

Section

Container



21:25

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

#brxe-nrrcfj 2

.pad--m .bg--action

CONTENT STYLE

Padding

29.7361

29.736 29.736

29.7361

SIZING

Width 40rem

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

Top

Right

Bottom

Left

Z-index 0

automatic.css

Immidiately the rem value is entered by ACSS

Structure

Section

Container



21:38

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

#brxe-nrrcfj 2

.pad--m .bg--action

CONTENT STYLE

Padding

29.7361

29.73€ 29.73€

29.7361

SIZING

Width 650ctr + 5vw

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

Top

Right

Bottom

Left

Z-index 0

automatic.css

This works also inside a calc function

Structure

Section

Container



22:02

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

#brxe-nrrcfj 2

.pad--m .bg--action

CONTENT STYLE

Padding

29.7361

29.73€ 29.73€

29.7361

SIZING

Width calc(40.625rem + 5vw)

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

Top

Right

Bottom

Left

Z-index 0

automatic.css

Fills in everything automatically.
That also works with a variable

Structure

Section

Container



22:04

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

#brxe-nrrcfj 2

.pad--m .bg--action

CONTENT STYLE

width 0s ease 0s

Learn more about CSS transitions

• Custom CSS

```
root {
  width: 640ctr
}
```

This works in CSS as well. The difference: You don't hit Enter

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

automatic.css

Structure

Section

Container



23:18

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

#brxe-nrrcfj 2

.pad--m .bg--action

CONTENT STYLE

width 0s ease 0s

Learn more about CSS transitions

• Custom CSS

```
root {
  width: 40rem;
}
```

Calculation is done when you add the semicolon

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

automatic.css

Structure

Section

Container



23:25

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

#brxe-nrrcfj

.pad--m .bg--action

CONTENT STYLE

width 0s ease 0s

Learn more about CSS transitions

• Custom CSS

```
root {
  width: 640ctr + 5vw
}
```

How to handle this situation?

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

automatic.css


Structure

Section

Container



23:40


Exploring ACSS v2.6!.webm
Automatic CSS ‹ ACSS v2.6 —
Home (Builder)
ACSS v2.6
Changelog - Automatic.css
26.digitalgravy.dev/?bricks=run
Facebook
Hey!
Business
Personal
Hosting
Resources
Basecamp
Automatic.css
Frames
Hubspot
HelpScout
Geni.us
InnerCircle
ACSS
Hey! Notification i...
UserMaven
Avventure
JS
MTLC
Examples
W 1020
H -
% 100
#brxe-nrrcfj
.pad--m
.bg--action
CONTENT
STYLE
width 0s ease 0s
Learn more about CSS transitions
Custom CSS
root {
width: calc(40rem + 5vw);
}
Works the same the moment you type the semicolon at the end
Use "root" to target the element wrapper: root { background: blue }
CSS classes
Separated by space. Without class dot.
CSS ID
No spaces. No pound (#) sign.
ATTRIBUTES
automaticCSS
Structure
Section
Container
23:48

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

.custom-block

.pad--m .bg--action

CONTENT | STYLE

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

Transition

width 0s ease 0s

Learn more about CSS transitions

Custom CSS

1

Use "root" to target the element wrapper: root { background: blue }

automatic.css

We put a custom class on and write the CSS in WP CodeBox

Structure

Section

Container

Save



24:22

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | + New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder
- Collapse menu

Edit SCSS Partial snippet

Title (Will be slugified, must be unique)

_global

Description (optional)

Open condition builder

No conditions set

SAVE (Ctrl + S) | UPLOAD TO CLOUD | PREVIEW | FORMAT CODE (Ctrl + B) | DELETE

```scss
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/breakpoints.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/color-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/button-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/contextual-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/additional-styles.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/text-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/mixins.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/functions.scss';

// Variables
$root-font-size: 100%;

// Styles

.custom-block {
    width: ctr(640);
}
```

That's the function

It can also be used inside a calc function or in a variable

New Snippet | Repository | Settings | Docs

Search Snippets...

- Local Snippets
- Styling
- _global*
- _local-mixins
- Custom Excerpt Length
- Custom SCRSET Image Sizes
- Cloud Snippets



24:58

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse | 1

```
<!DOCTYPE html>
<html lang="en-US" class="no-js no-svg" style="--bricks-vh: 3.73px;">
▶ <head> … </head>
▼ <body class="home page-template-default page page-id-331 logged-in admin-bar brx-body bricks-is-frontend wp-embed-responsive customize-support" data-new-gr-c-s-check-loaded="14.1117.0" data-gr-ext-installed cz-shortcut-listen="true"> flex
    <a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a> flex
  ▶ <header id="brx-header"> … </header>
  ▼ <main id="brx-content">
    ▼ <section class="brxe-section"> flex
        <div class="brxe-container pad--m bg--action custom-block"></div> flex == $0
      </section>
```

mize-support | main#brx-content | section.brxe-section | div.brxe-container.pad--m.bg--action.custom-block

Styles | Computed | Layout | Event Listeners

Filter :hov .cls

```
element.style {
}
.custom-block   3 css?v=f59…13ab932ce:1
{
  width: 40rem;
}
.brxe-                theme-
container {
  width: 1366px;
}
[class*=brxe-         frontend
] {
```

Console | What's New

25:07

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- New Gutenberg Features — NEW
- PX to REM Auto Conversion (ctr) — NEW
- New SCSS function ctr($pixel-value) for converting pixels to rem in SCSS — NEW
- New class & variable for referencing website's content width — NEW
- New class & variable for "safe" content width (auto-gutter) — NEW
- Overlay Mixin — NEW
- Clickable Parent Mixin — NEW
- Focus-Parent (Utility Classes & Mixin) — NEW
- Button Mixin — NEW
- "Delay Children" Animation Mixin — NEW
- Automatic Contextual Spacing — NEW
- Automatic Text & Heading Balancing — NEW
- Manual Text & Heading Balancing — NEW
- Text & Heading Unbalancing — NEW
- Preliminary Container Query Support — NEW
- Un-Deprecated Ultra-Dark Trans Variants — NEW
- "Smart Spacing" for lists and list items — NEW



25:56

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

There's a gutter on both sides of the container (which is only be visible on smaller screens)

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.brick... 1920 × 373

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse | 1

```
<!DOCTYPE html>
<html lang="en-US" class="no-js no-svg" style="--bricks-vh: 3.73px;">
▶ <head> … </head>
▼ <body class="home page-template-default page page-id-331 logged-in admin-bar brx-body bricks-is-frontend wp-embed-responsive customize-support" data-new-gr-c-s-check-loaded="14.1117.0" data-gr-ext-installed cz-shortcut-listen="true"> flex
    <a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a> flex
  ▶ <header id="brx-header"> … </header>
  ▼ <main id="brx-content">
    ▼ <section class="brxe-section"> flex
        <div class="brxe-container pad--m bg--action custom-block"></div> flex == $0
      </section>
```

mize-support | main#brx-content | section.brxe-section | div.brxe-container.pad--m.bg--action.custom-block

Styles | Computed | Layout | Event Listeners

Filter :hov .cls

```
element.style {
}
.brxe-container {
  width: 1366px;
}
[class*=brxe-] {
  max-width: 100%;
}
```

Console | What's New

26:42

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1020 H - % 100

Container

.breakout--full 2

.pad--m .bg--action .custom-block .breakout--full

CONTENT STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

Transition

width 0s ease 0s

Learn more about CSS transitions

Custom CSS

automatic.css

You could use 'breakout--full'

YES

Structure

Section

Container 1



26:56

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css



26:58

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1380 H - % 100

Section

#brxe-pumkrz

CONTE... STYLE

LAYOUT

SPACING

Margin

Padding

0 padding-right 0

90

We removed padding

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

automatic.css

Structure

Section

Container



27:50

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 963 x 333 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS

automatic.css

On mobile devices the gutter's gone

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse | 1

```
<!DOCTYPE html>
<html lang="en-US" class="no-js no-svg" style="--bricks-vh: 3.33px;">
▶ <head> … </head>
… ▼ <body class="home page-template-default page page-id-331 logged-in admin-bar brx-body bricks-is-frontend wp-embed-responsive customize-support" cz-shortcut-listen="true" data-new-gr-c-s-check-loaded="14.1117.0" data-gr-ext-installed> flex == $0
    <a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a> flex
  ▶ <header id="brx-header"> … </header>
```

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout | Event Listeners

Filter :hov .cls

```
element.style {
}
body.bricks-is-frontend {
}
```

Console | What's New

28:14

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1380 H - % 100

Preview mode

#brxe-vykans

CONTE... STYLE

BROWSE UNSPLASH

Full (1920×1272)

HTML tag

Object fit Fill

Object position 50% 50%

Custom alt text

Caption Type No caption

Loading lazy

Show title

Stretch

Image Overlay

LINK TO

None

ICON

Disable icon

Icon

automatic.css

We have a full-width image in the section

Structure

Section

Container

Image

28:37

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

This is the result we wanted: The image goes from edge to edge



28:40

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1172 x 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

The problem on mobile: Our container is touching the edges as well which we don't want



Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<!DOCTYPE html>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout | ers

Filter :hov .cls



28:56

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1670 x 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

What we want in this example: The content shall be content width (like here) but also have a gutter at lower viewport sizes. The image always shall touch the edges

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<!DOCTYPE html>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout | ers

Filter :hov .cls

29:22

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Container

#brxe-nrvcfj 3

content-width

ELEMENT CLASSES

.pad--m

.bg--action

.custom-block

OTHER CLASSES (2)

.link--action

.content-width

.content-width--safe

2 new classes

Align main axis

Align cross axis

Column gap 30px

Row gap 30px

Flex grow 0

Flex shrink 1

Flex basis auto

Order 0

automatic.css

Structure

Section

Container

Image



29:57

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Container

.content-widt… × 4

.pad--m .bg--action

.custom-block

.content-width--safe 2

CONTE… STYLE

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap 30px

Row gap 30px

Flex grow 0

Flex shrink 1

Flex basis auto

Order 0

automatic.css

Structure

Section

1 Container

Image

30:02

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1311 × 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

On smaller viewports there's a gutter now left and right which is exactly the content width (in case you have other elements below)





Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout

Filter :hov .cls

30:13

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

.custom-block × 3

.pad--m .bg--action

.custom-block

CONTE... STYLE

Padding

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

Top

Right

Bottom

Left

automatic.css

A variable is also available

Structure

Section

Container

Image

31:25

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1380 H - % 100

Structure

Block

.pad--m × 2

.bg--base .pad--m

2

CONTE... STYLE

LAYOUT

SPACING

Margin

Padding

30 30 30 30

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

Structure

Section

Container

Image

Block

1

A block is 100% width by default

31:50

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1840 × 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary





Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout | Filter | :hov .cls

31:54

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1380 H - % 100

Block

.content-width × 3

.bg--base .pad--m

.content-width 2

CONTE... STYLE

LAYOUT

SPACING

Margin

Padding

30 30 30 30

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Structure

Remove (All)

Section

Container

Image

1 Block



Now we tell the block to be content-width



32:05

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary





32:08

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 912 x 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS



On smaller devices there's no gutter because it's not content-width-safe

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout

Filter :hov .cls



32:14

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Section

#brxe-rgaame

CONTE... STYLE

LAYOUT

SPACING

Margin

Padding

90 / 80 / 80 / 90

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

automatic.css

Now we have a default section and so the physical gutter is back

Structure

Section



33:30

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1380 H - % 100

Container

.content-widt… × 3

.bg--base .pad--m

.content-width--safe

2

CONTE… STYLE

LAYOUT

SPACING

Margin

80 80

Padding

30 30 30

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

automatic.css

Structure

Section

Container

1



33:43

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples


Dimensions: Responsive 1046 x 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

This is not the appropriate gutter! It's 2 gutters because of content-width-safe!

Content-width-safe is only for situations when there's no physical gutter!



Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout

Filter :hov .cls

33:55

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1380 H - % 100

Block

.pad--m × 2

.bg--base .pad--m

CONTE... STYLE

LAYOUT

SPACING

Margin

Padding

30 30 30 30

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position static

automatic.css

In this situation we have a block (which is 100% width by default) and so there's no gutter

Structure

Block

34:47

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1840 × 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> … </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout | ers

Filter :hov .cls



34:50

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Block

.content-widt… × 3

.bg--base .pad--m

.content-width--safe

CONTE… STYLE

LAYOUT

SPACING

Margin

80 80

Padding

30 30 30

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

automatic.css

Structure

Block



35:04

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1840 × 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

Content width on larger viewports

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> … </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout | ers

Filter :hov .cls

35:08

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691074543

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1275 x 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

Gutter on smaller viewports

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout

Filter :hov .cls

35:11

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- New SCSS function clr ($pixel-value) for converting pixels to rem in SCSS — NEW
- New class & variable for referencing website's content width — NEW
- New class & variable for "safe" content width (auto-gutter) — NEW
- Overlay Mixin — NEW
- Clickable Parent Mixin — NEW
- Focus-Parent (Utility Classes & Mixin) — NEW
- Button Mixin — NEW
- "Delay Children" Animation Mixin — NEW
- Automatic Contextual Spacing — NEW
- Automatic Text & Heading Balancing — NEW
- Manual Text & Heading Balancing — NEW
- Text & Heading Unbalancing — NEW
- Preliminary Container Query Support — NEW
- Un-Deprecated Ultra-Dark Trans Variants — NEW
- "Smart Spacing" for lists and list items — NEW
- Box-shadow focus style option — NEW
- Official Fluent Form Styling Support — NEW
- Save ACSS Dashboard Settings with CMD + S — ENHANCE



36:05

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-additional-styling

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Additional Styling

More styling settings.

Focus style Shadow will follow the contours of the element (rounded edges) which Outline does not!

Accessibility

Focus Style: Shadow

Focus Color: var(--action)

Focus Width: .2rem

Header Styling

Header Heights

Offset Page Content Automatically: on / off

Scroll Styling

Scroll Offsets

Sticky Settings

Offset Sticky Elements Automatically: on / off



Thank you for creating with WordPress.

Version 6.2.2

38:10

Exploring ACSS v2.6!.webm

Pages ‹ ACSS v2.6 — WordPre | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/edit.php?post_type=page

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

Screen Options | Help

Dashboard
Bricks
Posts
Media
Pages
All Pages
Add New
Comments
Fluent Forms Pro
Appearance
Plugins
Users
Tools
Settings
ACF
Automatic CSS
GenerateBlocks
WPCodeBox 2
Gridbuilder
Collapse menu

Pages Add New

All (3) | Published (3) | Trash (12)

Clickable parent

Search Pages

Bulk actions | Apply | All dates | Filter

3 items

Title	Author		Date
Fluent Forms — Bricks	kevingeary	—	Published 2023/08/03 at 10:30 am
Gutenberg	kevingeary	—	Published 2023/08/03 at 11:08 am
Home — Front Page, Bricks	kevingeary	—	Published 2023/08/03 at 10:55 am
Title	Author		Date

Bulk actions | Apply

3 items



Thank you for creating with WordPress.

Version 6.2.2

39:16

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Card

#brxe-bdqpva

CONTE... STYLE

GRID ITEM

Grid column auto / auto

Grid row auto / auto

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap norma

Row gap norma

Flex grow 0

Flex shrink 1

Flex basis auto

automatic.css

Structure

Section

Container

Card

Media Wrapper

Body Wrapper

This is the best structure for a card because it gives you maximum flexibility in styling, ordering etc.



40:44

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Heading

#brxe-urliyo

CONTE... STYLE

I am a heading

HTML tag h3

Type None

Style None

Link to

Select link type

SEPARATOR

automatic.css



I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Basic Text

Structure

- Section
- Container
- Card
- Media Wrapper
- Image
- Body Wrapper
- Heading
- Basic Text



41:17

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Card

.card

CONTE... STYLE

GRID ITEM

Grid column auto / auto

Grid row auto / auto

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap norma

Row gap norma

Flex grow 0

Flex shrink 1

automatic.css



Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

The next step is to add your BEM classes to the elements

GLOBAL CLASS CREATED

Section

Structure

Section

Container

Card

Media Wrapper

Image

Body Wrapper

Heading

Basic Text



42:16

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Media Wrapp...

.card__media-... × 1

.card__media-wrapper 2

CONTE... STYLE

Use query loop

HTML tag: div

Display: flex

Flex wrap: No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap: norma

Row gap: norma


Flex grow: 0

Flex shrink: 1

Flex basis: auto

Order: 0

automatic.css



Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

GLOBAL CLASS CREATED

Structure

- Section
- Container
- Card
- Media Wrapper 1
- Image
- Body Wrapper
- Heading
- Basic Text



42:25

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1380 H - % 100

Image

.card__media

.card__media 2

CONTE... STYLE

BROWSE UNSPLASH

Large (1024×683)

HTML tag

Object fit Fill

Object position 50% 50%

Custom alt text

Caption Type No caption

Loading lazy

Show title

Stretch

Image Overlay

LINK TO

None

ICON

Disable icon

automatic.css

Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

GLOBAL CLASS CREATED

Structure

Section

Container

Card

Media Wrapper

1 Image

Body Wrapper

Heading

Basic Text

42:28

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Body Wrapper

.card__body-w...

.card__body-wrapper

2

CONTE... STYLE

Use query loop

HTML tag: div

Display: flex

Flex wrap: No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap: norma

Row gap: norma


Flex grow: 0

Flex shrink: 1

Flex basis: auto

Order: 0

automatic.css



Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

GLOBAL CLASS CREATED

Structure

Section

Container

Card

Media Wrapper

Image

1 Body Wrapper

Heading

Basic Text



42:34

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Heading

.card__heading

.card__heading 2

CONTE... STYLE

Card heading

HTML tag h3

Type None

Style None

Link to

Select link type

SEPARATOR

automatic.css



Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

GLOBAL CLASS CREATED

Section

Structure

Section

Container

Card

Media Wrapper

Image

Body Wrapper

1 Heading

Basic Text



42:39

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Basic Text

.card__text

.card__text 2

CONTE... STYLE

Here goes your text ... Select any part of your text to access the formatting toolbar.

Select text on canvas to format it. To add headings, paragraphs, and images use the "Rich Text" element.

HTML tag div

Link to

Select link type

automatic.css



Card heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

GLOBAL CLASS CREATED

Structure

- Section
  - Container
    - Card
      - Media Wrapper
        - Image
      - Body Wrapper
        - Heading
        - Basic Text 1



42:50

Exploring ACSS v2.6!.webm

Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Body Wrapper

.card__body-w... × 1

.card__body-wrapper

2

CONTE... STYLE

Use query loop

HTML tag: div

Display: flex

Flex wrap: No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap: norma

Row gap: var(--content-gap)

3

Flex grow: 0

Flex shrink: 1

Flex basis: auto

Order: 0

automatic.css



Card heading

Heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Structure

Section

Container

Card

Media Wrapper

Image

1

Body Wrapper

Heading

Basic Text



43:49

Exploring ACSS v2.6!.webm

Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Heading

.card__heading 2 × 1

.card__heading

CONTE... STYLE

Eagle Catching

HTML tag h3

Type None

Style None

Link to

External URL

URL

https://google.com

Attribute: rel

Attribute: aria-label

Attribute: title

Open in new tab

SEPARATOR

automatic.css



Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.

We make the most important element a link

Structure

Section

Container

Card

Media Wrapper

Image

Body Wrapper

1 Heading

Basic Text



45:14

Exploring ACSS v2.6!.webm

Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

.card

CONTE... STYLE

SIZING

Width

Min. width

Max. width

Height

Min. height

Max. height

POSITIONING

Position: relative

Top

Right

Bottom

Left

Z-index: 0

MISC

Visibility: visible

Overflow: visible

Opacity: 1

automatic.css

There are 2 steps to make this a clickable card!

1st step: Make the card position relative



Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.

Structure

- Section
- Container
- Card
- Media Wrapper
- Image
- Body Wrapper
- Heading
- Basic Text



45:53

Exploring ACSS v2.6!.webm

Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Heading

.clickable-pa... × 2

.card__heading

.clickable-parent 2

CONTE... STYLE

Eagle Catching

HTML tag h3

Type None

Style None

Link to

External URL

URL

https://google.com

Attribute: rel

Attribute: aria-label

Attribute: title

Open in new tab

SEPARATOR

automatic.css



Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.

2nd step: Add class 'clickable parent' to the main element (in our example the heading)

Structure

Section

Container

Card

Media Wrapper

Image

Body Wrapper

1 Heading

Basic Text

Section



46:36

Exploring ACSS v2.6!.webm


Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691077286

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css



Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.

Now the entire card is clickable.

This process was already possible before ACSS 2.6



https://google.com

46:44

Exploring ACSS v2.6!.webm

Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

converting pixels to rem in SCSS NEW

New class & variable for referencing website's content width NEW

New class & variable for width (auto-gutter)

Overlay Mixin

Clickable Parent Mixin

Focus-Parent (Utility Cl

Button Mixin

"Delay Children" Anima

Automatic Contextual S

Automatic Text & Headi

Manual Text & Heading

Text & Heading Unbalar

Preliminary Container C

Un-Deprecated Ultra-D Variants

"Smart Spacing" for list

Box-shadow focus style

Official Fluent Form Sty

Save ACSS Dashboard Settings with CMD + S ENHANCE

FEATURE OVERVIEW

Focus-Parent (Utility Classes & Mixin)

These utilties do two things:

1. Applies one of two focus styles to an element (shadow or outline)
2. Removes focus styling from focusable children (if present)

These utilities work beautifully with the clickable parent technique by removing focus from the child link and applying the focus style to the parent.

```
.sample {
  @include focus-parent($style);
}
```

- Style = "outline" or "shadow"
- Defaults to shadow focus if no style is chosen.
- Automatically inherits your site's default focus styling.
- `.focus-parent--shadow` and `.focus-parent--outline` are the optional utility classes.



47:17

Exploring ACSS v2.6!.webm

Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Card

#brxe-bdqpva

focus-parent--shadow

ELEMENT CLASSES

.card

Display: flex

Flex wrap: No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap: norma

Row gap: norma

Flex grow: 0

Flex shrink: 1

automatic.css

Use the modifier 'shadow' or 'outline'



Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.

Structure

- Section
- Container
- 1 Card
  - Media Wrapper
  - Body Wrapper
    - Heading
    - Basic Text



48:36

Exploring ACSS v2.6!.webm

Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691077286

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css



Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.

No we have keyboard focus for the card and no more for the headline



https://google.com

48:55

Exploring ACSS v2.6!.webm


Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691077286

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css



Thas focus outline

Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.



https://google.com

49:30

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

Edit SCSS Partial snippet

Title (Will be slugified, must be unique)

_global

Description (optional)

Open condition builder

No conditions set

SAVE (Ctrl + S) | UPLOAD TO CLOUD | PREVIEW | FORMAT CODE (Ctrl + B) | DELETE

```scss
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/breakpoints.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/color-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/button-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/contextual-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/additional-styles.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/text-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/mixins.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/functions.scss';

// Variables
$root-font-size: 100%;

// Styles

.card {

    &__heading {
        @include clickable-parent;
    }

}
```

This is the custom CSS for the clickable card!

New Snippet | Repository | Settings | Docs

Search Snippets...

Local Snippets

- Styling
- _global
- _local-mixins
- Custom Excerpt Length
- Custom SCRSET Image Sizes

Cloud Snippets



52:11

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691077286

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css



Works

Works

Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.



52:16

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

Edit SCSS Partial snippet

Title (Will be slugified, must be unique)

_global

Description (optional)

Open condition builder

No conditions set

SAVE (Ctrl + S) | UPLOAD TO CLOUD | PREVIEW | FORMAT CODE (Ctrl + B) | DELETE

```
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/breakpoints.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/color-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/button-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/contextual-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/additional-styles.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/text-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/mixins.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/functions.scss';

// Variables
$root-font-size: 100%;

// Styles

.card {

    position: relative;

    &__heading {
        @include clickable-parent;
    }

}
```

You can also set the relative position here

New Snippet | Repository | Settings | Docs

Search Snippets...

- Local Snippets
  - Styling
  - _global•
  - _local-mixins
  - Custom Excerpt Length
  - Custom SCRSET Image Sizes
- Cloud Snippets



52:27

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

converting pixels to rem in SCSS NEW

New class & variable for referencing website's content width NEW

New class & variable for width (auto-gutter)

Overlay Mixin

Clickable Parent Mixin

Focus-Parent (Utility Cl

Button Mixin

"Delay Children" Anima

Automatic Contextual S

Automatic Text & Headi

Manual Text & Heading

Text & Heading Unbalar

Preliminary Container C

Un-Deprecated Ultra-D Variants

"Smart Spacing" for list

Box-shadow focus style

Official Fluent Form Sty

Save ACSS Dashboard Settings with CMD + S ENHANCE

FEATURE OVERVIEW

Focus-Parent (Utility Classes & Mixin)

These utilties do two things:

1. Applies one of two focus styles to an element (shadow or outline)
2. Removes focus styling from focusable children (if present)

These utilities work beautifully with the clickable parent technique by removing focus from the child link and applying the focus style to the parent.

```
.sample {
  @include focus-parent($style);
}
```

- Style = "outline" or "shadow"
- Defaults to shadow focus if no style is chosen.
- Automatically inherits your site's default focus styling.
- `.focus-parent--shadow` and `.focus-parent--outline` are the optional utility classes.



53:20

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder
- Collapse menu

Edit SCSS Partial snippet

Title (Will be slugified, must be unique)

_global

Description (optional)

Open condition builder

No conditions set

SAVE (Ctrl + S) | UPLOAD TO CLOUD | PREVIEW | FORMAT CODE (Ctrl + B) | DELETE

```scss
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/breakpoints.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/color-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/button-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/contextual-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/additional-styles.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/text-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/mixins.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/functions.scss';

// Variables
$root-font-size: 100%;

// Styles

.card {

    position: relative;
    @include focus-parent(shadow);

    &__heading {
        @include clickable-parent;
    }

}
```

This is for the focus. And again you can use outline or shadow

New Snippet | Repository | Settings | Docs

Search Snippets...

- Local Snippets
  - Styling
  - _global
  - _local-mixins
  - Custom Excerpt Length
  - Custom SCRSET Image Sizes
- Cloud Snippets



Snippet saved

53:38

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691077286

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css



Eagle Catching

Here goes your text ... Select any part of your text to access the formatting toolbar.



https://google.com

53:41

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

converting pixels to rem in SCSS NEW

New class & variable for website's content width

New class & variable for width (auto-gutter)

Overlay Mixin

Clickable Parent Mixin

Focus-Parent (Utility Cl

Button Mixin

"Delay Children" Anima

Automatic Contextual S

Automatic Text & Headi

Manual Text & Heading

Text & Heading Unbalar

Preliminary Container C

Un-Deprecated Ultra-D Variants

"Smart Spacing" for list

Box-shadow focus style

Official Fluent Form Sty

Save ACSS Dashboard Settings with CMD + S ENHANCE

FEATURE OVERVIEW

Button Mixin

Need to create a custom button that hooks into your site's default non-color button styles? Super easy to do with the new button mixin.

```
.sample-button {
  @include button($style);
  background: linear-gradient();
  color: var(--white);
}
```

The "style" can be "solid" or "outline" depending on which defaults you want to reference.

The above mixin will effectively apply the following defaults:

- Default button padding
- All default button border styling
- All default button text styling
- Default mininum button width

This one mixin replaces about 12 lines of code and manual variables.



54:46

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

Edit SCSS Partial snippet

Title (Will be slugified, must be unique)

_global

Description (optional)

Open condition builder

No conditions set

SAVE (Ctrl + S) | UPLOAD TO CLOUD | PREVIEW | FORMAT CODE (Ctrl + B) | DELETE

```scss
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/breakpoints.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/color-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/button-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/contextual-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/additional-styles.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/text-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/mixins.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/functions.scss';

// Variables
$root-font-size: 100%;

// Styles

.custom-button {
    @include button(outline);
}
```

All options available (like solid etc.)

New Snippet | Repository | Settings | Docs

Search Snippets...

- Local Snippets
  - Styling
  - _global•
  - _local-mixins
  - Custom Excerpt Length
  - Custom SCRSET Image Sizes
- Cloud Snippets



55:55

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Clickable Parent Mixin — NEW
- Focus-Parent (Utility Classes & Mixin) — NEW
- Button Mixin — NEW
- "Delay Children" Animation Mixin — NEW
- Automatic Contextual Spacing — NEW
- Automatic Text & Heading Balancing — NEW
- Manual Text & Heading Balancing — NEW
- Text & Heading Unbalancing — NEW
- Preliminary Container Query Support — NEW
- Un-Deprecated Ultra-Dark Trans Variants — NEW
- "Smart Spacing" for lists and list items — NEW
- Box-shadow focus style option — NEW
- Official Fluent Form Styling Support — NEW
- Save ACSS Dashboard Settings with CMD + S — ENHANCE
- Reduce Motion Option Switch — ENHANCE
- Single Row for Website Dimensions (UX) — ENHANCE
- New "Typography Spacing" Section (& "Smart Spacing" Name Change) — ENHANCE
- Smart Spacing Utility Class — ENHANCE



56:40

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-spacing

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Base Multiplier (Mobile) 2

Inline Padding (Gutter) 20 px 80 px

Contextual Spacing

Define standardized spacing for specific situations.

We have now 3 toggles

CONTAINER SPACING

Container Gap var(--space-xl)

Automatic Container Spacing on off

CONTENT SPACING

Content Gap var(--space-m)

Automatic Content Spacing on off

GRID SPACING

Grid Gap var(--space-m)

Automatic Grid Spacing on off



Thank you for creating with WordPress.

Version 6.2.2

56:58

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-spacing

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Base Multiplier (Mobile) 2

Inline Padding (Gutter) 20 px 80 px

Contextual Spacing

Define standardized spacing for specific situations.

CONTAINER SPACING

Container Gap var(--space-xl)

Automatic Container Spacing on off

CONTENT SPACING

Content Gap var(--space-m)

Automatic Content Spacing on off

GRID SPACING

Grid Gap var(--space-m)

Automatic Grid Spacing on off



Thank you for creating with WordPress.

Version 6.2.2

59:32

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691078494

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary


automatic.css

I am a heading

Now it's spaced out automatically with those 3 new settings!

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a button





59:47

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Container

#brxe-rtuhpc

CONTE... STYLE

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap 29.07€

Row gap 29.07€

Flex grow 0

Flex shrink 1

Flex basis auto

Order 0

automatic.css

Container

Now the containers have automatic spacing

Structure

Section

Container

Container

Container

59:58

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

button

Button

automatic.css

Structure

Section

Container

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a button

The new automatic spacing has zero specificity!



1:00:33

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Container

.gap--xs × 1

.gap--xs

CONTE... STYLE

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap 12.922

Row gap 12.922

Flex grow 0

Flex shrink 1

Flex basis auto

Order 0

automatic.css

I am a heading

Heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a button

So at any time you can use a utility class as before!

Structure

Section

Container



1:00:48

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Block

#brxe-fufecr

CONTE... STYLE

GRID ITEM

Grid column auto / auto

Grid row auto / auto

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap norma

Row gap norma

automatic.css

Container

Inside a grid the blocks are also spaced out

Structure

Section

Container

Block

Block

Block



1:01:29

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Container

.gap--xxl × 4

.grid--3 .grid--m-2

.grid--s-1 .gap--xxl

CONTE... STYLE

Use query loop

HTML tag div

Display grid

Gap

Grid template columns

Grid template rows

Grid auto columns

auto

Grid auto rows

auto

Grid auto flow

row

Justify items

Align items

automatic.css

Section

Again you can use utility classes

Structure

Section

Container

Block

Block

Block

1:01:48

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Block

#brxe-fufecr

CONTE... STYLE

GRID ITEM

Grid column auto / auto

Grid row auto / auto

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap norma

Row gap norma

automatic.css

Hint: The automatic spacing is not working inside Blocks and Divs

Structure

Section

Container

Block

Block

Block



1:02:15

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Display: flex
Direction
Align main axis
Align cross axis
Width: 1366p
Min. width
Max. width
Column gap
Row gap
Margin
Padding

ELEMENT - BLOCK
ELEMENT - DIV
ELEMENT - ACCORDION

automatic.css

Don't set the values in Theme styles because ACSS will not override that!

Structure
Section
Container
Block
Block
Block



1:03:18

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder
- Collapse menu

Edit SCSS Partial snippet

Title (Will be slugified, must be unique)

_global

Description (optional)

Open condition builder

No conditions set

SAVE (Ctrl + S) | UPLOAD TO CLOUD | PREVIEW | FORMAT CODE (Ctrl + B) | DELETE

```scss
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/breakpoints.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/color-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/button-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/contextual-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/additional-styles.scss';
@import 'plugins/automaticcss-plugin/assets/scss/dashboard/text-vars.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/mixins.scss';
@import 'plugins/automaticcss-plugin/assets/scss/helpers/functions.scss';

// Variables
$root-font-size: 100%;

// Styles
```

Hint: The mixins will not work if you don't import those files!

New Snippet | Repository | Settings | Docs

Search Snippets...

- Local Snippets
- Styling
- _global
- _local-mixins
- Custom Excerpt Length
- Custom SCRSET Image Sizes
- Cloud Snippets





Amanda Richardson-Meyer
Question: I'm getting "undefined mixin clickable-parent" in WP Codebox. Any troubleshooting suggestions?

1:03:57

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Clickable Parent Mixin — NEW
- Focus-Parent (Utility Classes & Mixin) — NEW
- Button Mixin — NEW
- "Delay Children" Animation Mixin — NEW
- Automatic Contextual Spacing — NEW
- Automatic Text & Heading Balancing — NEW
- Manual Text & Heading Balancing — NEW
- Text & Heading Unbalancing — NEW
- Preliminary Container Query Support — NEW
- Un-Deprecated Ultra-Dark Trans Variants — NEW
- "Smart Spacing" for lists and list items — NEW
- Box-shadow focus style option — NEW
- Official Fluent Form Styling Support — NEW
- Save ACSS Dashboard Settings with CMD + S — ENHANCE
- Reduce Motion Option Switch — ENHANCE
- Single Row for Website Dimensions (UX) — ENHANCE
- New "Typography Spacing" Section (& "Smart Spacing" Name Change) — ENHANCE
- Smart Spacing Utility Class — ENHANCE



1:05:10

Exploring ACSS v2.6!.webm

WPCodeBox 2 ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Basic Text

#brxe-nxaluy

CONTE... STYLE

If I write long enough, we will probably have an orphan at some point. Is it right here?

Select text on canvas to format it. To add headings, paragraphs, and images use the "Rich Text" element.

HTML tag div

Link to

Select link type

automatic.css

I'm going to write just enough text to have an orphan

If I write long enough, we will probably have an orphan at some point. Is it right here?

Structure

- Section
  - Container
    - Block
      - Heading
      - Basic Text



1:06:47

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-typography

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Automatically Balance Headings — off

Text

- Default Text Color — var(--base-ultra-dark)
- Base Text Size — 16 px — 18 px
- Desktop Scale — Major Third (1.250)
- Mobile Scale — Minor Third (1.200)
- Text Line Heights
- Text Line Lengths
- Text Size Overrides
- Automatically Balance Text — on / off

Typography Spacing

Make your typography spacing more consistent and automatic.



Thank you for creating with WordPress.

Version 6.2.2

1:07:14

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Search elements ..

PINNED ELEMENTS

Section

LAYOUT

Container | Block | Div

BASIC

Heading | Basic Text | Rich Text | Text link | Button | Icon

automatic.css

I'm going to write just enough text to have an orphan

The orphan in the headline is gone but the heading got a bit too small

If I write long enough, we will probably have an orphan at some point. Is it right here?

Basic Text

Structure

Section



1:07:25

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Heading

#brxe-qcbbje

CONTE... STYLE

I'm going to write just enoug

HTML tag h3

Type None

Style None

Link to

Select link type

SEPARATOR

automatic.css

I'm going to write just enough text to have an orphan

If I write long enough, we will probably have an orphan at some point. Is it right here?

We're using 'text-wrap-balance' and in the future of CSS it will be 'text-wrap-pretty'

With balance you're limited to 4 lines of text

Structure

Section

Container

Block

Heading

Basic Text



1:08:02

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Basic Text

#brxe-nxaluy

CONTE... STYLE

If I write long enough, we will probably have an orphan at some point. Is it right here?

Select text on canvas to format it. To add headings, paragraphs, and images use the "Rich Text" element.

HTML tag div

Link to

Select link type

automatic.css

I'm going to write just enough text to have an orphan

If I write long enough, we will probably have an orphan at some point. Is it right here?

The text did not balance because it's a div. The rule only looks after p-tags

Structure

- Section
- Container
- Block
- Heading
- Basic Text



1:08:56

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Basic Text

#brxe-nxaluy

CONTE... STYLE

If I write long enough, we will probably have an orphan at some point. Is it right here?

Select text on canvas to format it. To add headings, paragraphs, and images use the "Rich Text" element.

HTML tag p

Link to

Select link type

automatic.css

I'm going to write just enough text to have an orphan

If I write long enough, we will probably have an orphan at some point. Is it right here?

Now it's working

Structure

Section
Container
Block
Heading
Basic Text



1:09:11

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691078957

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

I'm going to write just enough text to have an orphan

If I write long enough, we will probably have an orphan at some point. Is it right here?

It looks great in the frontend. The differing rendering in the builder is due to Kevin's screen resolution in this tutorial



1:09:20

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691078957

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Dimensions: Responsive 1237 × 639 100% No throttling

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

I'm going to write just enough text to have an orphan

If I write long enough, we will probably have an orphan at some point. Is it right here?

Works good on mobile as well

Elements | Console | Sources | Network | Performance | Memory | Application | Security | Lighthouse

<head> </head>

body.home.page-template-default.page.page-id-331.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-emb

Styles | Computed | Layout | Filter | :hov .cls

1:09:50

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Heading

.unbalance 2 × 1

.unbalance

CONTE... STYLE

I'm going to write just enouc

HTML tag h3

Type None

Style None

Link to

Select link type

SEPARATOR

automatic.css

I'm going to write just enough text to have an orphan

If you don't want the automatic balance just use the class on individual elements

If I write long enough, we will probably have an orphan at some point. Is it right here?

Structure

Section

Container

Block

1 Heading

Basic Text



1:10:24

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Block

.unbalance 2 × 2

.content-gap .unbalance

CONTE... STYLE

GRID ITEM

Grid column auto / auto

Grid row auto / auto

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap 29.07

Row gap 29.07

automatic.css

I'm going to write just enough text to have an orphan

If I write long enough, we will probably have an orphan at some point. Is it right here?

You can unbalance on the parent as well

Section

Structure

Section

Container

1 Block

Heading

Basic Text



1:10:41

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-typography

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Automatically Balance Headings — on / off

Text

- Default Text Color — var(--base-ultra-dark)
- Base Text Size — 16 px — 18 px
- Desktop Scale — Major Third (1.250)
- Mobile Scale — Minor Third (1.200)
- Text Line Heights
- Text Line Lengths
- Text Size Overrides
- Automatically Balance Text — on / off

Typography Spacing

Make your typography spacing more consistent and automatic.

Option 2: You turn off both settings



Thank you for creating with WordPress.

Version 6.2.2

1:11:03

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Save

Heading

.balance 2 × 1

.balance

CONTE... STYLE

I'm going to write just enouç

HTML tag h3

Type None

Style None

Link to

Select link type

SEPARATOR

automatic.css

I'm going to write just enough text to have an orphan let's add one more.

Now you can balance individual elements

If I write long enough, we will probably have an orphan at some point. Is it right here?

Structure

Section

Container

Block

1 Heading

Basic Text



1:12:02

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks_preview=1691078957

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

I'm going to write just enough text to have an orphan let's add one more.

If I write long enough, we will probably have an orphan at some point. Is it right here?



1:12:06


Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Delay Children "Animation Mixin" NEW
- Automatic Contextual Spacing NEW
- Automatic Text & Heading Balancing NEW
- Manual Text & Heading Balancing NEW
- Text & Heading Unbalancing NEW
- Preliminary Container Query Support NEW
- Un-Deprecated Ultra-Dark Trans Variants NEW
- "Smart Spacing" for lists and list items NEW
- Box-shadow focus style option NEW
- Official Fluent Form Styling Support NEW
- Save ACSS Dashboard Settings with CMD + S ENHANCE
- Reduce Motion Option Switch ENHANCE
- Single Row for Website Dimensions (UX) ENHANCE
- New "Typography Spacing" Section (& "Smart Spacing" Name Change) ENHANCE
- Smart Spacing Utility Class ENHANCE
- Improved Style Inheritance ENHANCE
- General Gutenberg Enhancements ENHANCE
- Codebase Refactoring ENHANCE
- Contextual gap classes now apply gap to



1:12:50

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Block

#brxe-zgqauz 1

.content-gap

CONTE... STYLE

automatic.css

Primary

Secondary

Accent

accent-ultra-dark-trans-70

Info

Black & White

automatic.css

I'm going to write just enough text to have an orphan let's add one more.

If I write long enough, we will probably have an orphan at some point. Is it right here?

Structure

Section

Container

Block

Heading

Basic Text

1:13:03

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Home (Builder) | ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Delay Children "Animation Mixin" NEW
- Automatic Contextual Spacing NEW
- Automatic Text & Heading Balancing NEW
- Manual Text & Heading Balancing NEW
- Text & Heading Unbalancing NEW
- Preliminary Container Query Support NEW
- Un-Deprecated Ultra-Dark Trans Variants NEW
- "Smart Spacing" for lists and list items NEW
- Box-shadow focus style option NEW
- Official Fluent Form Styling Support NEW
- Save ACSS Dashboard Settings with CMD + S ENHANCE
- Reduce Motion Option Switch ENHANCE
- Single Row for Website Dimensions (UX) ENHANCE
- New "Typography Spacing" Section (& "Smart Spacing" Name Change) ENHANCE
- Smart Spacing Utility Class ENHANCE
- Improved Style Inheritance ENHANCE
- General Gutenberg Enhancements ENHANCE
- Codebase Refactoring ENHANCE
- Contextual gap classes now apply gap to



1:13:58

Exploring ACSS v2.6!.webm

Posts ‹ ACSS v2.6 — WordPre | Add New Template ‹ ACSS v2.(| ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/post-new.php?post_type=bricks_template

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Edit with Bricks | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

Add New Template

Screen Options

Blog 1

Permalink: https://26.digitalgravy.dev/template/blog/ Edit

EDIT WITH BRICKS

Author

kevingeary (kevingeary)

Template Type

Select template type:

2 Single

Publish

Save Draft | Preview

Status: **Draft** Edit

Visibility: **Public** Edit


Publish **immediately** Edit

Move to Trash | Publish

Template Tag

Add

Choose from the most used tags



1:15:18

Exploring ACSS v2.6!.webm

Posts ‹ ACSS v2.6 — WordPres | Blog (Template) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/template/blog/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

PINNED ELEMENTS

Section

SINGLE

Post Title | Excerpt | Meta Data | Post Cont... | Social Sha... | Related P... | Author | Comments | Taxonomy | Post Navi...

LAYOUT

MY TEMPLATES | REMOTE TEMPLATES

Import images | Replace content

Template bundle | Template tag | Template type | blog

This is just a placeholder headline, we will replace it soon.

This is just a placeholder headline, we will replace it soon.

Blog Post Charlie

INSERT

Blog Hero Charlie

This is just a placeholder headline, we will replace it soon.

tructure

Click on any element to add it to your canvas.

1:15:33

Exploring ACSS v2.6!.webm

Posts ‹ ACSS v2.6 — WordPre | Blog (Template) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/template/blog/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Save

Template settings

CONDITIONS

Set condition(s) to show template on specific areas of your site.

Post type

Post type

Post type

Posts

Exclude

ADD CONDITION

POPULATE CONTENT

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

No WordPress added content found.



author_name

author_bio

Facebook Instagram LinkedIn

Structure

Article Wrapper <article>

Blog Hero Charlie

Blog Body Charlie

Inner

Content Wrapper

Post Content

Container

CTA Foxtrot



1:15:51

Exploring ACSS v2.6!.webm

Posts ‹ ACSS v2.6 — WordPres | Blog (Template) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/template/blog/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Template settings

- CONDITIONS
- POPULATE CONTENT

Select type of content to show on canvas, then click "APPLY PREVIEW" to show the selected content on the canvas.

Content type: Single post/page

Single post/page: Select

Search for ..

Fluent Forms (Page)

Home (Page)

Gutenberg (Page)

No WordPress added content found.

This is annoying in Bricks. It gives you pages and you have to search for blog post



author_name

author_bio

Facebook Instagram LinkedIn

Structure

- Article Wrapper <article>
  - Blog Hero Charlie
  - Blog Body Charlie
    - Inner
      - Content Wrapper
        - Post Content
      - Container
  - CTA Foxtrot



1:15:57

Exploring ACSS v2.6!.webm

Posts ‹ ACSS v2.6 — WordPres | Blog (Template) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/template/blog/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Template settings

- CONDITIONS
- POPULATE CONTENT

Select type of content to show on canvas, then click "APPLY PREVIEW" to show the selected content on the canvas.

Content type: Single post/page

Single post/page: Select

sample

Sample Blog Post #1 With a Very Very Long Heading Kinda (Post)

Sample Blog Post #2 With a Heading (Post)

Sample Blog Post #3 With a Much Longer Heading (Post)

No WordPress added content found.



author_name

author_bio

Facebook Instagram LinkedIn

Structure

- Article Wrapper <article>
  - Blog Hero Charlie
  - Blog Body Charlie
    - Inner
      - Content Wrapper
        - Post Content
      - Container
  - CTA Foxtrot



1:16:09

Exploring ACSS v2.6!.webm

Posts ‹ ACSS v2.6 — WordPres | Blog (Template) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/template/blog/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Search elements ..

PINNED ELEMENTS

Section

SINGLE

Post Title | Excerpt

Meta Data | Post Cont...

Social Sha... | Related P...

Author | Comments

Taxonomy | Post Navi...

LAYOUT

Sample Blog Post #1 With a Very Very Long Heading Kinda

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Blog post single template with preview

Block

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Sometimes it's nice to put in text just to get an idea of how text will fill in a space on your website.

This is just a placeholder.

Traditionally our industry has used Lorem Ipsum, which is placeholder text written in Latin. Unfortunately, not everyone is familiar with Lorem Ipsum and that can lead to confusion. I can't tell you how many times clients have asked me why their website is in another

Structure

Article Wrapper <article>

CTA Foxtrot



1:16:16

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Edit Post "Sample Blog Post #3 | Sample Blog Post #3 With a M | Blog (Template) | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/sample-blog-post-3/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Post | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Sometimes it's nice to put in text just to get an idea of how text will fill in a space on your website.

No spacing after the headline

This is just a placeholder.

Traditionally our industry has used Lorem Ipsum, which is placeholder text written in Latin. Unfortunately, not everyone is familiar with Lorem Ipsum and that can lead to confusion. I can't tell you how many times clients have asked me why their website is in another language!

No spacing between list items

- List item one
- List item two
- List item three

We added this list element in Gutenberg. This is how your blog post would look without ACSS

There are other placeholder text alternatives like Hipster Ipsum, Zombie Ipsum, Bacon Ipsum, and many more. While often hilarious, these placeholder passages can also lead to much of the same confusion.

This is just a placeholder heading.

If you're curious, this is Website Ipsum. It was specifically developed for the use on development websites. Other than being less confusing than other Ipsum's, Website Ipsum is also formatted in patterns more similar to how real copy is formatted on the web today.



1:17:19

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Edit Post "Sample Blog Post #3 | Sample Blog Post #3 With a M | Home (Builder) | ACSS v2.6 | ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-typography

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Mobile Scale — Minor Third (1.200)

Text Line Heights

Text Line Lengths

Text Size Overrides

Automatically Balance Text — on / off

Typography Spacing

Make your typography spaci

Now we'll see how our list looks like with this setting turned on

Smart Spacing — on / off

Heading Spacing — 1.5em

Paragraph Spacing — 1em

List Spacing — 1em

List Item Spacing — .5em

'Larger' Multiplier



Thank you for creating with WordPress.

Version 6.2.2

1:18:50

placeholder text with your real content.

Sometimes it's nice to put in text just to get an idea of how text will fill in a space on your website.

This is just a placeholder.


Traditionally our industry has used Lorem Ipsum, which is placeholder text written in Latin. Unfortunately, not everyone is familiar with Lorem Ipsum and that can lead to confusion. I can't tell you how many times clients have asked me why their website is in another language!

- List item one
- List item two
- List item three

There are other placeholder text alternatives like Hipster Ipsum, Zombie Ipsum, Bacon Ipsum, and many more. While often hilarious, these placeholder passages can also lead to much of the same confusion.

This is just a placeholder heading.

If you're curious, this is Website Ipsum. It was specifically developed for the use on development websites. Other than being less confusing than other Ipsum's, Website Ipsum is also formatted in patterns more similar to how real copy is formatted on the web today.



Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Edit Post "Sample Blog Post #3 | Sample Blog Post #3 With a M | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-typography

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Automatically Balance Text — on / off

Typography Spacing

Make your typography spacing more consistent and automatic.

You have control over all these settings

Smart Spacing	on / off
Heading Spacing	1.5em
Paragraph Spacing	1em
List Spacing	1em
List Item Spacing	.5em

'Larger' Multiplier

Text Larger	1.2	1.5

Fallbacks

Edit Fallbacks



Thank you for creating with WordPress.

Version 6.2.2

1:19:25

Exploring ACSS v2.6!.webm

Blog (Template) | Edit Post "Sample Blog Post #3 | Sample Blog Post #3 With a M | Changelog - Automatic.css

26.digitalgravy.dev/template/blog/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Post Content

#brxe-834a65

CONTE... STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

ATTRIBUTES

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Sometimes it's nice to put in text just to get an idea of how text will fill in a space on your website.

Without ACSS you have no control over the spacing in the builder because it's just the post content element

This is just a placeholder.

Traditionally our industry has used Lorem Ipsum, which is placeholder text written in Latin. Unfortunately, not everyone is familiar with Lorem Ipsum and that can lead to confusion. I can't tell you how many times clients have asked me why their website is in another language!

There are other placeholder text alternatives like Hipster Ipsum, Zombie Ipsum, Bacon Ipsum, and many more. While often hilarious, these placeholder passages can also lead to much of the same confusion.

This is just a placeholder heading.

If you're curious, this is Website Ipsum. It was specifically developed for the use on

Structure

- Article Wrapper <article>
  - Blog Hero Charlie
  - Blog Body Charlie
    - Inner
      - Content Wrapper
        - Post Content
      - Container
  - CTA Foxtrot



1:20:00


Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Edit Post "Sample Blog Post #3 | Sample Blog Post #3 With a M | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

Text & Heading Unbalancing	NEW
Preliminary Container Query Support	NEW
Un-Deprecated Ultra-Dark Trans Variants	NEW
"Smart Spacing" for lists and list items	NEW
Box-shadow focus style option	NEW
Official Fluent Form Styling Support	NEW
Save ACSS Dashboard Settings with CMD + S	ENHANCE
Reduce Motion Option Switch	ENHANCE
Single Row for Website Dimensions (UX)	ENHANCE
New "Typography Spacing" Section (& "Smart Spacing" Name Change)	ENHANCE
Smart Spacing Utility Class	ENHANCE
Improved Style Inheritance	ENHANCE
General Gutenberg Enhancements	ENHANCE
Codebase Refactoring	ENHANCE
Contextual gap classes now apply gap to both axes	ENHANCE
Gap classes now output variables instead of raw values	ENHANCE
General Form Styling Enhancements	ENHANCE
Frames UX Enhancements	ENHANCE



1:24:04

Exploring ACSS v2.6!.webm

Fluent Forms (Builder) | Changelog - Automatic.css

26.digitalgravy.dev/fluent-forms/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Shortcode

#brxe-tmzdxz

CONTE... STYLE

Shortcode

[fluentform id="1"]

Don't render in builder

automatic.css

Default Fluent Forms

First Name

First Name

Last Name

Last Name

Email *

Email Address

Subject

Subject

Your Message *

Your Message

Submit Form

Structure

Section

Container

Shortcode



1:24:19

Exploring ACSS v2.6!.webm

Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/fluent-forms/?bricks_preview=1691079969

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

First Name

First Name

Last Name

Last Name

Email *

Email Address


Subject

Subject

Your Message *

Your Message

Submit Form



1:24:25

Exploring ACSS v2.6!.webm

Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/fluent-forms/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Shortcode

.form--light × 1

.form--light 2

CONTE... STYLE

Shortcode

[fluentform id="1"]

Don't render in builder

automaticCSS

First Name

First Name

Last Name

Last Name

Email *

Email Address

Subject

Subject

Your Message *

Your Message

Submit Form

Structure

Section

Container

[s] Shortcode 1

1:25:19

Exploring ACSS v2.6!.webm

Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/fluent-forms/?bricks_preview=1691079969

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

First Name

First Name

Last Name

Last Name

Email *

Email Address

Subject

Subject

Your Message *

Your Message

Submit Form



1:25:24

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-forms

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Form Default Styles

Label Styling

Style your form labels (text above the inputs).

TEXT

Text Size	14 px	16 px
Line Height	1	
Font Weight	400	
Text Transform	None	

SPACING

Bottom Margin	0.5em	
Padding	0 y	0 x

Legend Styling

Help Styling

Field & Fieldset Styling



Thank you for creating with WordPress.

Version 6.2.2

1:25:40

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-forms

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Form Styling

Set global styling for forms using **.form--light** and **.form--dark**.
Support for: Bricks (native forms) & WSForm.

Load Form Styling [1] on off

Form Default Styles

Label Styling

Style your form labels (text above the inputs).

TEXT

Text Size	14 px	16 px
Line Height	1	
Font Weight	400	
Text Transform	None	

SPACING

Bottom Margin	0.5em



Thank you for creating with WordPress.

Version 6.2.2

1:26:08

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-forms

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Style your progress bars.

Height 30 px

Border Radius var(--btn-radius)

Tab Styling

Form Light Styles

Label Styling

Legend Styling

Help Styling

Input Styling

Global & Submit Button Styling

Secondary Button Styling

Option Input Styling

Progress Bar Styling



Thank you for creating with WordPress.

Version 6.2.2

1:26:14

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-forms

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.CSS

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Form Dark Styles

- Label Styling
- Legend Styling
- Help Styling
- Input Styling
- Global & Submit Button Styling
- Secondary Button Styling
- Option Input Styling
- Progress Bar Styling
- Tab Styling
- Range Slider Styling
- Accessibility Styling (WSForm only)



Thank you for creating with WordPress.

Version 6.2.2

1:26:28

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

Fluent Forms (Builder)
26.digitalgravy.dev

Facebook | Hey! | Business | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

The form is already styled automatically with your project settings

First Name

First Name

Last Name

Last Name

Email *

Email Address

Subject

Subject

Your Message *

Your Message

Submit Form



1:27:10

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/fluent-forms/?bricks=run

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

W 1205 H - % 100

Shortcode

.form--dark × 1

.form--dark 2

CONTE... STYLE

Shortcode

[fluentform id="1"]

Don't render in builder

automatic.css

First Name

First Name

Last Name

Last Name

Email *

Email Address

Subject

Subject

Your Message *

Your Message

Submit Form

Structure

Paste (All)

Section

Container

1 Shortcode



1:27:35

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/fluent-forms/?bricks_preview=1691079969

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | Customize | 0 | New | Edit Page | Edit with Bricks | Render with Bricks | Automatic CSS | Howdy, kevingeary

automatic.css

First Name

First Name

Last Name

Last Name

Email *

Email Address

Subject

Subject

Your Message *

Your Message

Submit Form



1:27:40


Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Text & Heading Unbalancing — NEW
- Preliminary Container Query Support — NEW
- Un-Deprecated Ultra-Dark Trans Variants — NEW
- "Smart Spacing" for lists and list items — NEW
- Box-shadow focus style option — NEW
- Official Fluent Form Styling Support — NEW
- Save ACSS Dashboard Settings with CMD + S — ENHANCE
- Reduce Motion Option Switch — ENHANCE
- Single Row for Website Dimensions (UX) — ENHANCE
- New "Typography Spacing" Section (& "Smart Spacing" Name Change) — ENHANCE
- Smart Spacing Utility Class — ENHANCE
- Improved Style Inheritance — ENHANCE
- General Gutenberg Enhancements — ENHANCE
- Codebase Refactoring — ENHANCE
- Contextual gap classes now apply gap to both axes — ENHANCE
- Gap classes now output variables instead of raw values — ENHANCE
- General Form Styling Enhancements — ENHANCE



1:29:37

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-forms

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Cmd+S now saves your changes!

Form Dark Styles

Label Styling

Style your form labels (text above the inputs).

TEXT

Text Color (Dark) — var(--shade-ultra-light)

BACKGROUND

Background Color (Dark) — transpar

REQUIRED ASTERISK

Asterisk Color (Dark) — var(--act

Legend Styling


Help Styling

Input Styling

Global & Submit Button Styling

Secondary Button Styling

Option Input Styling



Settings updated and 8 CSS file(s) generated correctly in 1.77 seconds.

Thank you for creating with WordPress.

1:29:18

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Un-Deprecated Ultra-Dark Trans Variants — NEW
- "Smart Spacing" for lists and list items — NEW
- Box-shadow focus style option — NEW
- Official Fluent Form Styling Support — NEW
- Save ACSS Dashboard Settings with CMD + S — ENHANCE
- Reduce Motion Option Switch — ENHANCE
- Single Row for Website Dimensions (UX) — ENHANCE
- New "Typography Spacing" Section (& "Smart Spacing" Name Change) — ENHANCE
- Smart Spacing Utility Class — ENHANCE
- Improved Style Inheritance — ENHANCE
- General Gutenberg Enhancements — ENHANCE
- Codebase Refactoring — ENHANCE
- Contextual gap classes now apply gap to both axes — ENHANCE
- Gap classes now output variables instead of raw values — ENHANCE
- General Form Styling Enhancements — ENHANCE
- Frames UX Enhancements — ENHANCE
- Clickable Parent Builder UX — ENHANCE



1:29:39

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-plugin

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Options

Set the options for the Automatic.css plugin

Accessibility

Reduce Motion — on / off

Smooth Scrolling

Enable CSS Smooth Scrolling — on / off

Builder Settings

Variable Expansion & Validation — on / off

Contextual Menus (Classes/Variables) — on / off

Style Preview & Keyboard Enhancement — on / off

Enhance Transparent Color Swatches (Bricks) — on / off

Gutenberg — on / off



Thank you for creating with WordPress.

Version 6.2.2

1:29:45

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-plugin

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Options

Set the options for the Automatic.css

With the setting turned off you can see your animations while developing the website. But in general it should be turned on before the website goes live due to accessibility

Accessibility

Reduce Motion — on | off

Smooth Scrolling

Enable CSS Smooth Scrolling — on | off

Builder Settings

Variable Expansion & Validation — on | off

Contextual Menus (Classes/Variables) — on | off

Style Preview & Keyboard Enhancement — on | off

Enhance Transparent Color Swatches (Bricks) — on | off

Gutenberg — on | off



Thank you for creating with WordPress.

Version 6.2.2

1:31:22

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-plugin

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - **Automatic CSS**
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Options

Set the options for the Automatic.css plugin

This setting only has an effect if you turned on your computer the setting to see no animations on!

Accessibility

Reduce Motion — on / off

Smooth Scrolling

Enable CSS Smooth Scrolling — on / off

Builder Settings

Variable Expansion & Validation — on / off

Contextual Menus (Classes/Variables) — on / off

Style Preview & Keyboard Enhancement — on / off

Enhance Transparent Color Swatches (Bricks) — on / off

Gutenberg — on / off



Thank you for creating with WordPress.

Version 6.2.2

1:31:57

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Box-shadow focus style option — NEW
- Official Fluent Form Styling Support — NEW
- Save ACSS Dashboard Settings with CMD + S — ENHANCE
- Reduce Motion Option Switch — ENHANCE
- Single Row for Website Dimensions (UX) — ENHANCE
- New "Typography Spacing" Section (& "Smart Spacing" Name Change) — ENHANCE
- Smart Spacing Utility Class — ENHANCE
- Improved Style Inheritance — ENHANCE
- General Gutenberg Enhancements — ENHANCE
- Codebase Refactoring — ENHANCE
- Contextual gap classes now apply gap to both axes — ENHANCE
- Gap classes now output variables instead of raw values — ENHANCE
- General Form Styling Enhancements — ENHANCE
- Frames UX Enhancements — ENHANCE
- Clickable Parent Builder UX Enhancements — ENHANCE
- Changed buttons from inline-block to inline-flex — ENHANCE
- Fixed wrong placeholder color in Select — FIX



1:32:15

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-buttons

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Button Border Styling

Link Defaults

Link Color	var(--action)
Link Hover Color	var(-
Link Weight	
Link Decoration	
Link Underline Offset	

100
200
300
✓ 400
500
600
700
800
900
inherit

Action Button

Load Action Button Styles	on off
Edit Action Button Styling	

Primary Button

Load Primary Button Styles	on off



Thank you for creating with WordPress.

Version 6.2.2

1:32:58

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-buttons

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

ACSS v2.6 | 0 | New | Automatic CSS | Howdy, kevingeary

- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Fluent Forms Pro
- Appearance
- Plugins
- Users
- Tools
- Settings
- ACF
- Automatic CSS
  - Automatic CSS
  - Plugin License
  - Import & Export
  - Frames License
- GenerateBlocks
- WPCodeBox 2
- Gridbuilder WP
- Collapse menu

automatic.css

- Viewport
- Palette
- Typography
- Spacing
- Buttons & Links
- Additional Styling
- Options
- Frames
- Form Styling
- Guides

SAVE CHANGES

Version 2.6.0

Button Border Styling

Link Defaults

Link Color	var(--action)
Link Hover Color	var(--action-hover)
Link Weight	inherit
Link Decoration	None
Link Underline Offset	

Action Button

Load Action Button Styles	on / off
Edit Action Button Styling	

Primary Button

Load Primary Button Styles	on / off

So if the link is in a bold paragraph it will take over the same styling



Thank you for creating with WordPress.

Version 6.2.2

1:33:10

Exploring ACSS v2.6!.webm

Automatic CSS ‹ ACSS v2.6 — | Fluent Forms (Builder) | Fluent Forms – ACSS v2.6 | Changelog - Automatic.css

automaticcss.com/changelog/

Facebook | Hey! | Business | Personal | Hosting | Resources | Basecamp | Automatic.css | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | Hey! Notification i... | UserMaven | Avventure | JS | MTLC | Examples

- Box-shadow focus style option — NEW
- Official Fluent Form Styling Support — NEW
- Save ACSS Dashboard Settings with CMD + S — ENHANCE
- Reduce Motion Option S
- Single Row for Website
- New "Typography Spac "Smart Spacing" Name
- Smart Spacing Utility Cl
- Improved Style Inherita
- General Gutenberg Enh
- Codebase Refactoring
- Contextual gap classes both axes
- Gap classes now output of raw values
- General Form Styling Er
- Frames UX Enhanceme
- Clickable Parent Builder UX Enhancements — ENHANCE
- Changed buttons from inline-block to inline-flex — ENHANCE
- Fixed wrong placeholder color in Select — FIX

FEATURE OVERVIEW

General Gutenberg Enhancements

- Removed focus styles in the canvas.
- Removed styles from posts (only pages show styles by default).
- Added an optional snippet to show styles in CPTs (below).

```
add_filter(
'acss/gutenberg/allowed_post_types',
function( $post_types ) {
return array( 'page', 'post' ); // specify here your CPTs
slugs.
}
);
```



1:33:45