




[Link to Video](#)







Chrome

File Edit View History Bookmarks Profiles Tab Window Help

Image Group Echo (Builder) x Image Group Echo - bricks-ac

Not Secure | bricksacss.local/image-group-echo/?bricks=run

Facebook Hey! Business Personal Hosting Resources Edit Page Basecamp Automatic.css Frames Hubspot HelpScout Genl.us InnerCircle ACSS UserMaven Plausible Pika EasyWeb Adventure

b

Search elements ...

PINNED ELEMENTS

T

Heading

≡

Nav Menu

≡

Table of Conte...

LAYOUT

Section

Container

Block

Div

BASIC

Basic Text

Rich Text

Button

Icon

Image

Video

GENERAL

Divider

Icon Box

Icon List

List

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Image Group Echo (Control)

Structure

Hero Oscar

Content

Accent Heading


Heading


Lede

Image Group Echo (Control)

01:01








ACCENT HEADING

This is just a placeholder


This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Container inside Hero Oscar





To change the direction just drag the colors around



Chrome

File Edit View History Bookmarks Profiles Tab Window Help

Not Secure | bricksacss.local/image-group-echo/?bricks=run

Facebook Hey! Business Personal Hosting Resources Edit Page Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Plausible Pika EasyWeb Avventure

#brxe-21fedc1

.fr-hero-oscar

CONTENTSTYLE

Wave brush

Wave brush

Fill color

Hue

Saturation

Lightness

Transparency

var(--white)

RAW

HEX RGB HSL RAW

ACSS Global

Right

Bottom

Left

ADD SHAPE

TRANSFORM

CSS

ATTRIBUTES

ACCENT HEADING

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro


Image


Image

Image

02:36







Now we integrated our photos but they are not positioned well





Chrome

File Edit View History Bookmarks Profiles Tab Window Help

Not Secure | bricksacss.local/image-group-echo/?bricks=run

Facebook Hey! Business Personal Hosting Resources Edit Page Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Plausible Pika EasyWeb Avventure

b

Image Group Echo (Builder) x Image Group Echo - bricks-ac x

W 1960 H 100

Lede

.fr-lede x 3

.fr-hero-oscar__lede

.text--base-ultra-dark .fr-lede

CONTENT STYLE

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Select text on canvas to format it. To add headings, paragraphs, and images use the "Rich Text" element.

HTML tag p x

Link to

Select link type

ACCENT HEADING

Learn how to surf from the most accomplished surfing duo in the United States

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.



Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container

amazon music

7

12

LIVE

1

04:28



Image Group Echo (C...)

#brxe-d595c3

.fr~Image-group-echo

CONTENT

STYLE

Use query loop

HTML tag

div

Display

grid

Gap

Grid template columns

Grid template rows

Grid auto columns

auto

Grid auto rows

auto

Grid auto flow

row

Justify items

Align items

Justify content

Align content

Order

0

Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container

Block

For testing purposes we have a 2 column grid here with a Block left. We're going to drag the Image Group into that Block

05:01



Section

#brxe-tjrqke

CONTENTSTYLE

HTML tag

section

Display

flex

Flex wrap

No wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

normal

Row gap

normal

Flex grow

0

Flex shrink

1

Flex basis

auto

Order

0

New Frame Release- Image Group Echo.mp4

Image Group Echo (Builder)Image Group Echo - bricks-ac

Not Secure | bricksacss.local/image-group-echo/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebAvventure

W1960H100%

Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Section

Container

Block

Image Group Echo (Contro

Image

Image

Image

ACCENT HEADING

Learn how to surf from the most accomplished surfing duo in the United States

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Due to CSS Grid it conforms to the new size



05:13



New Frame Release- Image Group Echo.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Image Group Echo (Builder)Image Group Echo - bricks-ac

Not Secure | bricksacss.local/image-group-echo/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebAvventure

b

Image

.fr-image-group-echo__i...

.fr-image-group-echo__image

2

CONTENTSTYLE



Full (1620x1080)

HTML tagfigure

Object fitCover

Object position50% 50%

Custom alt text

Caption TypeNo caption

Stretch

LINK TO

None

Image overlay

Disable icon

Icon background color

Icon border


Icon box shadow

Icon height

Icon width

Icon typography

fill up space since your finalized copy isn't ready yet.



Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

1Image

Image

Image

Section

Container

Block



05:36



Image

#brxe-86abd1

.fr-Image-group-echo__Image

CONTENTSTYLE



Full (1620x1080)

HTML tag

figure

Object fit

Cover

Object position

center right

Custom alt text

Caption Type

No caption


Stretch

LINK TO

None

Disable icon

fill up space since your finalized copy isn't ready yet.



Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container


Block

Important: We make the image changes on the ID level and not on the class. Otherwise all photos would be affected









Image

#brxe-1f8b501

.fr-image-group-echo__image

CONTENTSTYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

Transform

Translate X

Translate Y

Scale X

Scale Y

Rotate X (°)

Rotate Y (°)

Rotate Z (°)

Skew X (°)

Skew Y (°)

fill up space since your finalized copy isn't ready yet.



Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container

Block

Again we set the value on the ID level to affect just this photo



Image Group Echo (Control)

.fr-image-group-echo

2

.fr-image-group-echo

CONTENT

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

[Learn more about CSS filters](#)

CSS transition

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

1 root {

2

3 --aspect-width: 5; /* Sets aspect ratio width */

4 --aspect-height: 5; /* Sets aspect ratio height */

5 --overlap: .5; /* Sets center image overlap amount */

6 --alignment: center; /* center / top / end */

7 --shadow: 0 0 40px 0 var(--shade-ultra-dark-trans-20); /*

8 Sets center image shadow */

9 display: grid;

10 grid-template-columns: repeat(12, 1fr);

11 place-items: var(--alignment) center;

12

13 }

14

15 root > * {

16 width: 100%;

17 grid-row-start: 1;

18 }

19

20 root > *:first-child {

21 grid-column: 1/7;

Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container

Block

1



2


3

The CSS is written on the class level

3

08:00







New Frame Release- Image Group Echo.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Image Group Echo (Builder)Image Group Echo - bricks-ac

Not Secure | bricksacss.local/image-group-echo/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausibilePikaEasyWebAvventure

b

.fr-image-group-echo

.fr-image-group-echo

CONTENTSTYLE

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root {
2   --aspect-width: 5; /* Sets aspect ratio width */
3   --aspect-height: 5; /* Sets aspect ratio height */
4   --overlap: .5; /* Sets center image overlap amount */
5   --alignment: end; /* center / top / end */
6   --shadow: 0 0 10px 0 var(--shade-ultra-dark-trans-20); /*
7     Sets center image shadow */
8   display: grid;
9   grid-template-columns: repeat(12, 1fr);
10  place-items: var(--alignment) center;
11 }
12
13
14
15 root > * {
16   width: 100%;
17   grid-row-start: 1;
18 }
19
20 root > *:first-child {
21   grid-column: 1/7;
22   aspect-ratio: var(--aspect-width) / var(--aspect-height);
23 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image


Image

Section

Container

Block

Alignment end



09:36



New Frame Release- Image Group Echo.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Image Group Echo (Builder)Image Group Echo - bricks-ac

Not Secure | bricksacss.local/image-group-echo/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebAvventure

b

.fr-image-group-echo

.fr-image-group-echo

CONTENTSTYLE

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root {
2
3   --aspect-width: 3; /* Sets aspect ratio width */
4   --aspect-height: 4; /* Sets aspect ratio height */
5   --overlap: .5; /* Sets center image overlap amount */
6   --alignment: center; /* center / top / end */
7   --shadow: 0 0 40px 0 var(--shade-ultra-dark-trans-20); /*
  Sets center image shadow */
8
9   display: grid;
10  grid-template-columns: repeat(12, 1fr);
11  place-items: var(--alignment) center;
12
13 }
14
15 root > * {
16   width: 100%;
17   grid-row-start: 1;
18 }
19
20 root > *:first-child {
21   grid-column: 1/7;
22   aspect-ratio: var(--aspect-width) / var(--aspect-height);
23 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container

Block

Aspect ration 3 by 4



10:17



Chrome

File Edit View History Bookmarks Profiles Tab Window Help

Not Secure | bricksacss.local/image-group-echo/?bricks=run

Facebook Hey! Business Personal Hosting Resources Edit Page Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Plausible Pika EasyWeb Adventure

fr-image-group-echo

fr-image-group-echo

CONTENT

STYLE

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters


CSS transition

Custom CSS

Overlap 1.7

surfer duo in the United States

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.



Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container

Block

1 root {

2 --aspect-width: 4; /* Sets aspect ratio width */

3 --aspect-height: 3; /* Sets aspect ratio height */

4 --overlap: 1.7; /* Sets center image overlap amount */

5 --alignment: center; /* center / top / end */

6 --shadow: 0 0 40px 0 var(--shade-ultra-dark-trans-20); /*

7 Sets center image shadow */

8

9 display: grid;

10 grid-template-columns: repeat(12, 1fr);

11 place-items: var(--alignment) center;

12

13 }

14

15 root > * {

16 width: 100%;

17 grid-row-start: 1;

18 }

19

20 root > *:first-child {

21 grid-column: 1/7;

22 aspect-ratio: var(--aspect-width) / var(--aspect-height);

23 }

24 }

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

amazon music

7

12

10:41

New Frame Release- Image Group Echo.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Image Group Echo (Builder) xImage Group Echo - bricks-ac x

Not Secure | bricksacss.local/image-group-echo/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesEdit PageBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenPlausiblePikaEasyWebAvventure

b

.fr-image-group-echo x 1

.fr-image-group-echo

CONTENTSTYLE

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
13 }
14
15 root > * {
16   width: 100%;
17   grid-row-start: 1;
18 }
19
20 root > *:first-child {
21   grid-column: 1/7;
22   aspect-ratio: var(--aspect-width) / var(--aspect-height);
23 }
24
25 root > *:nth-child(2) {
26   grid-column: 4/10;
27   z-index: 1;
28   aspect-ratio: var(--aspect-width) / var(--aspect-height);
29   box-shadow: var(--shadow);
30 }
31
32 root > *:last-child {
33   grid-column: 7/-1;
34   aspect-ratio: var(--aspect-width) / var(--aspect-height);
35 }
```

Use "root" to target the element wrapper: root { background: blue }


CSS classes

Separated by space. Without class dot.

CSS ID

surfer duo in the United States

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.



Structure

Hero Oscar

Content

Accent Heading

Heading

Lede

Container

Image Group Echo (Contro

Image

Image

Image

Section

Container

Block

You don't have to touch the CSS





10:55



