

26.digitalgravy.dev/?bricks=run

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Aria Toggle

#brxe-8dd9d

CONTENT STYLE

```
1 <script>
2 // Get a reference to the button element
3 const button = document.querySelector('.fr-toggle-button-alpha');
4
5 // Add a click event listener to the button
6 button.addEventListener('click', function () {
7   // Get the current value of the aria-expanded attribute
8   const currentAriaValue = button.getAttribute('aria-expanded');
9
10  // Toggle the aria-expanded attribute value
11  if (currentAriaValue === 'true') {
12    button.setAttribute('aria-expanded', 'false');
13  } else {
14    button.setAttribute('aria-expanded', 'true');
15  }
16 });
17 </script>
```

• Execute code

• Render without wrapper

Render on the front-end without the div wrapper.

Important: The code above will run on your site! Only add code that you consider safe. Especially when executing PHP & JS code.

streamyard.com is sharing your screen. Stop sharing Hide

09:35

automaticcss

Video

Open

Toggle Button

Structure

- Section
 - Container
 - Toggle Button Alpha (CSS)
 - Icon Wrapper
 - Label Wrapper
 - Aria Toggle

Kevin Geary

automaticcss.com / @thekevingeary

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages • ACSS v2.6 — WordPr... x Home (Builder) x ACSS v2.6 x Changelog - Frames x +

26.digitalgravy.dev/7bricks_preview=1694530503

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Elements Console Sources Network >>

ACSS v2.6 Customize 2 0 + New Edit Page WS Form Edit with Bricks Render with Bricks Automatic CSS

flex

Skip to main content

flex

<header id="brx-header"></header>

<main id="brx-content">

<section class="brxe-section">

flex

<div class="brxe-container"></div>

flex

<button id="brxe-a51399" class="brxe-div fr-toggle-button-alpha" aria-expanded="false" data-interactions="{"id":"ehxyfi","trigger":"click","action":"toggleAttribute","actionAttributeKey":"class","actionAttributeValue":"is-open"}" data-interaction-id="ad8ba8"></button>

grid == \$0

</section>

</main>

<script src="https://26.digitalgravy.dev/wp-includes/js/hoverintent-js.min.js?ver=2.2.1" id="hoverintent-is-is"></script>

#brx-content section.brxe-section button#brxe-a51399.brxe-div.fr-toggle-button-alpha

Styles Computed Layout Event Listeners DOM Breakpoints Properties >>

Filter :hov .cls + 🗑️ 📏

element.style { }

#brxe-a51399 { align-items: center; row-gap: calc(var(--content-gap) / 3); column-gap: calc(var(--content-gap) / 3); }

.fr-toggle-button-alpha { background: var(--button-background-color); position: relative; display: grid; grid-template-columns: auto minmax(0, 1fr); }

Console What's New x Issues

streamyard.com is sharing your screen. Stop sharing Hide

automatic.css

☰ Open

Kevin Geary

automaticcss.com / @thekevingeary

09:47 🔊 🖱️

A yellow arrow originates from the button element in the code editor, specifically the `<button id="brxe-a51399" class="brxe-div fr-toggle-button-alpha" ...>` line, and points towards the button in the live preview on the right.

A yellow arrow originates from the button in the live preview, which has a hamburger menu icon and the text "Open", and points back towards the button element in the code editor.

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages: ACSS v2.6 — WordPress — Home (Builder) — ACSS v2.6 — Changelog - Frames

26.digitalgravy.dev/7bricks_preview=1694530503

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Genius InnerCircle ACSS UserMaven JS Softball

Elements Console Sources Network >>

```
flex
<a class="skip-link" href="#brx-content" aria-label="Skip to main content" >
  Skip to main content</a> flex
<header id="brx-header"> </header>
<main id="brx-content">
  <section class="brxe-section"> flex
    <div class="brxe-container"> flex
      <button id="brxe-a51399" class="brxe-div fr-toggle-button-alpha is-open"
        aria-expanded="true" data-interactions="[{"id":""ehxyfi&quot;","trigger":""click&quot;","action":""toggleAttribute&quot;","actionAttributeKey":""class&quot;","actionAttributeValue":""is-open&quot;"}]" data-interaction-id="a
        d8ba8"> </button> grid == $0
    </section>
  </main>
  <script src="https://26.digitalgravy.dev/wp-includes/js/hoverintent-js.min.js?ver=2.2.1" id="hoverintent-is-is"></script>
</div>
```

Styles Computed Layout Event Listeners DOM Breakpoints Properties >>

Filter :hov .cls + - []

```
element.style {
}

#brxe-a51399 {
  align-items: center;
  row-gap: calc(var(--content-gap) / 3);
  column-gap: calc(var(--content-gap) / 3);
}

body.bricks-is-frontend *:focus:not(:focus-visible),
body.bricks-is-frontend button:focus:not(:focus-visible) {
  outline: none;
  box-shadow: none;
}
```

Console What's New X Issues

streamyard.com is sharing your screen. Stop sharing Hide

automatic.css

button#brxe-a51399.brxe-div.fr-toggle-button-alpha.is-open 126.31 x 56.65

Kevin Geary
automaticcss.com / @thekevineary

09:50

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages - ACSS v2.6 - WordPress x Home (Builder) x ACSS v2.6 x Changelog - Frames x

26.digitalgravy.dev/7bricks=run

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

MY TEMPLATES REMOTE TEMPLATES

Import images Replace content

Template bundle Template tag Template type Search templates

Avatar Alpha

INSERT

Home

Link #2

Link #3

Link #4

Link #5

streamyard.com is sharing your screen. Stop sharing Hide

10:22

Atomic design coming to Frames



Pages - ACSS v2.6 - WordPressHome (Builder)ACSS v2.6Changelog - Frames

26.digitalgravy.dev/7bricks=run

FacebookHey!BusinessPersonalHostingResourcesStreamYardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

b

Avatar Group...

#some-b64b2c1

fr-avatar-group-alpha

CONTE...STYLE

Use query loop

HTML tagdiv

Displayflex

Flex wrapNo wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

Row gap

Flex grow

Flex shrink

Flex basis

Order

automaticcss

Avatar group

Structure

Section

Container

streamyard.com is sharing your screen. Stop sharingHide



Pages - ACSS v2.6 - WordPr...Home (Builder)ACSS v2.6Changelog - Frames

26.digitalgravy.dev/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesStreamYardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

Avatar Bravo

#brxe-c1967b

fr-avatar-bravo

CONTE...STYLE

Use query loop

HTML tagdiv

Displayflex

Flex wrapNo wrap

Direction

Align self

Align main axis

Align cross axis

Column gap

Row gap

Flex grow

Flex shrink

Flex basis

Order

Structure

Section

Container

Avatar Bravo

automatic.css

Avatar Name

Avatar Bravo. Super simple but very handy

streamyard.com is sharing your screen. Stop sharingHide



Pages - ACSS v2.6 - WordPr...Home (Builder)ACSS v2.6Changelog - Frames

26.digitalgravy.dev/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesStreamYardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

MY TEMPLATESREMOTE TEMPLATES

Import imagesReplace content

Template bundleTemplate tagTemplate typeSearch templates

Image Group Indigo

INSERT

Coming Soon

Home

Link #2

Link #3

Link #4

Link #5

streamyard.com is sharing your screen.

Stop sharingHide

Kevin Geary

automaticcss.com / @thekevingeary

12:33

Pages - ACSS v2.6 - WordPress

Home (Builder)

ACSS v2.6

Changelog - Frames

26.digitalgravy.dev/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesStreamYardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

Image

fr-image-group--indigo...media

CONTE...STYLE

BROWSE UNSPLASH

Large (1024x773)

HTML tagfigure

Object fitCover

Object position50% 50%

Custom alt text

CaptionTypeNo capti...

Loadinglazy

Show title

Stretch

Image Overlay

LINK TO

None

ICON

Disable icon

Icon

automatic.css

Query loop compatible. Images can be randomized for every visitor

Structure

Section

Container

Image Group Indigo (CSS)

Inner

Media Wrapper

Image

Media Wrapper

Media Wrapper

Media Wrapper

Media Wrapper

Media Wrapper

Media Wrapper

streamyard.com is sharing your screen. Stop sharingHide

Kevin Geary

automaticcss.com / @thekevingeary

12:41

Pages - ACSS v2.6 - WordPress - Home (Builder) - ACSS v2.6 - Changelog - Frames

26.digitalgravy.dev/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesStreamYardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

MY TEMPLATESREMOTE TEMPLATES

Import imagesReplace content

Template bundleTemplate tagTemplate typeSearch templates

Slider Section Foxtrot

INSERT

Home

Link #2

Link #3

Link #4

Link #5

Coming Soon

streamyard.com is sharing your screen. Stop sharingHide

Kevin Geary

automaticcss.com / @thekevingeary

13:24

Pages - ACSS v2.6 - WordPress x Home (Builder) x ACSS v2.6 x Changelog - Frames x +

26.digitalgravy.dev/7bricks=run

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Slider

fr-slice-foxrot

fr-slice-foxrot

CONTENTS STYLE

automatic.css

Structure

- Section
 - Container
- Slider Section Foxrot
 - Inner
 - Slider

Edit in WordPress

Element "fr-slider" doesn't exist.

YES

streamyard.com is sharing your screen. Stop sharing Hide

Kevin Geary

automaticcss.com / @thekevingeary

13:32

Pages + ACSS v2.6 — WordPress

Automatic CSS + ACSS v2.6

Home (Builder)

ACSS v2.6

Changelog - Frames

26.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-frames

FacebookHey!BusinessPersonalHostingResourcesStreamYardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

ACSS v2.620NewWS FormAutomatic CSS

Howdy, kevingeary

Dashboard

Bricks

Posts

Media

Pages

Comments

WS Form

Appearance

Plugins1

Users

Tools

Settings

ACF

Automatic CSS

Automatic CSS

Plugin License

Import & Export

Frames License

GenerateBlocks

WPCodeBox 2

Gridbuilder

Collapse menu

automatic.css

Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Frames

Form Styling

Guides

SAVE CHANGES

Version 2.6.2

Cards

Spacing

Borders

Avatars

Components

Table Of Contents (RC)

onoff

Modal (RC)

onoff

Trigger (RC)

onoff

Slider (Beta)

onoff

Slider Controls (Beta)

onoff

Accordion (Beta)

onoff

Tabs (Beta)

onoff

Switch (Beta)

onoff

Additional Frames Options

Adjust Template Thumbnail Size

onoff

streamyard.com is sharing your screen. Stop sharingHide

Thank you for creating with WordPress.

Version 6.3.1

Kevin Geary

automaticcss.com / @thekevingeary

13:43

Pages - ACSS v2.6 - WordPress - Automatic CSS - ACSS v2.6 - Home (Builder) - ACSS v2.6 - Changelog - Frames -

26.digitalgravy.dev/?bricks_preview=1694530503

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

ACSS v2.6 Customize 2 0 + New Edit Page WS Form Edit with Bricks Render with Bricks Automatic CSS

Howdy, kevingeary

automaticcss

TICKER ITEM TICKER ITEM TICKER ITEM TICKER ITEM TICKER ITEM TICKER ITEM

streamyard.com is sharing your screen. Stop sharing Hide

Kevin Geary

automaticcss.com / @thekevingeary


14:00

Brands We've Worked With

Accent heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Hint: We're only using icons as SVG from now on



streamyard.com is sharing your screen. [Stop sharing](#) [Hide](#)



Pages - ACSS v2.6 - WordPress - Automatic CSS - ACSS v2.6 - Home (Builder) Changelog - Frames

26.digitalgravy.dev/?bricks=run

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

MY TEMPLATES REMOTE TEMPLATES

Import images Replace content

Template bundle Template tag Template type Search templates

Link #1

Link #2

Link #3

Link #4

Link #5

Coming Soon

Content Section Hotel

streamyard.com is sharing your screen. Stop sharing Hide

Kevin Geary
automaticcss.com / @thekevingeary

15:49

Pages • ACSS v2.6 — WordPress — Automatic CSS v2.6 — Home (Builder) — Changelog - Frames

26.digitalgravy.dev/7bricks=run

Facebook Heyl Business Personal Hosting Resources StreamYard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Call to Action

aprx-854d7e

fr-content-section-hotel__cta-link

CONTE... STYLE

- Call to action
- Link to
- External URL
- URL
- #
- Attribute: rel
- Attribute: aria-label
- Attribute: title
- Open in new tab

ICON

This is just a placeholder headline, we'll replace it once your website copy is done

accent heading

Call to action

Talking point

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Talking point

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Talking point

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Structure

- Section
- Content Section Hotel
 - Inner
 - Content Column
 - Heading
 - Accent Heading
 - Call to Action
 - Talking Points
 - Media Column (CSS)

streamyard.com is sharing your screen. Stop sharing Hide

Kevin Geary

automaticcss.com / @thekevingeary

16:01

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages - ACSS v2.6 - WordPress - Automatic CSS - ACSS v2.6 - Home (Builder) - ACSS v2.6 - Changelog - Frames

26.digitalgravy.dev/7bricks=run

Facebook Heyl Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Structure

- Hero India
 - Content Wrapper
 - Heading
 - Lede
 - CTA Links Alpha
 - Featured Image
 - Overlay
 - Content Section Hotel

You can always make a hero section smaller by editing the height

Awesome and catchy heading

Primary action Secondary action

Kshitij Shah

QUESTION: I always struggle with the Hero sections of Frames being too large pushing other content below the fold. Any tips on how to manage this? Especially for Conversion Rate Optimization

26:13

Pages - ACSS v2.6 - WordPro - Automatic CSS - ACSS v2.6 - Home (Builder) - ACSS v2.6 - Changelog - Frames

26.digitalgravy.dev/7bricks=run

Facebook Heyl Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

fr-hero-India...

fr-hero-India...content-wrapper

CONTE... STYLE

Margin

9.5021 9.5021

Padding

SIZING

Width

Min. width

Max. width

Height 100%

Min. height

Max. height

 Kshitij Shah

Bottom

Left

Z-index

automatic.css

Awesome and catchy heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Primary action Secondary action

Structure

Hero India

Content Wrapper

Heading

Lede

CTA Links Alpha

Featured Image

Overlay

Content Section Hotel

QUESTION: I always struggle with the Hero sections of Frames being too large pushing other content below the fold. Any tips on how to manage this? Especially for Conversion Rate Optimization

26:15

Pages - ACSS v2.6 - WordPressAutomatic CSS - ACSS v2.6Home (Builder)ACSS v2.6Changelog - Frames

26.digitalgravy.dev/7bricks=run

FacebookHey!BusinessPersonalHostingResourcesStreamyardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

MY TEMPLATESREMOTE TEMPLATES

import imagesReplace content

Template bundleTemplate tagTemplate typefeature

101

101

101

101

101

This is just a placeholder headline, we will replace it later.

Placeholder image

Placeholder image

Placeholder image

Feature Section Lima

INSERT

This is just a placeholder

Placeholder image

Section heading

Section heading

Section heading

Section heading

Section heading

streamyard.com is sharing your screen. Stop sharingHide

Kevin Geary

automaticcss.com / @thekevingeary

Pages + ACSS v2.6 — WordPr... Automatic CSS + ACSS v2.6 — Home (Builder) ACSS v2.6 Changelog - Frames

26.digitalgravy.dev/?bricks=run

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Feature Card ...

fr-feature-ca...

Enter CSS class name

ELEMENT ID#brxe-4382dbELEMENT CLASSES.fr- Copy stylesfeature-card-limaOTHER CLASSES (1689).align-content--baseline.align-content--center.align-content--end.align-content--start.align-items--baseline.align-items--center.align-items--end.align-items--start.aspect--1-1.aspect--1-2.aspect--16-9Max. widthHeight @Min. heightMax. heightPOSITIONINGPositionTopRight

Talking point

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Talking point

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet.

Section heading

This is just placeholder text. Don't be alarmed, finalized copy isn't ready yet.

This is just a placeholder headline, we will replace it soon

☑ This is just a placeholder

☑ This is just a placeholder

☑ This is just a placeholder

This is just a placeholder headline, we will replace it soon

☑ This is just a placeholder

☑ This is just a placeholder

☑ This is just a placeholder

This is just a placeholder headline, we will replace it soon

☑ This is just a placeholder

☑ This is just a placeholder

☑ This is just a placeholder

Structure

Hero OscarContent Section HotelFeature Section Lima

Intro CharlieFeature Grid LimaFeature Card Lima

HeaderBodyFeature Card LimaFeature Card Lima

streamyard.com is sharing your screen. Stop sharing Hide

Kevin Gearyautomaticcss.com / @thekevingeary

If you would use this frame in different places with different styles you can create new classes, copy the styles over and edit them

30:34

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages - ACSS v2.6 - WordPress - Automatic CSS - ACSS v2.6 - Themes - ACSS v2.6 - WordPress - Home (Builder) - ACSS v2.6 - Changelog - Frames

26.digitalgravy.dev/7bricks=run

Facebook Heyl Business Personal Hosting Resources Streamyard Basecamp Automatic CSS Frames Hubspot HelpScout Genius InnerCircle ACSS UserMaven JS Softball

Pull Marker Positions + Hover Effect

CONTENT STYLE

```
<script>
// Select all elements with class "fr-location-card-alpha"
const locationCards = document.querySelectorAll('.fr-location-card-alpha');

// Select all elements with class "fr-world-map-alpha__marker"
const mapMarkers = document.querySelectorAll('.fr-world-map-alpha__marker');

// For each location card...
locationCards.forEach(function(card) {
  // Get the post ID from the card
  const postId = card.getAttribute('data-post-id');

  // Select the marker that matches the card's post ID
  let marker = document.querySelector(`.fr-world-map-alpha__marker[data-post-id="${postId}"]`);

  // If the marker exists...
  if (marker) {
    // Add the "hovered" class to the marker
    marker.classList.add('hovered');
  }

  // When the mouse stops hovering over the card...
  card.addEventListener('mouseout', function() {
    // Again, select the marker that matches the card's post ID
    let marker = document.querySelector(`.fr-world-map-alpha__marker[data-post-id="${postId}"]`);

    // If the marker exists...
    if (marker) {
      // Remove the "hovered" class from the marker
      marker.classList.remove('hovered');
    }
  });
});
```

Execute code

Language

Set language if auto detect fails (e.g. "css").

Structure


- Contact Section Foxtrot
 - Intro Charlie
 - Locations Grid Alpha
 - Slider Wrapper
 - World Map Alpha (figure)
 - SVG
 - Marker (CSS)
 - Pull Marker Positions +

If there's a code block in the frame you have to turn on code execution (which is turned off by Bricks on default)



streamyard.com is sharing your screen. Stop sharing Hide

40:37



Pages - ACSS v2.6 - WordPress - Automatic CSS - ACSS v2.6 - Themes - ACSS v2.6 - WordPress - Home (Builder) - ACSS v2.6 - Changelog - Frames - Gallery Section Alpha (Template) - (2) Make the root selector in - Update

26.digitalgravy.dev/7bricks=run

Facebook Heyl Business Personal Hosting Resources Streamyard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

b

?

⌂

⌕

⚙

+

↶

↷

↺

↻

⌂

📁

📄

🔍

👁

💾

W 992 H - % 64

Hero Charlie

#brxe-12ac49 1

.fr-hero-charlie

CONTENT

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM



chelo fonte

width 0s e

Learn more about CSS transitions

automatic.css

Your hero heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Call to action

Structure

Hero Charlie

Inner Wrapper (Grid)

Second on this: QUESTION - is there an easy and fast way to delete CSS classes not being used?

No

1:01:13

🔊

🔍

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages - ACSS v2.6 - WordPress - Automatic CSS - ACSS v2.6 - Themes - ACSS v2.6 - WordPress - Home (Builder) - ACSS v2.6 - Changelog - Frames - Gallery Section Alpha (Template) - (2) Make the root selector in - Update

26.digitalgravy.dev/?bricks=run

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Feature Card Uniform (CSS)

`.fr--feature-card-uniform` x 1

CONTENT STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

Transition

width 0s ease 0s

Learn more about CSS transitions

Structure

Feature Section Uniform

Intro Alpha

Feature Section Uniform

Intro Alpha

Feature Grid Uniform

Feature Card Uniform (CSS)

Content

Media Wrapper

Feature Card Uniform (CSS)

Feature Card Uniform (CSS)

Accent heading

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Accent Heading

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Call to Action

R Richard Kreitel

QUESTION: When you need to write css to change something on a section or component, where is your methodology for the location of that css? At the section level? (with root .child) Or at the block?

Closest to the item you want to change

Accent heading

1:05:07

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages - ACSS v2.6 - WordP... Automatic CSS - ACSS v2.6... Themes - ACSS v2.6 - Word... Home (Builder) Post Types - ACSS v2.6 - W... Customize: ACSS v2.6 Changelog - Frames Gallery Section Alpha (Temp... (3) Make the root selector in... Update

26.digitalgravy.dev/?bricks=run

Facebook Heyl Business Personal Hosting Resources Streamyard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

SEARCH ELEMENTS

PINNED ELEMENTS

LAYOUT

BASIC

Section

Container

Block

Div

Heading

Basic Text

Rich Text

Text link

Button

Icon

Image

Video

Structure

Feature Section Uniform

Intro Alpha

Feature Section Uniform

Intro Alpha

Feature Grid Uniform

Feature Card Uniform (CSS)

Content

Media Wrapper

Media

Feature Card Uniform (CSS)

Feature Card Uniform (CSS)

Accent heading

Your heading

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Accent Heading

This is just a placeholder

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Call to Action

R

Richard Kreitel

No. Still too much differences between Sass and CSS

With css gaining natural nesting, variables, and functions? Do you think Sass is on it's way out?

1:13:47

Feature Card ...

fr--feature-card-uniform

CONTEN...STYLE

Use query loop

Query

TypePosts

Post typeServices

Order byDate

OrderDescending

Posts per page10

Offset0

Ignore sticky posts

Disable query merge

Is main query (Archive)

Child of

Include

Select posts

Exclude

Select posts

Exclude current post

Terms (Include)

2

3

Structure

Feature Section Uniform

Intro Alpha

Feature Grid Uniform

Feature Card Uniform (CSS)

Content

Heading

Accent Heading

Lede

Button

Media Wrapper

1

Home

Accent Heading

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Call to Action

SON of MAESTRO

How would one use a query loop with that alternating grid frame?

You need to set the loop on the item that you want to repeat...

1:16:05

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages • ACSS v2.6 — W...

Automatic CSS • ACSS v...

Themes • ACSS v2.6 — V...

Add New Service • ACS...

Home (Builder)

ACSS v2.6

Customize: ACSS v2.6

Changelog - Frames

Gallery Section Alpha (T...

(3) Make the root select...

26.digitalgravy.dev/?bricks_preview=1694535394

FacebookHey!BusinessPersonalHostingResourcesStreamYardBasecampAutomatic.cssFramesHubspotHelpScoutGeniusInnerCircleACSSUserMavenJSSoftball

ACSS v2.6Customize20NewEdit PageWS FormEdit with BricksRender with BricksAutomatic CSS

Howdy, kevingeary

Muay Thai

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Call to Action

Accent Heading

Jiu Jitsu

This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.

Call to Action

SON of MAESTRO

How would one use a query loop with that alternating grid frame?

screenperf.com is slowing your browser. [drop loading](#) [close](#)

1:16:10

Frames LIVE 001 (Frames Q&A & How-To).mp4

Pages + ACSS v2.6 — W... X Automatic CSS + ACSS v... X Themes + ACSS v2.6 — X Add New Service + ACSS X Home (Builder) X ACSS v2.6 X Customizer: ACSS v2.6 X Changelog - Frames X Gallery Section Alpha (Ti X (3) Make the root select... X Update

26.digitalgravy.dev/7bricks=run

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Feature Card ...
Yerxa-a2o814
Fr-feature-card-uniform
CONTE... STYLE
• Use query loop ☒
• Query ☐
HTML tag
Display
Gap
Grid template columns
Grid template rows
Grid auto columns
Grid auto rows
Grid auto flow
Justify items
Order
WP GRID BUILDER

Structure
Feature Section Uniform
Intro Alpha
Feature Grid Uniform
Feature Card Uniform (CSS)

Call to Action

Accent Heading
Muay Thai
This is just placeholder text. Don't be alarmed, this is just here to fill up space since your finalized copy isn't ready yet. Once we have your content finalized, we'll replace this placeholder text with your real content.
Call to Action

If it's only for certain pages you should create a template with the modal in it

 **Louis**

QUESTION : when you have 1 modal being triggered by different buttons on 1 page (from footer and main page), what's the best practice? Put the modal in the footer, and use the same trigger class? **Yes**

WP GRID BUILDER

1:17:39

Still the most efficient way to write CSS in Bricks. And this CSS loads only on this page... In WP Code Box it loads for the whole website

Dahunsi



...and you made a lot of us invest in wpcodebox for that efficiency



Frames LIVE 001 (Frames Q&A & How-To).mp4

Not Secure | blueprint-bricks.local/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | StreamYard | Basecamp | Automatic CSS | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | UserMaven | JS | Softball

Blueprint | 1 | New | WS Form | Automatic CSS | Howdy, Kevin Geary

Dashboard | Bricks | Posts | Media | Pages | Comments | WS Form | Appearance | Plugins | Users | Tools | Settings | ACF | Automatic CSS | WPCodeBox 2 | Gridbuilder | Collapse menu

Edit Cloud Snippet

Title

Bricks: Single Elements Column

Description (optional)

SAVE (Ctrl + S) | DOWNLOAD FROM CLOUD | FORMAT CODE (Ctrl + B) | DELETE

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23

```
#bricks-panel-elements .sortable-wrapper {
  grid-template-columns: minmax(0, 1fr);

  .bricks-add-element {
    display: grid !important;
    grid-template-columns: auto minmax(0, 1fr);
    align-items: center;
    justify-content: center;
    padding-inline: 10px;
    padding-block: 5px;
    text-align: left;

    .element-label {
      box-shadow: none;
    }
    .element-icon {
      line-height: 1;
    }
  }
  .bricks-panel-actions-icon.layout-inserter {
    inset: auto 0 0 auto;
  }
}
```

New Snippet | Repository | Settings | Docs

Search Snippets...

Local Snippets | Cloud Snippets

Set Oxygen Stylesheet Text Size

Bricks: Single Elements Column

Bricks: Disable Unused Elements

Bricks: Single Column Elements

Make WPCodeBox full-width

Custom Excerpt Length

Frames (All)

Frames: Placeholder Images

Persistent UTM

Global (w/ ACSS)

Custom SCRSET Image Sizes

copypaste functionality

ACSS new website

 Amanda Lucas

QUESTION: would love to see what your current code snippets are that you add to your std blueprint site

1:45:14

Frames LIVE 001 (Frames Q&A & How-To).mp4

Not Secure | blueprint-bricks.local/wp-admin/admin.php?page=wpcodebox2

Facebook Hey! Business Personal Hosting Resources Streamyard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Blueprint 1 New WS Form Automatic CSS

Dashboard

Bricks

Posts

Media

Pages

Comments

WS Form

Appearance

Plugins

Users

Tools

Settings

ACF

Automatic CSS

WPCodeBox 2

Gridbuilder

Collapse menu

Edit Cloud Snippet

Title

Bricks: Disable Unused Elements

Description (optional)

SAVE (Ctrl + S)

DOWNLOAD FROM CLOUD

FORMAT CODE (Ctrl + B)

DELETE

```
1 #bricks-panel-elements-categories .bricks-add-element {
2   &[data-element-name="divider"],
3   &[data-element-name="icon-box"],
4   &[data-element-name="social-icons"],
5   &[data-element-name="list"],
6   &[data-element-name="form"],
7   &[data-element-name="alert"],
8   &[data-element-name="animated-typing"],
9   &[data-element-name="countdown"],
10  &[data-element-name="counter"],
11  &[data-element-name="pricing-tables"],
12  &[data-element-name="progress-bar"],
13  &[data-element-name="pie-chart"],
14  &[data-element-name="testimonials"],
15  &[data-element-name="team-members"],
16  &[data-element-name="logo"],
17  &[data-element-name="facebook-page"],
18  &[data-element-name="audio"],
19  &[data-element-name="carousel"],
20  &[data-element-name="slider"],
21  &[data-element-name="slider-nested"],
22  &[data-element-name="accordion"],
23  &[data-element-name="accordion-nested"],
24  &[data-element-name="tabs"],
25  &[data-element-name="tabs-nested"],
26  &[data-element-name="sidebar"]
27  {
28    display: none !important;
29  }
```

New Snippet Repository Settings Docs

Search Snippets...

Local Snippets

Cloud Snippets

Set Oxygen Stylesheet Text Size

Bricks: Single Elements Column

Bricks: Disable Unused Elements

Bricks: Single Column Elements

Make WPCodeBox full-width

Custom Excerpt Length

Frames (All)

Frames: Placeholder Images

Persistent UTM

Global (w/ ACSS)

Custom SCRSET Image Sizes

copypaste functionality

ACSS new website

Howdy, Kevin Geary

WPCodeBox 2



Amanda Lucas

QUESTION: would love to see what your current code snippets are that you add to your std blueprint site

1:45:23

Frames LIVE 001 (Frames Q&A & How-To).mp4

Not Secure | blueprint-bricks.local/wp-admin/admin.php?page=wpcodebox2

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Blueprint 1 New WS Form Automatic CSS

Dashboard Bricks Posts Media Pages Comments WS Form Appearance Plugins Users Tools Settings ACF Automatic CSS WPCodeBox 2 Gridbuilder Collapse menu

Edit Cloud Snippet

TitleMake WPCodeBox full-width

Description (optional)
This snippet will hide the WordPress menu, and make WPCodeBox stretch the full width of the available area.

SAVE (Ctrl + S) DOWNLOAD FROM CLOUD FORMAT CODE (Ctrl + B)

```
1 <?php
2
3 add_action('admin_head', function(){
4
5 if( isset( $_GET['page'] ) && $_GET['page'] === 'wpcb_menu_page_php' ) {
6
7     echo <<<EOD
8     <style type="text/css">
9         #adminmenuback {
10             margin-left: -160px !important;
11         }
12         #wpcontent {
13             margin-left: 0px !important;
14         }
15         #adminmenu {
16             display: none;
17         }
18     </style>
19 EOD;
20 }
21
22 });
23
```

DELETE

New Snippet Repository Settings Docs

Search Snippets...

Local Snippets Cloud Snippets

Set Oxygen Stylesheet Text Size

Bricks: Single Elements Column

Bricks: Disable Unused Elements

Bricks: Single Column Elements

Make WPCodeBox full-width

Custom Excerpt Length

Frames (All)

Frames: Placeholder Images

Persistent UTM

Global (w/ ACSS)

Custom SCRSET Image Sizes

copypaste functionality

ACSS new website



Amanda Lucas

QUESTION: would love to see what your current code snippets are that you add to your std blueprint site

1:45:56

Frames LIVE 001 (Frames Q&A & How-To).mp4

Not Secure | blueprint-bricks.local/wp-admin/admin.php?page=wpcodebox2

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Blueprint 1 New WS Form Automatic CSS

Dashboard Bricks Posts Media Pages Comments WS Form Appearance Plugins Users Tools Settings ACF Automatic CSS WPCodeBox 2 Gridbuilder Collapse menu

Edit Cloud Snippet

Title

Custom Excerpt Length

Description (optional)

SAVE (Ctrl + S)

DOWNLOAD FROM CLOUD

FORMAT CODE (Ctrl + B)

DELETE

1

<?php

2

3

add_filter('excerpt_length', 'custom_excerpt_length', 999);

4

function custom_excerpt_length(\$length) {

5

return 20; // number of words. Default is 55.

6

}

New Snippet

Repository

Settings

Docs

Search Snippets...

Local Snippets

Cloud Snippets

Set Oxygen Stylesheet Text Size

Bricks: Single Elements Column

Bricks: Disable Unused Elements

Bricks: Single Column Elements

Make WPCodeBox full-width

Custom Excerpt Length

Frames (All)

Frames: Placeholder Images

Persistent UTM

Global (w/ ACSS)

Custom SCRSET Image Sizes

copypaste functionality

ACSS new website

Howdy, Kevin Geary



Amanda Lucas

QUESTION: would love to see what your current code snippets are that you add to your std blueprint site

1:45:58

Frames LIVE 001 (Frames Q&A & How-To).mp4

Not Secure | blueprint-bricks.local/wp-admin/admin.php?page=wpcodebox2

Facebook Hey! Business Personal Hosting Resources StreamYard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Blueprint 1 New WS Form Automatic CSS

Dashboard

Bricks

Posts

Media

Pages

Comments

WS Form

Appearance

Plugins

Users

Tools

Settings

ACF

Automatic CSS

WPCodeBox 2

Gridbuilder

Collapse menu

Howdy, Kevin Geary

New Snippet Repository Settings Docs

Search Snippets...

Local Snippets

Cloud Snippets

Set Oxygen Stylesheet Text Size

Bricks: Single Elements Column

Bricks: Disable Unused Elements

Bricks: Single Column Elements

Make WPCodeBox full-width

Custom Excerpt Length

Frames (All)

Frames: Placeholder Images

Persistent UTM

Global (w/ ACSS)

Custom SCRSET Image Sizes

copypaste functionality

ACSS new website

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

//////// Cards

:root {

// Text

--fr-heading-width: 38ch;

--fr-lede-width: 68ch;

// Cards

--fr-card-bg-light: var(--base-ultra-light);

--fr-card-text-light: var(--base-ultra-dark);

--fr-card-bg-dark: var(--base-ultra-dark);

--fr-card-text-dark: var(--base-ultra-light);

--fr-card-padding: var(--space-m);

--fr-card-radius: var(--radius-xs);

--fr-card-image-height: 24rem;

--fr-card-image-wide-height: 34rem;

--fr-card-element-gap: var(--space-s);

--fr-card-border-width: 2px;

--fr-card-border-color: var(--base-light);

--fr-card-icon-height: 3em;

--fr-list-icon-height: 1.5em;

--fr-card-text-size-small: var(--text-s);

--fr-card-text-line-height: 1.6;

--fr-card-gradient-color: var(--shade-black);

--fr-card-max-width: var(--width-m);

// Cards Modifiers

--article-card-profile-picture-size: var(--space-xxl);

// Universal Footers

--fr-footer-logo-height: 4.5rem;

--fr-footer-links-heading-size: calc(var(--text-m)*1.2);

--fr-footer-link-size: var(--text-m);

--fr-footer-links-gap: var(--space-xs);

--fr-footer-company-description-width: var(--width-m);

--fr-footer-social-icon-size: var(--space-s);



Amanda Lucas

QUESTION: would love to see what your current code snippets are that you add to your std blueprint site

1:46:02

Frames LIVE 001 (Frames Q&A & How-To).mp4

Not Secure | blueprint-bricks.local/wp-admin/admin.php?page=wpcodebox2

Facebook Hey! Business Personal Hosting Resources Streamyard Basecamp Automatic CSS Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven JS Softball

Blueprint 1 New WS Form Automatic CSS

DashboardBricksPostsMediaPagesCommentsWS FormAppearancePluginsUsersToolsSettingsACFAutomatic CSSWPCodeBox 2GridbuilderCollapse menu

Edit Cloud Snippet

TitleGlobal (w/ ACSS)

Description (optional)

SAVE (Ctrl + S)DOWNLOAD FROM CLOUDFORMAT CODE (Ctrl + B)

```
1 // Advanced ACSS
2
3 @import 'plugins/automaticcss-plugin/assets/scss/dashboard/breakpoints.scss';
4 @import 'plugins/automaticcss-plugin/assets/scss/dashboard/color-vars.scss';
5 @import 'plugins/automaticcss-plugin/assets/scss/dashboard/button-vars.scss';
6 @import 'plugins/automaticcss-plugin/assets/scss/dashboard/contextual-vars.scss';
7 @import 'plugins/automaticcss-plugin/assets/scss/dashboard/additional-styles.scss';
8 @import 'plugins/automaticcss-plugin/assets/scss/helpers/mixins.scss';
9 @import 'plugins/automaticcss-plugin/assets/scss/helpers/functions.scss';
10
11 // Local Partials
12
13
```

DELETE

New SnippetRepositorySettingsDocs

Search Snippets

Local SnippetsCloud Snippets

Set Oxygen Stylesheet Text Size

Bricks: Single Elements Column

Bricks: Disable Unused Elements

Bricks: Single Column Elements

Make WPCodeBox full-width

Custom Excerpt Length

Frames (All)

Frames: Placeholder Images

Persistent UTM

Global (w/ ACSS)

Custom SCRSET Image Sizes

copypaste functionality

ACSS new website

Howdy, Kevin Geary

1:46:19



Amanda Lucas

QUESTION: would love to see what your current code snippets are that you add to your std blueprint site

Frames LIVE 001 (Frames Q&A & How-To).mp4

Not Secure | blueprint-bricks.local/wp-admin/admin.php?page=wpcodebox2

Facebook | Hey! | Business | Personal | Hosting | Resources | StreamYard | Basecamp | Automatic CSS | Frames | Hubspot | HelpScout | Geni.us | InnerCircle | ACSS | UserMaven | JS | Softball

Blueprint | 1 | New | WS Form | Automatic CSS | Howdy, Kevin Geary

Dashboard | Bricks | Posts | Media | Pages | Comments | WS Form | Appearance | Plugins | Users | Tools | Settings | ACF | Automatic CSS | WPCodeBox 2 | Gridbuilder | Collapse menu

Edit Cloud Snippet

Title

Custom SCRSET Image Sizes

Description (optional)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

SAVE (Ctrl + S) | DOWNLOAD FROM CLOUD | FORMAT CODE (Ctrl + B) | DELETE

New Snippet | Repository | Settings | Docs

Search Snippets...

Local Snippets | Cloud Snippets

Set Oxygen Stylesheet Text Size

Bricks: Single Elements Column

Bricks: Disable Unused Elements

Bricks: Single Column Elements

Make WPCodeBox full-width

Custom Excerpt Length

Frames (All)

Frames: Placeholder Images

Persistent UTM

Global (w/ ACSS)

Custom SCRSET Image Sizes

copypaste functionality

ACSS new website

Amanda Lucas

QUESTION: would love to see what your current code snippets are that you add to your std blueprint site

1:46:39