

Video

This window appears if you forget the type when creating the template.

TEMPLATE TYPE

Select the type of template you want to create:

Select ▼

- Header
- Footer
- Single
- Section



[Edit SCSS snippet](#)

 Enabled
  SAVE (Ctrl + S)
  UPLOAD TO CLOUD
  PREVIEW
  FORMAT CODE (Ctrl + B)

 DELETE

Title

Global

Description (optional)

How to render the SCSS

External

☐ Minify Output

☒ Autoreload Changes ?

Script Location

Header

Snippet Order ?

10

Where to run the snippet

Everywhere






🔍 Search Snippets...

Local Snippets

 A11y CSS

JS A11y Slider (Custom)

JS A11y Slider [↗](#)

 Cloud Snippets

Section

#brxe-pbztmx

CONTENT

STYLE

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

Align (section)

Align main axis

Align cross axis

Column gap

normal

Row gap

normal

Order

0

Flex grow

0

Flex shrink

1

Flex basis

auto

In the header this is semantically not a section, but a div


Structure

Section

Container



menu x



Structure [Icons]

- Outer
- Inner
- Nav Menu



Outer

CONTENT

STYLE

- **LAYOUT**

SPACING

Margin

- Padding

SIZING

Width

Min. width

Max. width

Height ⓘ

Min. height

[Home](#)HE +  $\leftrightarrow$  GS

Structure

 Outer


Inner

Nav Menu

2



Nav Menu



SIZING

Width	
Min. width	
Max. width	100%
Height ⓘ	
Min. height	

Home

Structure

- Outer
 - Inner
 - Nav Menu



×

Publish ⚙

Customizing • Menus

Menu

Menu Name

Menu

About Us Custom Link ✖

✖ Add Items

Menu Locations

Here's where this menu appears. If you would like to change that, pick another location.

Menu Options

☐ Automatically add new top-level pages to this menu

[Delete Menu](#)

Search menu items...

Custom Links

URL #

Link Text Services

Add to Menu

Pages

▼

Posts

▼

Modules

▼

My Templates

▼

Categories

▼

Tags

▼

Template Tag

▼

Template Bundle

▼

Hide Controls

🖥

📱

📺

About Us



logo



About Us Services Portfolio Contact Us
Bricks



Structure

- Outer
 - Inner
 - Nav Menu
 - Logo

There is an autosave more recent than the version you are currently viewing.

PREVIEW AUTOSAVE



Insert media

Upload files Media Library

Filter media

All dates



Showing 2 of 2 media items

Search

ATTACHMENT DETAILS

automatic-logo-black.svg

June 20, 2022

5 KB

[Edit Image](#)

[Delete permanently](#)

Alt Text

Learn how to describe the purpose of the image. Leave empty if the image is purely decorative.

Title

automatic-logo--black

Caption



Logo

#brxe-uwznkf

CONTENT STYLE

- Logo

Automatic.css

Min. dimension: Twice the value under logo height / logo width for proper display on retina devices.

Logo inverse

SELECT IMAGE

External URL

Use for sticky scrolling header etc.

Height auto

- Width 16rem

Link to Site Address

- Text Bricks

Used if logo image isn't set or available.

About Us Services Portfolio Contact Us

Automatic.css

Structure

- Outer
- Inner
 - Nav Menu
 - Logo

There is an autosave more recent than the version you are currently viewing. [PREVIEW AUTOSAVE](#) [X](#)



Logo

#brxe-uwznkf

CONTENT STYLE

- Logo

Automatic.css

Min. dimension: Twice the value under logo height / logo width for proper display on retina devices.

Logo inverse

SELECT IMAGE

External URL

Use for sticky scrolling header etc.

Height auto

- Width 16rem

Link to

Site Address

- Text Bricks ⚡

Used if logo image isn't set or available.



Structure

- Outer
 - Inner
 - Logo
 - Nav Menu



There is an autosave more recent than the version you are currently viewing. [PREVIEW AUTOSAVE](#) [X](#)



WPCodeBox < Bricks — WordPr x Header (Centered) (Template) x

Not Secure | brickstraining.local/template/header-centered/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Logo

.header__logo x 1

.header__logo

CONTENT STYLE

• Logo

Automatic.css

Min. dimension: Twice the value under logo height / logo width for proper display on retina devices.

Logo inverse

SELECT IMAGE

External URL

Use for sticky scrolling header etc.

Height auto

Width auto

Link to Site Address

• Text Bricks

header

header__inner

header__logo

Automatic.css

About Us Services Portfolio Contact Us

HEADER SETTINGS

GLOBAL CLASS CREATED

Structure

Outer

Inner

Logo

Nav Menu

brickstraining.local/template/header-centered/?bricks=run&brickspreview#

-47:13

.header__logo x 1

.header__logo

CONTENT

STYLE

Min. height

Max. height

POSITIONING

• Position 2 Absolute x v

• Top 3 0

Right

Bottom

• Left 4 0

Z-index 0


Order 0

MISC

Display block v

Overflow visible

Opacity 1



Structure

Outer

Inner

Logo

Nav Menu



WPCodeBox < Bricks — WordP

Header (Centered) (Template) x

+

Not Secure | brickstraining.local/template/header-centered/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

b ? [Icons] + [Icons] W 1145 H - % 100 [Icons] [Icons] [Icons]

.header 2 x 1

.header

CONTENT

STYLE

min. height

Max. height

POSITIONING

Position 3 Relative x v

Top

Right

Bottom

Left

Z-index 0

MISC

Overflow visible

Opacity 1

INNER CONTAINER / DIV

Margin

Automatic.css

About Us Services Portfolio Contact Us

+ [Icons] + [Icons]

Structure

Outer 1

Inner

Logo

Nav Menu

brickstraining.local/template/header-centered/?bricks=run&brickspreview#

[Icons]

-46:22 [Icons]



.header__logo x 1

.header__logo

CONTENT STYLE

POSITIONING

• Position 2 Absolute x v

• Top 3 50%

Right

Bottom

• Left 4 50%

Z-index 0

Order 0

MISC

Display block v

Overflow visible

Opacity 1

FLEX

Align self

About Us Services Portfolio Contact Us

1 [Logo] natic.css

HEADER SETTINGS

The logo is not yet in the middle

Structure

Outer

Inner

Logo

Nav Menu

Navigation controls and video progress bar showing -45:19.

.header__logo x 1

.header__logo

CONTENT STYLE

BACKGROUND >

BORDER / BOX SHADOW >

GRADIENT / OVERLAY >

• TRANSFORM

• Transform

• Translate X 2 -50%

• Translate Y 3 -50%

Scale X

Scale Y

Rotate X (°)

Rotate Y (°)

Rotate Z (°)

Skew X (°)

Skew Y (°)

About Us Services Portfolio Contact Us
1 Automatic.css

Structure

Outer

Inner

Logo

Nav Menu



.header__inner x 1

.header__inner

CONTENT STYLE

Use query loop ☐

HTML tag div

Display flex

Flex wrap No wrap

Direction [Icons]

Align (container) [Icons]

Align main axis [Icons]

align-items [Icon]

Align cross axis [Icon]

Column gap 2 normal

Row gap 1 normal

Order 0

Flex grow 0

Flex shrink 1

About Us Services Portfolio Contact Us

Automatic.css

Structure

Outer

1 Inner

Logo

Nav Menu



How to Create a Dynamic Centered Logo Menu in Bricks (w- SCSS).mp4

WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/template/header-centered/

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks Customize 0 + New Edit with Bricks Automatic CSS Howdy, kevingeary

About Us Services Portfolio Contact Us

Automatic.css

Howdy, kevingeary



Nav Menu

#brxe-pfjofz 1

.menu-centered 2

CONTENT STYLE

Nav Menu

Select nav menu

[Manage my menus in WordPress.](#)

Show mobile menu toggle

Mobile landscape

Alignment [Icons]

TOP LEVEL MENU >

SUB MENU >

MOBILE MENU >

About Us Services Portfolio Contact Us
Automatic.css

Structure

Outer

Inner

Logo

1 Nav Menu



li#menu-item-567.menu-item.men
u-item-type-custom.menu-item-o
bject-custom.menu-ite...

About Us Services Portfolio Contact Us
Automatic.css

```
<nav class="bricks-nav-menu-wrapper mobile_landscape">
  <ul id="menu-menu" class="bricks-nav-menu" role="menubar">
    <li id="menu-item-567" class="menu-item menu-item-type-custom menu-item-  
-object-custom menu-item-567 bricks-menu-item" role="menuitem" data-  
top-index="0" aria-expanded="false"> == $0
      <a href="#">About Us</a>
    </li>
    <li id="menu-item-568" class="menu-item menu-item-type-custom menu-item-  
-object-custom menu-item-568 bricks-menu-item" role="menuitem" data-  
top-index="1" aria-expanded="false"> == $1
      <a href="#">Services</a>
    </li>
    <li id="menu-item-569" class="menu-item menu-item-type-custom menu-item-  
-object-custom menu-item-569 bricks-menu-item" role="menuitem" data-  
top-index="2" aria-expanded="false"> == $2
      <a href="#">Portfolio</a>
    </li>
    <li id="menu-item-570" class="menu-item menu-item-type-custom menu-item-  
-object-custom menu-item-570 bricks-menu-item" role="menuitem" data-  
top-index="3" aria-expanded="false"> == $3
      <a href="#">Contact Us</a>
    </li>
  </ul>
</nav>
```

Filter

```
element.style {
}

.brxe-nav-menu .bricks-nav-menu li {
  position: relative;
}

.brxe-nav-menu .bricks-nav-menu>li {
  margin: 0 0 0 30px;
}
```



WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 .menu--centered {  
2   ul li {  
3     background-color: red;  
4   }  
5 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global

Cloud Snippets

Snippet

-41:47

About Us Services Portfolio Contact Us
Automatic.css

```
<nav class="bricks-nav-menu-wrapper mobile_landscape">
  <ul id="menu-menu" class="bricks-nav-menu" role="menubar">
    <li id="menu-item-567" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-567 bricks-menu-item" role="menuitem" data-top-index="0" aria-expanded="false">
      <a href="#">About Us</a>
    </li>
    <li id="menu-item-568" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-568 bricks-menu-item" role="menuitem" data-top-index="1" aria-expanded="false">
      <a href="#">Services</a>
    </li>
    <li id="menu-item-569" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-569 bricks-menu-item" role="menuitem" data-top-index="2" aria-expanded="false">
      <a href="#">Portfolio</a>
    </li>
    <li id="menu-item-570" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-570 bricks-menu-item" role="menuitem" data-top-index="3" aria-expanded="false">
      <a href="#">Contact Us</a>
    </li>
  </ul>
</nav>
```

```
element.style {
}
```

```
.brxe-nav-menu .bricks-nav-menu li {
  position: relative;
}
```

```
.brxe-nav-menu .bricks-nav-menu>li {
  margin: 0 0 0 30px;
}
```


WPCodeBox < Bricks — WordPr x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/template/header-centered/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

W 1145 H - % 100

Nav Menu

#brxe-pfjofz 1

.menu--centered

CONTENT STYLE

Nav Menu

Select nav menu

Manage my menus in WordPress.

Show mobile menu toggle

Mobile landscape

Alignment

TOP LEVEL MENU

SUB MENU

MOBILE MENU

Structure

Outer

Inner

Logo

Nav Menu

Automatic.css

HEADER SETTINGS

We don't want this margin

-41:07

WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 .menu--centered {
2   ul li {
3     margin-left: 0 !important;
4   }
5 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global

Cloud Snippets

Snippets

-40:53

Nav Menu

.menu--centered x 1

.menu--centered x

CONTENT

STYLE

Nav Menu

Select nav menu

[Manage my menus in WordPress.](#)

Show mobile menu toggle

Mobile landscape

Alignment



TOP LEVEL MENU

SUB MENU

MOBILE MENU

Structure

Outer

Inner

Logo

Nav Menu

About UsServicesPortfolioContact Us
Automatic.css



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x | +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 .menu--centered {
2   ul li {
3     margin-left: 0 !important;
4   }
5
6   ul {
7     gap: 2em;
8   }
9 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global

Cloud Snippets

Snippets

-40:02

About Us Services Portfolio Contact Us
Automatic.css

```
top-index="0" aria-expanded="false"> == $0
<a href="#">About Us</a>
</li>
<li id="menu-item-568" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-568 bricks-menu-item" role="menuitem" data-top-index="1" aria-expanded="false">...</li>
<li id="menu-item-569" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-569 bricks-menu-item" role="menuitem" data-top-index="2" aria-expanded="false">...</li>
```

... li#menu-item-567.menu-item.menu-item-type-custom.menu-item-object-custom.menu-item-567 ...

Filter

```
element.style {
}
```

```
.brxe-nav-menu .bricks-nav-menu li {
  position: relative;
}
```

```
.brxe-nav-menu .bricks-nav-menu>li {
  margin: 0 0 0 30px;
}
```



About Us Services Portfolio Contact Us
Automatic.css

We want to target these links

```
top-index="0" aria-expanded="false"> == $0
```

```
<a href="#">About Us</a>  
</li>
```

```
><li id="menu-item-568" class="menu-item menu-item-type-custom menu-item-  
-object-custom menu-item-568 bricks-menu-item" role="menuitem" data-  
top-index="1" aria-expanded="false">...</li>
```

```
><li id="menu-item-569" class="menu-item menu-item-type-custom menu-item-  
-object-custom menu-item-569 bricks-menu-item" role="menuitem" data-  
top-index="2" aria-expanded="false">...</li>
```

```
... li#menu-item-567.menu-item.menu-item-type-custom.menu-item-object-custom.menu-item-567 ...
```

Filter

```
element.style {  
}
```

```
.brxe-nav-menu .bricks-nav-menu li {  
  position: relative;  
}
```

```
.brxe-nav-menu .bricks-nav-menu>li {  
  margin: 0 0 0 30px;  
}
```



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x | +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 .menu--centered {
2   ul li {
3     margin-left: 0 !important;
4   }
5   ul {
6     gap: 2em;
7   }
8   ul li:nth-child(2) {
9     margin-right: 8em;
10  }
11 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global**

Cloud Snippets



WPCodeBox < Bricks — WordP

Header (Centered) (Template) x

Header (Centered) (Template) x

+

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS

Howdy, kevingeary

Dashboard

Bricks

Posts

Media

Pages

Comments

Modules

Appearance

Plugins

Users

Tools

Settings

Automatic CSS

Meta Box

WPCodeBox

Collapse menu

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title

Global

Description (optional)

How to render the SCSS

External

Minify Output

Autoreload Changes

Script Location

Header

Snippet Order

10

Where to run the snippet

Everywhere

1

.menu--centered {

2

ul li {

3

margin-left: 0 !important;

4

}

5

ul {

6

gap: 2em;

7

}

8

ul li:nth-child(2) {

9

margin-right: 10em;

10

}

11

ul li:nth-child(3) {

12

margin-left: 10em;

13

}

14

}

That's how most would do it. But there is a smarter way

New Snippet

Repository

Settings

Support

Search Snippets...

Local Snippets

A11y CSS

A11y Slider (Custom)

A11y Slider

Global*

Cloud Snippets

36:43



About Us Services  Portfolio Contact Us

Automatic.css

```
top-index="0" aria-expanded="false"> == $0
  <a href="#">About Us</a>
</li>
▶ <li id="menu-item-568" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-568 bricks-menu-item" role="menuitem" data-top-index="1" aria-expanded="false">...</li>
▶ <li id="menu-item-569" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-569 bricks-menu-item" role="menuitem" data-top-index="2" aria-expanded="false">...</li>
```

```
... li#menu-item-567.menu-item.menu-item-type-custom.menu-item-object-custom.menu-item-567 ...
```

```
element.style {
}
```

```
.brxe-nav-menu .bricks-nav-menu li {
  position: relative;
}
```

```
.brxe-nav-menu .bricks-nav-menu>li {
  margin: 0 0 0 30px;
```



[About Us](#) [Services](#)[Portfolio](#) [Contact Us](#)

Our current solution is not scalable. For example, when the logo becomes smaller, it no longer looks good

```
<div id="brxe-pfjofz" class="brxe-nav-menu menu--centered">
  <nav class="bricks-nav-menu-wrapper mobile_landscape">
    <ul id="menu-menu" class="bricks-nav-menu" role="menubar">
      <li id="menu-item-567" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-567 bricks-menu-item" role="menuitem" data-top-index="0">
        <a href="#">About Us</a>
      <li id="menu-item-568" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-568 bricks-menu-item" role="menuitem" data-top-index="1">
        <a href="#">Services</a>
      <li id="menu-item-569" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-569 bricks-menu-item" role="menuitem" data-top-index="2">
        <a href="#">Portfolio</a>
      <li id="menu-item-570" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-570 bricks-menu-item" role="menuitem" data-top-index="3">
        <a href="#">Contact Us</a>
    </ul>
  </nav>
</div>
```

```
element.style {
}

.brxe-nav-menu .bricks-nav-menu li {
  position: relative;
}

.brxe-nav-menu .bricks-nav-menu>li {
  margin: 0 0 0 30px;
}
```



- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Modules
- Appearance
- Plugins
- Users
- Tools
- Settings
- Automatic CSS
- Meta Box
- WPCodeBox
- Collapse menu

Edit SCSS snippet

Title
Global

Description (optional)

How to render the SCSS
External

☐ Minify Output
☒ Autoreload Changes

Script Location
Header

Snippet Order
10

Where to run the snippet
Everywhere

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

```
1 $logo-width: 16rem;
2
3 .menu--centered {
4   ul li {
5     margin-left: 0 !important;
6   }
7   ul {
8     gap: 2em;
9   }
10  ul li:nth-child(2) {
11    margin-right: 6em;
12  }
13  ul li:nth-child(3) {
14    margin-left: 6em !important;
15  }
16 }
```

Our system must know the logo width. Unfortunately we can't use sass variables in Bricks, but we can use CSS variables.

New Snippet Repository Settings Support

Search Snippets...

- Local Snippets
 - A11y CSS
 - A11y Slider (Custom)
 - A11y Slider
 - Global*
- Cloud Snippets



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 12rem;
2
3 :root {
4   --logo-width: #{$logo-width};
5 }
6
7 .menu--centered {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(2) {
15    margin-right: 6em;
16  }
17  ul li:nth-child(3) {
18    margin-left: 6em !important;
19  }
20 }
```

We can use these CSS variables in Bricks

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets



Video player controls: -32:30

Logo

.header__logo x 1

.header__logo

CONTENT

STYLE

• Logo



Automatic.css

Min. dimension: Twice the value under logo height / logo width for proper display on retina devices.

Logo inverse

SELECT IMAGE

External URL

Use for sticky scrolling header etc.

Height auto

• Width go-width)

Link to

Site Address

• Text Bricks

Used if logo image isn't set or available.

About Us

Services



Portfolio

Contact Us

Structure

Outer

Inner

Logo

Nav Menu



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x | +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 26rem;
2
3 :root {
4   --logo-width: #{$logo-width};
5 }
6
7 .menu--centered {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(2) {
15    margin-right: 6em;
16  }
17  ul li:nth-child(3) {
18    margin-left: 6em !important;
19  }
20 }
```

Local Snippets: A11y CSS, A11y Slider (Custom), A11y Slider, Global

Cloud Snippets

Snippet

-31:56

Logo

.header__logo x 1

.header__logo

CONTENT

STYLE

• Logo



Min. dimension: Twice the value under logo height / logo width for proper display on retina devices.

Logo inverse

SELECT IMAGE

External URL

Use for sticky scrolling header etc.

Height auto

• Width var(--logo

Link to

Site Address

• Text Bricks

Used if logo image isn't set or available.



Works like a charm!

Structure

Outer

Inner

Logo

Nav Menu



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x | +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output ☒ Autoreload Changes ?

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 16rem;
2
3 :root {
4   --logo-width: #{ $logo-width };
5 }
6
7 .menu--centered {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(2) {
15    margin-right: $logo-width;
16  }
17  ul li:nth-child(3) {
18    margin-left: $logo-width !important;
19  }
20 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global

Cloud Snippets

Snippets

-30:49

[About Us](#)[Services](#)[Portfolio](#)[Contact Us](#)

Now the distance is too big, but we can calculate with Sass.

```
<div id="brxe-pfjofz" class="brxe-nav-menu menu--centered">
  <nav class="bricks-nav-menu-wrapper mobile_landscape">
    <ul id="menu-menu" class="bricks-nav-menu" role="menubar">
      <li id="menu-item-567" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-567 bricks-menu-item" role="menuitem" data-top-index="0">
        <a href="#">About Us</a>
      <li id="menu-item-568" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-568 bricks-menu-item" role="menuitem" data-top-index="1">
        <a href="#">Services</a>
      <li id="menu-item-569" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-569 bricks-menu-item" role="menuitem" data-top-index="2">
        <a href="#">Portfolio</a>
      <li id="menu-item-570" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-570 bricks-menu-item" role="menuitem" data-top-index="3">
        <a href="#">Contact Us</a>
    </ul>
  </nav>
</div>
```

```
element.style {
}
```

```
.brxe-nav-menu .bricks-nav-menu li {
  position: relative;
}
```

```
.brxe-nav-menu .bricks-nav-menu>li {
  margin: 0 0 0 30px;
}
```



WPCodeBox < Bricks — WordPr x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 16rem;
2
3 :root {
4   --logo-width: #{$logo-width};
5 }
6
7 .menu--centered {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(2) {
15    margin-right: $logo-width / 2;
16  }
17  ul li:nth-child(3) {
18    margin-left: $logo-width / 2 !important;
19  }
20 }
```

New Snippet Repository Settings Support


Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets





WPCodeBox < Bricks — WordPress | Header (Centered) (Template) | Header (Centered) (Template) | +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional):

How to render the SCSS: External

Minify Output: ☐

Autoreload Changes: ☒

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 16rem;
2
3 :root {
4   --logo-width: #{$logo-width};
5 }
6
7 .menu--centered {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(2) {
15    margin-right: $logo-width / 2 + 1rem;
16  }
17  ul li:nth-child(3) {
18    margin-left: $logo-width / 2 + 1rem !important;
19  }
20 }
```

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets

Parse error
Incompatible

-29:20

How to Create a Dynamic Centered Logo Menu in Bricks (w- SCSS).mp4

WPCodeBox < Bricks — WordPr x | Header (Centered) (Template) x

Header (Centered) (Template) x +

Not Secure | brickstraining.local/template/header-centered/

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks Customize 0 + New Edit with Bricks Automatic CSS

Howdy, kevingeary

About Us Services

Automatic.css

Portfolio

Contact Us



-29:11

WPCodeBox < Bricks — WordPress Header (Centered) (Template) x Header (Centered) (Template) x

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Global

Description (optional)

How to render the SCSS

External

☐ Minify Output

☒ Autoreload Changes

Script Location

Header

Snippet Order

10

Where to run the snippet

Everywhere

```
1 $logo-width: 12rem;
2
3 :root {
4   --logo-width: #{$logo-width};
5 }
6
7 .menu--centered {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(2) {
15    margin-right: $logo-width / 2 + 2rem;
16  }
17  ul li:nth-child(3) {
18    margin-left: $logo-width / 2 + 2rem !important;
19  }
20 }
```

If we change the logo width now...

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

A11y CSS

A11y Slider (Custom)

A11y Slider

Global

Cloud Snippets

Snippets

-29:03

About Us Services Automatic.css Portfolio Contact Us

...everything remains harmonic





Published

< Customizing • Menus
Menu

Menu Name

About Us	Custom Link ▼
Services	Custom Link ▼
Portfolio	Custom Link ▼
Contact Us	Custom Link ▼
Free Trial	Custom Link ▼
Test Link	Custom Link ▼

[Reorder](#)[+ Add Items](#)

Menu Locations

Here's where this menu appears. If you would like to change that, pick another location.

Menu Options

☐ Automatically add new top-level pages to this menu

[Delete Menu](#)[Hide Controls](#)[About Us](#)[Services](#)[Portfolio](#)[Contact Us](#)[Free Trial](#)[Test Link](#)

Our construct breaks, however, when we have more than 4 links



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x | +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output ☒ Autoreload Changes

Script Location: Header


Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 16rem;
2
3 :root {
4   --logo-width: #{$logo-width};
5 }
6
7 .menu--centered {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(3) {
15    margin-right: $logo-width / 2 + 2rem;
16  }
17  ul li:nth-child(4) {
18    margin-left: $logo-width / 2 + 2rem !important;
19  }
20 }
```

If we make these changes, it will fit again





About Us Services  Portfolio Contact Us
Automatic.css

Simple formula: Our code just needs to know how many are there on the left. It can be only 2, 4, 6 or 8 (more don't make sense either)



.menu--centered x 1

.menu--centered

CONTENT STYLE

BORDER / BOX SHADOW >

GRADIENT / OVERLAY >

TRANSFORM >

CSS >

• ATTRIBUTES 2

• data-menu-links

• Name

data-menu-links 3 ⚡

• Value

4 4 ⚡

+
ADD ATTRIBUTES

Custom attributes will be added to the most relevant HTML node.

About Us Services  Portfolio Contact Us
Automatic.css

Structure

- Outer
- Inner
 - Logo
 - 1 Nav Menu

[Video Controls: Play, Stop, Full Screen]

-23:56 [Volume Icon]



```
<div class="brxe-container header__inner"> flex
  <a class="brxe-logo header__logo" href="http://brickstraining.local">...</a>
  <div id="brxe-pfjofz" class="brxe-nav-menu menu--centered">
    <nav class="bricks-nav-menu-wrapper mobile_landscape" data-menu-links="4">
      == $0
      <ul id="menu-menu" class="bricks-nav-menu" role="menubar">...</ul> flex
    </nav>
    <button class="bricks-mobile-menu-toggle" aria-haspopup="true" aria-label="
      Mobile menu" aria-pressed="false">...</button>
  </div>
  v#brxe-pfjofz.brxe-nav-menu.menu--centered nav.bricks-nav-menu-wrapper.mobile_landscape
```

Styles Computed Layout Event Listeners DOM Breakpoints Properties

Filter

```
element.style {
}
article, aside, figcaption, figure, footer, header, main, nav, section {
  display: block;
}
* {
  border-color: var(--bricks-border-color);
```



WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output ☒ Autoreload Changes ?

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 16rem;
2
3 :root {
4   --logo-width: #{$logo-width};
5 }
6
7 [data-menu-links="4"] {
8   ul li {
9     margin-left: 0 !important;
10  }
11  ul {
12    gap: 2em;
13  }
14  ul li:nth-child(2) {
15    margin-right: $logo-width / 2 + 2rem;
16  }
17  ul li:nth-child(3) {
18    margin-left: $logo-width / 2 + 2rem !important;
19  }
20 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets



.menu--centered x 1

.menu--centered

CONTENT STYLE

BORDER / BOX SHADOW >

GRADIENT / OVERLAY >

TRANSFORM >

CSS >

• ATTRIBUTES

• data-menu-links

• Name

data-menu-links ⚡

• Value

4 ⚡

+ ADD ATTRIBUTES

Custom attributes will be added to the most relevant HTML node.

About Us Services  Portfolio Contact Us

Automatic.css

HEADER SETTINGS

Perfect. As good as before

Structure

Outer

Inner

Logo

Nav Menu



WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Global

Description (optional)

How to render the SCSS

External

☐ Minify Output

☒ Autoreload Changes

Script Location

Header

Snippet Order

10

Where to run the snippet

Everywhere

```
13 }
14 ul li:nth-child(2) {
15     margin-right: $logo-width / 2 + 2rem;
16 }
17 ul li:nth-child(3) {
18     margin-left: $logo-width / 2 + 2rem !important;
19 }
20 }
21
22 [data-menu-links="6"] {
23     ul li { 1
24         margin-left: 0 !important;
25     }
26     ul {
27         gap: 2em;
28     }
29     ul li:nth-child(3) { 2
30         margin-right: $logo-width / 2 + 2rem;
31     }
32     ul li:nth-child(4) { 3
33         margin-left: $logo-width / 2 + 2rem !important;
34     }
35 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

A11y CSS

A11y Slider (Custom)

A11y Slider

Global*

Cloud Snippets



WPCodeBox < Bricks — WordP... Header (Centered) (Template) Customize: Header (Centered) +

Not Secure | brickstraining.local/wp-admin/customize.php?url=http%3A%2F%2Fbrickstraining.local%2Ftemplate%2Fheader-centered%2F

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Customizing > Menus
Menu

Menu Name
Menu

About Us	Custom Link	×
Services	Custom Link	×
Portfolio	Custom Link	×
Contact Us	Custom Link	×
Test Link	Custom Link	×
Test Link	Custom Link	×

Reorder Add Items

Menu Locations
Here's where this menu appears. If you would like to change that, pick another location.

Menu Options
☐ Automatically add new top-level pages to this menu

Delete Menu

Hide Controls

Search menu items...

Custom Links

URL https://

Link Text

Add to Menu

Pages

Posts

Modules

My

Categories

Tags

Template Tag

Template Bundle

About Us Services Automatic.css Portfolio Contact Us Test Link

Now we have 6 links



WPCodeBox < Bricks — WordP

Header (Centered) (Template)

Customize: Header (Centered)

Not Secure | brickstraining.local/template/header-centered/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssHelpScoutGeni.usInnerCircleACSSPlausiblePika

.menu--centered

.menu--centered

CONTENT

STYLE

BORDER / BOX SHADOW

GRADIENT / OVERLAY

TRANSFORM

CSS

ATTRIBUTES

data-menu-links

Name

data-menu-links

Value

d

+

ADD ATTRIBUTES

Custom attributes will be added to the most relevant HTML node.

Structure

Outer

Inner

Logo

Nav Menu

About Us

Services

Portfolio

Automatic.css

Contact Us

Test Link

Test Link

There is an autosave more recent than the version you are currently viewing.

PREVIEW AUTOSAVE

X

How to Create a Dynamic Centered Logo Menu in Bricks (w- SCSS).mp4

W 1145H -% 100

Paused

21:02



WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Customize: Header (Centered) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output ☒ Autoreload Changes ?

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
28 }
29 ul li:nth-child(3) {
30     margin-right: $logo-width / 2 + 2rem;
31 }
32 ul li:nth-child(4) {
33     margin-left: $logo-width / 2 + 2rem !important;
34 }
35 }
36
37 [data-menu-links="8"] {
38     ul li { 1
39         margin-left: 0 !important;
40     }
41     ul {
42         gap: 2em;
43     }
44     ul li:nth-child(4) { 2
45         margin-right: $logo-width / 2 + 2rem;
46     }
47     ul li:nth-child(5) { 3
48         margin-left: $logo-width / 2 + 2rem !important;
49     }
50 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x Customize: Header (Centered) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output

☒ Autoreload Changes ?

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1  ul li {
2    margin-left: 0 !important;
3  }
4  ul {
5    gap: 2em;
6  }
7  ul li:nth-child(1) {
8    margin-right: $logo-width / 2 + 2rem;
9  }
10 ul li:nth-child(2) {
11   margin-left: $logo-width / 2 + 2rem !important;
12 }
13 }
14
15 [data-menu-links="4"] {
16   ul li {
17     margin-left: 0 !important;
18   }
19   ul {
20     gap: 2em;
21   }
22   ul li:nth-child(2) {
23     margin-right: $logo-width / 2 + 2rem;
24   }
25 }
```

2 Links

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global

Cloud Snippets



About Us

Services

Portfolio

Contact Us



Test Link

Test Link

Test Link

Test Link

Works with 8 links as well



WPCodeBox < Bricks — WordPr x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output

☒ Autoreload Changes

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 16rem;
2 $logo-spacing: $logo-width / 2 + 2rem !important;
3
4 :root {
5   --logo-width: #{$logo-width};
6 }
7
8 [data-menu-links="2"] {
9   ul li {
10     margin-left: 0 !important;
11   }
12   ul {
13     gap: 2em;
14   }
15   ul li:nth-child(1) {
16     margin-right: $logo-width / 2 + 2rem;
17   }
18   ul li:nth-child(2) {
19     margin-left: $logo-width / 2 + 2rem !important;
20   }
21 }
22
23 [data-menu-links="4"] {
```

With this we can already change here 1 value to influence all possibilities

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global

Cloud Snippets



17:41

How to Create a Dynamic Centered Logo Menu in Bricks (w- SCSS).mp4

WPCodeBox < Bricks — WordP...Header (Centered) (Template) xHeader (Centered) (Template) x+

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssHelpScoutGeni.usInnerCircleACSSPlausiblePika

Bricks0NewAutomatic CSSHowdy, kevingeary

Dashboard

Bricks

Posts

Media

Pages

Comments

Modules

Appearance

Plugins

Users

Tools

Settings

Automatic CSS

Meta Box

WPCodeBox

Collapse menu

Edit SCSS snippet

EnabledSAVE (Ctrl + S)UPLOAD TO CLOUDPREVIEWFORMAT CODE (Ctrl + B)DELETE

TitleGlobal

Description (optional)

How to render the SCSSExternal

Minify OutputAutoreload Changes

Script LocationHeader

Snippet Order10

Where to run the snippetEverywhere

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

}

ul li:nth-child(3) {

margin-right: \$logo-spacing;

}

ul li:nth-child(4) {

margin-left: \$logo-spacing;

}

}

[data-menu-links="8"] {

ul li {

margin-left: 0 !important;

}

ul {

gap: 2em;

}

ul li:nth-child(4) {

margin-right: \$logo-spacing;

}

ul li:nth-child(5) {

margin-left: \$logo-spacing;

}

}

New SnippetRepositorySettingsSupport

Search Snippets...

Local Snippets

A11y CSS

A11y Slider (Custom)

A11y Slider

Global

Cloud Snippets

Snipp

x

-17:22



WPCodeBox < Bricks — WordPress x Header (Centered) (Template) x | +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output ☒ Autoreload Changes ?

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
1 $logo-width: 16rem;
2 $logo-spacing: $logo-width / 2 + 2rem !important;
3
4 :root {
5     --logo-width: #{ $logo-width };
6 }
7
8 @mixin menu-gap($link-number) {
9
10     ul li {
11         margin-left: 0 !important;
12     }
13     ul {
14         gap: 2em;
15     }
16     ul li:nth-child(1) {
17         margin-right: $logo-spacing;
18     }
19     ul li:nth-child(2) {
20         margin-left: $logo-spacing;
21     }
22 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets



WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output

☒ Autoreload Changes ?

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
28 ul {
29   gap: 2em;
30 }
31 ul li:nth-child(1) {
32   margin-right: $logo-spacing;
33 }
34 ul li:nth-child(2) {
35   margin-left: $logo-spacing;
36 }
37 }
38
39 [data-menu-links="4"] {
40   @include menu-gap(4);
41 }
42
43 [data-menu-links="6"] {
44   ul li {
45     margin-left: 0 !important;
46   }
47   ul {
48     gap: 2em;
49   }
50   ul li:nth-child(3) {
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets



WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Global

Description (optional)

How to render the SCSS

External

☐ Minify Output

☒ Autoreload Changes

Script Location

Header

Snippet Order

10

Where to run the snippet

Everywhere

```
49 }
50 ul li:nth-child(3) {
51     margin-right: $logo-spacing;
52 }
53 ul li:nth-child(4) {
54     margin-left: $logo-spacing;
55 }
56 }
57
58 [data-menu-links="8"] {
59     ul li {
60         margin-left: 0 !important;
61     }
62     ul {
63         gap: 2em;
64     }
65     ul li:nth-child(4) {
66         margin-right: $logo-spacing;
67     }
68     ul li:nth-child(5) {
69         margin-left: $logo-spacing;
70     }
71 }
```

The first value to change is always half of the number of links

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets



WPCodeBox < Bricks — WordP... Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Global

Description (optional)

How to render the SCSS

External

☐ Minify Output

☒ Autoreload Changes ?

Script Location

Header

Snippet Order ?

10

Where to run the snippet

Everywhere

```
3
4 :root {
5   --logo-width: #{ $logo-width };
6 }
7
8 @mixin menu-gap($link-number) {
9
10  $menu-gap-left: $link-number / 2;
11  $menu-gap-right: null;
12
13
14  ul li {
15    margin-left: 0 !important;
16  }
17  ul {
18    gap: 2em;
19  }
20  ul li:nth-child(1) {
21    margin-right: $logo-spacing;
22  }
23  ul li:nth-child(2) {
24    margin-left: $logo-spacing;
25  }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

A11y CSS

A11y Slider (Custom)

A11y Slider

Global*

Cloud Snippets



- Dashboard
- Bricks
- Posts
- Media
- Pages
- Comments
- Modules
- Appearance
- Plugins
- Users
- Tools
- Settings
- Automatic CSS
- Meta Box
- WPCodeBox
- Collapse menu

Edit SCSS snippet

Title
Global

Description (optional)

How to render the SCSS
External

Minify Output

Autoreload Changes

Script Location
Header

Snippet Order
10

Where to run the snippet
Everywhere

```
9
10 $menu-gap-left: $link-number / 2;
11 $menu-gap-right: null;
12
13
14 ul li {
15     margin-left: 0 !important;
16 }
17 ul {
18     gap: 2em;
19 }
20 ul li:nth-child(#{ $menu-gap-left }) {
21     margin-right: $logo-spacing;
22 }
23 ul li:nth-child(#{ $menu-gap-right }) {
24     margin-left: $logo-spacing;
25 }
26 }
27
28 [data-menu-links="2"] {
29     ul li {
30         margin-left: 0 !important;
31     }
```

This is the required notation



New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets

WPCodeBox < Bricks — WordPr x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Global

Description (optional)

How to render the SCSS

External

☐ Minify Output

☒ Autoreload Changes

Script Location

Header

Snippet Order

10

Where to run the snippet

Everywhere

```
3
4 :root {
5   --logo-width: #{ $logo-width };
6 }
7
8 @mixin menu-gap($link-number) {
9
10  $menu-gap-left: $link-number / 2;
11  $menu-gap-right: $link-number / 2 + 1;
12
13
14  ul li {
15    margin-left: 0 !important;
16  }
17  ul {
18    gap: 2em;
19  }
20  ul li:nth-child(#{ $menu-gap-left }) {
21    margin-right: $logo-spacing;
22  }
23  ul li:nth-child(#{ $menu-gap-right }) {
24    margin-left: $logo-spacing;
25  }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

A11y CSS

A11y Slider (Custom)

A11y Slider

Global*

Cloud Snippets



10:28

Bricks 0 + New Automatic CSS

Howdy, kevingeary

Dashboard Bricks Posts Media Pages Comments Modules Appearance Plugins Users Tools Settings Automatic CSS Meta Box WPCodeBox Collapse menu

Edit SCSS snippet

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

Title: Global

Description (optional)

How to render the SCSS: External

☐ Minify Output ☒ Autoreload Changes

Script Location: Header

Snippet Order: 10

Where to run the snippet: Everywhere

```
19 ul li:nth-child(#{ $menu-gap-left }) {
20     margin-right: $logo-spacing;
21 }
22 ul li:nth-child(#{ $menu-gap-right }) {
23     margin-left: $logo-spacing;
24 }
25 }
26
27 [data-menu-links="2"] {
28     @include menu-gap(2);
29 }
30
31 [data-menu-links="4"] {
32     @include menu-gap(4);
33 }
34
35 [data-menu-links="6"] {
36     @include menu-gap(6);
37 }
38
39 [data-menu-links="8"] {
40     @include menu-gap(8);
41 }
```

New Snippet Repository Settings Support

Search Snippets...

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets



WPCodeBox < Bricks — WordPr x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/template/header-centered/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

#brxe-pfjofz 1

.menu--centered

CONTENT STYLE

BORDER / BOX SHADOW >

GRADIENT / OVERLAY >

TRANSFORM >

CSS >

• ATTRIBUTES

• data-menu-links

• Name

data-menu-links ⚡

• Value

2 ⚡

+ ADD ATTRIBUTES

Custom attributes will be added to the most relevant HTML node.

Structure

Outer

Inner

Logo

Nav Menu

About Us Automatic.css Services

However, so far we have to change the data attribute again and again

07:44

WPCodeBox < Bricks — WordPr x Header (Centered) (Template) x Header (Centered) (Template) x +

Not Secure | brickstraining.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible Pika

Bricks 0 + New Automatic CSS Howdy, kevingeary

Edit SCSS snippet

Global

Description (optional)

How to render the SCSS

External

☐ Minify Output

☒ Autoreload Changes

Script Location

Header

Snippet Order

10

Where to run the snippet

Everywhere

```
7
8 @mixin menu-gap($link-number) {
9   $menu-gap-left: $link-number / 2;
10  $menu-gap-right: $link-number / 2 + 1;
11
12  @media (min-width: 990px) {
13    ul li {
14      margin-left: 0 !important;
15    }
16    ul {
17      gap: 2em;
18    }
19    ul li:nth-child(#{ $menu-gap-left }) {
20      margin-right: $logo-spacing;
21    }
22    ul li:nth-child(#{ $menu-gap-right }) {
23      margin-left: $logo-spacing;
24    }
25  }
26 }
27
28 [data-menu-links="2"] {
29   @include menu-gap(2);
```

Local Snippets

- A11y CSS
- A11y Slider (Custom)
- A11y Slider
- Global*

Cloud Snippets

