




DRY Development With Classes & Global Styling

We talked about the importance of DRY development in the lesson on variables. The same principle applies to ALL of our website's styling. The biggest bigger mistake, BY FAR, is improper organization of styling rules.

Our Main Options

Order of use:

1. **Elements** + Variables
2. **BEM Classes** + Variables
3. **Utility Classes** w/ Variables
4. **Universal** + Variables
5. **IDs** + Variables

Video



- When setting default behavior (e.g. Heading sizes, default section padding, etc.)

- When setting default behavior (e.g. Heading sizes, default section padding, etc.)

Container

Example for all H1

- Repeating situations (DRY Alerts!)
- When creating component-style elements
- Whenever you're in unsure ("When in doubt, BEM it out")

- Repeating situations (DRY Alerts!)
- When creating component-style elements
- Whenever you're in unsure ("When in doubt, BEM it out")





ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

WPCodeBox < Bricks Clean — xDry Development with Global S xTypes of Styling xCSS Fluid Responsive Clamp C x +

codepen.io/geary-co/pen/vYVxorN

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenAvventureJSMTLCFluidCalcVariables & DRY D...

Types of StylingKevin Geary

SaveSettings

HTML

```
1 <section>
2   <div>
3     <div class="services-card">
4       <h3>Card Heading</h3>
5       <p>This is the text for the card. It's a
short description.</p>
6     </div>
7     <div class="services-card services-card--
dark">
8       <h3>Card Heading</h3>
9       <p>This is the text for the card. It's a
short description.</p>

```

CSS

```
9  --vp-max: 1366px;
10 --primary: BlueViolet;
11 --base: #333;
12 --base-medium: #777;
13 --radius: 1rem;
14 }

section {
  padding-block: var(--pad-section--m);
}

```

JS

```
1

```

This is global element styling

Card Heading

This is the text for the card. It's a short description.

Card Heading

This is the text for the card. It's a short description.

Card Heading



A circular portrait of a man with a light beard and glasses, wearing a grey baseball cap and a grey t-shirt. The t-shirt features the text 'Lucky Brand' in a stylized font and 'FINEST' below it. The background is a blurred indoor setting.

- ## BEM in Action: Services Grid



GLOBAL CLASS CREATED

What & Why: Utility Classes

- As little as possible
- When you need a specific outcome that's not tied to a specific context
- Non-scalable design decisions (e.g. section background color)
- **Not sure? Create a BEM class.**
- **NEVER** when using BEM (I refer to this as "littering")



BEM in Action: Services Grid

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

GLOBAL CLASS CREATED

What & Why: Utility Classes

- As little as possible
- When you need a specific outcome that's not tied to a specific context
- Non-scalable design decisions (e.g. section background color)
- **Not sure? Create a BEM class.**
- **NEVER when using BEM (I refer to this as "littering")**



I am a heading

Container

GLOBAL CLASS CREATED

What & Why: Utility Classes

- As little as possible
- When you need a specific outcome that's not tied to a specific context
- Non-scalable design decisions (e.g. section background color)
- **Not sure? Create a BEM class.**
- **NEVER when using BEM (I refer to this as "littering")**



- ## BEM in Action: Services Grid

I am a heading

Here goes your text ... Select any part of your text to access the  formatting toolbar.

Basic Text

All basic card styling happens in the class `.service-card`

What & Why: Utility Classes

- As little as possible
- When you need a specific outcome that's not tied to a specific context
- Non-scalable design decisions (e.g. section background color)
- **Not sure? Create a BEM class.**
- **NEVER** when using BEM (I refer to this as "littering")



Block

.service-card

x1

.service-card

CONTENT

STYLE

LAYOUT

TYPOGRAPHY

Color

Font size

Text align

Text transform

Font family

Font weight

Font style

font-variation-settings

Line height

Letter spacing

Text shadow

Text decoration

When creating component-style elements

Whenever you're in unsure ("When in doubt, BEM it out")

BEM in Action: Services Grid

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

I am a heading

Here goes your text ... Select any part of your text to access the formatting toolbar.

Structure

Section

Section

Container

Heading

Basic Text

Rich Text

Element

Container

Heading

Rich Text

BEM

Container

Heading

Rich Text

What & Why: Utility Classes





Chrome PB101- L08 - DRY Development With Classes & Global Styling.mp4 Tue Apr 25 1:34 PM

WPCodeBox < Bricks Clean — x Dry Development with Global S x Dry Development with Global S x Types of Styling x CSS Fluid Responsive Clamp C x +

Not Secure | bricks-clean.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS MTLC FluidCalc Variables & DRY D...

Bricks Clean 0 + New Howdy, admin

Dashboard Bricks Posts Media Pages Comments Appearance Plugins Users Tools Settings WPCodeBox Collapse menu

New Snippet Repository Settings Support

Search Snippets...

Local Snippets Add duplicate button to post management table Global* Cloud Snippets

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

```
1 :root {
2   --radius: 1rem; // Border radius for all elements
3   --section-block-padding: clamp(5rem, calc(5rem + ((1vw - 0.32rem) * 4.7801)), 10rem);
4   --section-inline-padding: clamp(2.4rem, calc(2.4rem + ((1vw - 0.32rem) * 3.4417)), 6rem);
5   --h1: clamp(2.88rem, calc(1.377vw + 2.439rem), 4.32rem);
6   --h2: clamp(2.4rem, calc(1.147vw + 2.033rem), 3.6rem);
7   --h3: clamp(2rem, calc(0.956vw + 1.694rem), 3rem);
8   --cta-card-offset: 11rem;
9   --text-s: clamp(1.3rem, 0.287vw + 1.208rem, 1.6rem);
10  --space-m: clamp(2rem, 1.147vw + 1.633rem, 3.2rem);
11  --card-gap: clamp(1.6rem, 0.382vw + 1.478rem, 2rem);
12 }
13
14 img {
15   border-radius: var(--radius);
16 }
17
18 .service-card--dark
19
20 /*
21
22 B = Block
23 E = Element
24 --
25 M = Modifier
```

Modifier syntax



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WPCodeBox < Bricks Clean — x

Dry Development with Global S x

Dry Development with Global S x

Types of Styling x

CSS Fluid Responsive Clamp C x

+

Not Secure

bricks-clean.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

MTLC

FluidCalc

Variables & DRY D...

»

Bricks Clean

0

+ New

Howdy, admin

Dashboard

Bricks

Posts

Media

Pages

Comments

Appearance

Plugins

Users

Tools

Settings

WPCodeBox

Collapse menu

New Snippet

Repository

Settings

Support

Search Snippets...

Local Snippets

Add duplicate button to post management table

Global*

Cloud Snippets

Enabled

SAVE (Ctrl + S)

UPLOAD TO CLOUD

PREVIEW

FORMAT CODE (Ctrl + B)

DELETE

```
1 :root {
2   --radius: 1rem; // Border radius for all elements
3   --section-block-padding: clamp(5rem, calc(5rem + ((1vw - 0.32rem) * 4.7801)), 10rem);
4   --section-inline-padding: clamp(2.4rem, calc(2.4rem + ((1vw - 0.32rem) * 3.4417)), 6rem);
5   --h1: clamp(2.88rem, calc(1.377vw + 2.439rem), 4.32rem);
6   --h2: clamp(2.4rem, calc(1.147vw + 2.033rem), 3.6rem);
7   --h3: clamp(2rem, calc(0.956vw + 1.694rem), 3rem);
8   --cta-card-offset: 11rem;
9   --text-s: clamp(1.3rem, 0.287vw + 1.208rem, 1.6rem);
10  --space-m: clamp(2rem, 1.147vw + 1.633rem, 3.2rem);
11  --card-gap: clamp(1.6rem, 0.382vw + 1.478rem, 2rem);
12 }
13
14 img {
15   border-radius: var(--radius);
16 }
17
18 /*
19
20 B = Block
21 E = Element
22 --
23 M = Modifier
24
25 */
```

This is the focus of this training



16:24

Chrome PB101- L08 - DRY Development With Classes & Global Styling.mp4 Tue Apr 25 1:35 PM

WPCodeBox < Bricks Clean — x Dry Development with Global S x Dry Development with Global S x Types of Styling x CSS Fluid Responsive Clamp C x +

Not Secure | bricks-clean.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS MTLC FluidCalc Variables & DRY D...

Bricks Clean 0 + New Howdy, admin

Dashboard Bricks Posts Media Pages Comments Appearance Plugins Users Tools Settings WPCodeBox Collapse menu

New Snippet Repository Settings Support

Search Snippets...

Local Snippets Add duplicate button to post management table Global* Cloud Snippets

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

```
6 --h2: clamp(2.4rem, calc(1.147vw + 2.033rem), 3.6rem);
7 --h3: clamp(2rem, calc(0.956vw + 1.694rem), 3rem);
8 --cta-card-offset: 11rem;
9 --text-s: clamp(1.3rem, 0.287vw + 1.208rem, 1.6rem);
10 --space-m: clamp(2rem, 1.147vw + 1.633rem, 3.2rem);
11 --card-gap: clamp(1.6rem, 0.382vw + 1.478rem, 2rem);
12 }
13
14 img {
15     border-radius: var(--radius);
16 }
17
18 .service-card {
19 }
20
21 .service-card__heading {}
22 .service-card__text {}
23 .service-card__image {}
24 .service-card__icon {}
25
26
27
28 /*
29
30 B = Block
31 E = Element
```



Chrome PB101- L08 - DRY Development With Classes & Global Styling.mp4 Tue Apr 25 1:36 PM

WPCodeBox < Bricks Clean — x Dry Development with Global S x Dry Development with Global S x Types of Styling x CSS Fluid Responsive Clamp C x +

Not Secure | bricks-clean.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS MTLC FluidCalc Variables & DRY D...

Bricks Clean 0 + New Howdy, admin

Dashboard Bricks Posts Media Pages Comments Appearance Plugins Users Tools Settings WPCodeBox Collapse menu

New Snippet Repository Settings Support

Search Snippets...

Local Snippets Add duplicate button to post management table Global* Cloud Snippets

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

```
6 --h2: clamp(2.4rem, calc(1.147vw + 2.033rem), 3.6rem);
7 --h3: clamp(2rem, calc(0.956vw + 1.694rem), 3rem);
8 --cta-card-offset: 11rem;
9 --text-s: clamp(1.3rem, 0.287vw + 1.208rem, 1.6rem);
10 --space-m: clamp(2rem, 1.147vw + 1.633rem, 3.2rem);
11 --card-gap: clamp(1.6rem, 0.382vw + 1.478rem, 2rem);
12 }
13
14 img {
15     border-radius: var(--radius);
16 }
17
18 .services-grid {
19 }
20 }
21
22 .services-grid__service-card {}
23 .services-grid__service-card_heading {}
24 .services-grid__service-card_text {}
25 .services-grid__service-card_image {}
26 .services-grid__service-card_icon {}
27
28
29
30 /*
```

This is a mistake in using BEM which can be seen quite often.

There's no 'grand parents component' for BEM naming!



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

PB101- L08 - DRY Development With Classes & Global Styling.mp4

WPCodeBox < Bricks Clean — x

Dry Development with Global S x

Dry Development with Global S x

Types of Styling x

CSS Fluid Responsive Clamp C x

+

Not Secure

bricks-clean.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

MTLC

FluidCalc

Variables & DRY D...

»

Bricks Clean

0

+ New

Howdy, admin

Dashboard

Bricks

Posts

Media

Pages

Comments

Appearance

Plugins

Users

Tools

Settings

WPCodeBox

Collapse menu

New Snippet

Repository

Settings

Support

Search Snippets...

Local Snippets

Add duplicate button to post management table

Global

Cloud Snippets

Enabled

SAVE (Ctrl + S)

UPLOAD TO CLOUD

PREVIEW

FORMAT CODE (Ctrl + B)

DELETE

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

/*

--h2: clamp(2.4rem, calc(1.147vw + 2.033rem), 3.6rem);

--h3: clamp(2rem, calc(0.956vw + 1.694rem), 3rem);

--cta-card-offset: 11rem;

--text-s: clamp(1.3rem, 0.287vw + 1.208rem, 1.6rem);

--space-m: clamp(2rem, 1.147vw + 1.633rem, 3.2rem);

--card-gap: clamp(1.6rem, 0.382vw + 1.478rem, 2rem);

}

img {

border-radius: var(--radius);

}

.services-grid {

}

.services-grid__service-card {}

.services-grid__service-card_heading {}

.services-grid__service-card_text {}

.services-grid__service-card_image {}

.services-grid__service-card_icon {}

In this case we couldn't use this service card outside the services grid



<<

>>

14:12

100%

Chrome PB101- L08 - DRY Development With Classes & Global Styling.mp4 Tue Apr 25 1:37 PM

WPCodeBox < Bricks Clean — x Dry Development with Global S x Types of Styling x CSS Fluid Responsive Clamp C x +

Not Secure | bricks-clean.local/wp-admin/admin.php?page=wpcb_menu_page_php

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS MTLC FluidCalc Variables & DRY D...

Bricks Clean 0 + New Howdy, admin

Dashboard Bricks Posts Media Pages Comments Appearance Plugins Users Tools Settings WPCodeBox Collapse menu

New Snippet Repository Settings Support

Search Snippets...


Local Snippets Add duplicate button to post management table Global* Cloud Snippets

Enabled SAVE (Ctrl + S) UPLOAD TO CLOUD PREVIEW FORMAT CODE (Ctrl + B) DELETE

```
6 --h2: clamp(2.4rem, calc(1.147vw + 2.033rem), 3.6rem);
7 --h3: clamp(2rem, calc(0.956vw + 1.694rem), 3rem);
8 --cta-card-offset: 11rem;
9 --text-s: clamp(1.3rem, 0.287vw + 1.208rem, 1.6rem);
10 --space-m: clamp(2rem, 1.147vw + 1.633rem, 3.2rem);
11 --card-gap: clamp(1.6rem, 0.382vw + 1.478rem, 2rem);
12 }
13
14 img {
15     border-radius: var(--radius);
16 }
17
18 .services-grid {
19 }
20 }
21
22 .service-card {}
23 .service-card__heading {}
24 .service-card__text {}
25 .service-card__image {}
26 .service-card__icon {}
27
28
29
30 /*
```

Component

This structure has less specificity and can be easily overridden in other elements



Chrome PB101- L08 - DRY Development With Classes & Global Styling.mp4 Tue Apr 25 1:38 PM

WPCodeBox < Bricks Clean — WP Dry Development with Global S Dry Development with Global S Types of Styling CSS Fluid Responsive Clamp C +

Not Secure | bricks-clean.local/variables-dry-development-2/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS MTLC FluidCalc Variables & DRY D...

Container #brxe-qrmdje

CONTENT STYLE

LAYOUT

TYPOGRAPHY

Color

Font size

Text align

Text transform

Font family

Font weight

Font style

font-variation-settings

Line height

Letter spacing

Text shadow

Text decoration

What & Why: Utility Classes

- As little as possible
- When you need a specific outcome that's not tied to a specific context
- Non-scalable design decisions (e.g. section background color)
- **Not sure? Create a BEM class.**
- **NEVER** when using BEM (I refer to this as "littering")

Section

What & Why: Universal Targeting

- When selecting non-specific children (e.g. fancy grid layout that shouldn't rely on specific class or element targeting, or setting the behavior of all flex children).

Structure

- > Section
- > Section
- > Container
 - T Heading
 - Basic Text
 - Rich Text
- > Element
 - Container
 - T Heading
 - Rich Text
 - BEM
 - Container
- > Block



-12:50

What & Why: Global Element Styling

- When setting default behavior (e.g. Heading sizes, default section padding, etc.)

Utility class for this section. A utility class has only 1 style (like Atomic design like in Tailwind)

What & Why: BEM Classes

- Repeating situations (DRY Alerts!)
- When creating component-style elements
- Whenever you're in unsure ("When in doubt, BEM it out")

BEM in Action: Services Grid

I am a heading

Here goes your text ... Select any part of your text to access the formatting

I am a heading

Here goes your text ... Select any part of your text to access the formatting

I am a heading

Here goes your text ... Select any part of your text to access the formatting

GLOBAL CLASS CREATED




Default

Nonetheless a Utility Class is much more efficient.

- When setting default behavior (e.g. Heading sizes, default section padding, etc.)

>



- When creating component-style elements
- Whenever you're in `useEffect` and need to read state

Here goes your text ... Select any part of your text to access the formatting toolbar.

Here goes your text ... Select any part of your text to access the formatting toolbar.

Here goes your text ... Select any part of your text to access the formatting toolbar.

Here goes your text ... Select any part of your text to access the formatting toolbar.


Here goes your text ... Select any part of your text to access the formatting toolbar.

Here goes your text ... Select any part of your text to access the formatting toolbar.

Here goes your text ... Select any part of your text to access the formatting toolbar.

Here goes your text ... Select any part of your text to access the formatting toolbar.

Here goes your text ... Select any part of your text to access the formatting toolbar.




Order	0
-------	---

Rich Text

>

- Very rarely
- Unique elements
- Non-scalable design decisions (e.g. section background color)
- In templated situations (sometimes)



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WPCodeBox < Bricks Clean — x

Dry Development with Global S x

Dry Development with Global S x

Types of Styling x

CSS Fluid Responsive Clamp C x

+

codepen.io/geary-co/pen/vYVxorN

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

MTLC

FluidCalc

Variables & DRY D...

»

Types of Styling

Kevin Geary

Pen saved. x

Save

Settings

JS

HTML

1 <div class="parent">

2 <div class="child"></div>

3 <div class="child"></div>

4 <div class="child"></div>

5 <div class="child"></div>

6 <div class="child"></div>

7 <div class="child"></div>

8 </div>

CSS

1 .parent {

2 display: flex;

3 gap: 1em;

4 }

5

6 .child {

7 width: 60px;

8 height: 60px;

9 background-color: black;

10 }

JS

1

Console

Assets

Comments

Keys

Descscope: Drag and drop your auth

Last saved LESS THAN A MINUTE AGO

Delete

Add to Collection

Fork

Embed

Export

Share

03:18

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

WPCodeBox < Bricks Clean — xDry Development with Global SDry Development with Global STypes of StylingCSS Fluid Responsive Clamp C+

codepen.io/geary-co/pen/vYVxorN

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenAvventureJSMTLCFluidCalcVariables & DRY D...

Types of StylingKevin Geary

SaveSettings

HTML

```
1 <div class="parent">
2   <div class="child"></div>
3   <div class="child"></div>
4   <div class="child"></div>
5   <div class="child"></div>
6   <div class="child"></div>
7   <div class="child"></div>
8 </div>
```

CSS

```
3 gap: 1em;
4 }
5
6 .child {
7   width: 60px;
8   height: 60px;
9   background-color: black;
10  border: 5px solid red;
11 }
12
13
```

JS

This is only possible because all items have the class of 'child'

ConsoleAssetsCommentsKeys

Descope: Drag and drop your auth

Last saved LESS THAN A MINUTE AGO

DeleteAdd to CollectionForkEmbedExportShare



ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

WPCodeBox < Bricks Clean — x | Dry Development with Global S x | Dry Development with Global S x | Types of Styling x | CSS Fluid Responsive Clamp C x | +

codepen.io/geary-co/pen/vYVxorN

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenAvventureJSMTLCFluidCalcVariables & DRY D...

Types of Styling

Kevin Geary

Pen saved. x

Save

Settings

JS

HTML

```
1 <div class="parent">
2   <div></div>
3   <div></div>
4   <div></div>
5   <div></div>
6   <div></div>
7   <div></div>
8 </div>
```

CSS

```
3 gap: 1em;
4 }
5
6 .child {
7   width: 60px;
8   height: 60px;
9   background-color: black;
10  border: 5px solid red;
11 }
12
13
```

JS

```
1
```

What if there is no class on the child elements?

Waiting for codepen.io... | Descope: Drag and drop your auth x

Pen Preview finished ✓ | Delete | Add to Collection | Fork | Embed | Export | Share

02:47

Chrome

File Edit View History Bookmarks Profiles Tab Window Help

PB101- L08 - DRY Development With Classes & Global Styling.mp4

WPCodeBox < Bricks Clean — x Dry Development with Global S x Dry Development with Global S x Types of Styling x CSS Fluid Responsive Clamp C x +

codepen.io/geary-co/pen/vYVxorN

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS MTLC FluidCalc Variables & DRY D...

Types of Styling Kevin Geary

Save Settings

HTML

```
1 <div class="parent">
2   <div></div>
3   <div></div>
4   <div></div>
5   <div></div>
6   <div></div>
7   <div></div>
8 </div>
```

CSS

```
1 .parent {
2   display: flex;
3   gap: 1em;
4 }
5
6 .parent > * {
7   width: 60px;
8   height: 60px;
9   background-color: black;
10  border: 5px solid red;
11 }
12
```

JS

Target all direct children

Console Assets Comments Keys

Descoppe: Drag and drop your auth

Last saved APRIL 25, 2023 — 1:49:27 PM

Delete Add to Collection Fork Embed Export Share

-02:10



Navigation icons: back, forward, search, settings, and others. Dimensions: W 1168, H - , % 100. Icons for document, folder, and other functions.

BEM

.bg--primary-ultra-... x 1

.bg--primary-ultra-light

STYLE



- Other advanced use cases.

What & Why: ID Styling

Heading

- Very rarely
- Unique elements
- Non-scalable design decisions (e.g. section background color)
- In templated situations (sometimes)
- **Not sure? Create a BEM class.**

Next Lesson We Start Page Building!

Structure

Rich Text

▼  BEM

Container

T Heading

Rich Text

Container

T Heading


Services Grid

☐ Block

T Heading

Basic Text

Block



T Heading