


Video

PINNED ELEMENTS

A screenshot of the Gutenberg editor toolbar showing two buttons: 'Container' (represented by a square icon with a smaller square inside) and 'Heading' (represented by a large 'T' icon).

BASIC



The diagram shows two types of structural members. On the left is a 'Div' (Division), represented by a square icon. On the right is a 'Section', represented by a rectangular icon with horizontal lines inside, indicating a cross-section.



Video

GENERAL

- Accordion
- Accordion (Nes...

	
Tabs	Tabs (Nestable)

digitalambition.co

Section

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic `<section>` tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

This is the footer.


Structure

Section

> Container

>  "Container"

> "Div"



// ATLANTA DIGITAL MARKETING AGENCY

We help service-based businesses grow online

digital strategy // web design // responsive development // SEO // digital advertising

Let us handle your website, SEO, and social so you can spend more of your time providing a great service.

[Let's talk](#) [Tell me more](#)


Section

Sections are topically different

// LATEST PROJECT

DocReady

A digital makeover slashed this telehealth startup's



Section



WHY CHOOSE US?

We're laser focused on one thing: results.

[Book a strategy call](#) →

If you're running a service-based business, you need a **web design company** and **digital marketing agency** that understands the intricacies of service-based businesses. That's all we do day-in and day-out and it's what we're most passionate about.

Furthermore, we have zero interest in winning design awards or setting design trends like some agencies do. Our sole focus is on two things: **user experience** (for your customers) and **profitability** (for your company). It's not about us, it's about you.

When you hire Digital Gravy you're not hiring a team that clocks in, checks boxes, and clocks out. You're hiring a team that's going to wake up every business day and treat the mission of growing your business the same as we treat the mission of growing our own business. That's our guarantee.

If you're ready to get started, [let's chat](#). Whether you want to dive into the

div.ct-section-inner-wrap 1440 x 1043.02

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<div class="ct-section-inner-wrap"> flex
  <div id="inner_content-1-15" class="ct-inner-content">
    <section id="section-20-2" class=" ct-section text--base-ultra-light owl--m flex--col hero" aria-label="welcome">...</section>
    <section id="latest-project" class=" ct-section bg--base-ultra-dark pad-section--l ct-section-with-shape-divider ct-section-with-shape-divider" aria-label="latest project">...</section>
    <section id="section-238-2" class="ct-section oxel_focus_section" aria-label="callout quote">...</section>
    <section id="services" class=" ct-section" aria-label="services">...</section>
    <section id="section-194-2" class=" ct-section bg--base-ultra-dark" aria-label="reviews">...</section>
    ...
    <section id="section-195-2" class=" ct-section" aria-label="why us">...</section> == $0
      <div class="ct-section-inner-wrap">...</div> flex
    </section>
  </div>
  <div id="div_block-126-15" class="ct-div-block bg--base-ultra-dark">...</div> flex
</div>
</main>
<footer id="section-9-15" class=" ct-section divider--bottom center--all owl--m">...</footer>
<script>...</script>
<style>.ct-FontAwesomeicon-search{width:0.92857142857143em}</style>
<style>.ct-FontAwesomeicon-star{width:0.92857142857143em}</style>
```

html body.home.page-template-default.page.page-id-2.wp-embed-responsive.oxygen-body main#main-content..ct-section div.ct-section-inner-wrap div#inner_content-1-15.ct-inner-content section#section-195-2..ct-section

Styles Computed Layout >>

Filter

elem

}

1:1

1:1

1:1

1:1

1:1

1:1

1:1

1:1

1:1

1:1

1:1

1:1

1:1

1:1


1:1

1:1

1:1

1:1

1:1



Section

#pxe-dfomk 3

.text--base-ultra-dark .border--red
.pad-section--none

CONTENT STYLE

LAYOUT

SPACING

Margin

TOP RIGHT BOTTOM LEFT

px px px px

Padding

TOP RIGHT BOTTOM LEFT

px px px px

SIZING

Width px

Min. width px

Max. width 100 %

Height px

Min. height px

Max. height px

POSITIONING

Position Relative

Top px

Right px

Bottom px

Left px

Z-index 0

MISC

Overflow visible

Opacity

digitalambition.co

Section

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic `<section>` tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

Structure

Section

Container

"Container"

"Div"


This is the footer.



digitalambition.co

Section

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic <section> tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.



The section has responsive padding and margin settings. This is achieved with ACSS

This is the footer.



Sections, Containers, Divs (Bu x Atlanta Digital Marketing Agen x The modern way to manage yo x +

bricks.digitalgravy.dev/sections-containers-divs/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

seq

Section

digitalambition.co

Section

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic <section> tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

This is the footer.

Structure

- Section
 - Container
 - "Container"
 - "Div"



Sections, Containers, Divs (Bu xSections, Containers, Divs - Br xAtlanta Digital Marketing Agen xThe modern way to manage yo x+

bricks.digitalgravy.dev/sections-containers-divs/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssHelpScoutGeni.usInnerCircleACSSPlausible

b

CONTENTS

STYLE

LAYOUT

TYPOGRAPHY

BACKGROUND

BORDER / BOX SHADOW

GRADIENT / OVERLAY

SHAPE DIVIDERS

TRANSFORM

CSS

ATTRIBUTES

digitalambition.co

Section

1. Use sections to separate topics on a page

2. Section "elements" in Bricks are dual elements (section + container)

3. Full width using semantic <section> tag by default

4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)

5. Parent of containers or divs

6. Avoid using margin on sections

7. Avoid changing width

8. Avoid using random left/right padding values

9. Generally avoid using grid or flexbox layout controls on the section itself.

Structure

Section

Container

"Container"

"Div"

This is the footer.





digitalambition.co

Section

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic <section> tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

The second container is automatically set in series

IMPORTANT: Never set up side by side containers at section level, only at container level. Otherwise you would not be able to write a heading in the section, for example.

This is the footer.



"Container"

#bricks-postbag 2

.text--base-ultra-dark

.border--primary-light

CONTENT

STYLE

HTML tag section

Display flex

Flex wrap No wrap

Direction

Align (section)

Align main axis

Align cross axis

Column gap px

Row gap px

Order 0

Flex grow 0

Flex shrink 1

Flex basis auto

Section

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic <section> tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

Structure

Section

Heading

Container

"Container"

"Div"

Container

1. Use containers to lay out page-width or full-width content
2. Containers are page width using <div> tag by default
3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.
8. Typically best to put

This is the footer.



"Container"

#brxe-poxbwq 2

.text--base-ultra-dark

.border--primary-light

CONTENT STYLE

LAYOUT

SPACING

Margin

TOP RIGHT BOTTOM LEFT

px px px px

Padding

TOP RIGHT BOTTOM LEFT

px px px px

SIZING

Width px

Min. width px

Max. width 100 %

Height px

Min. height px

Max. height px

POSITIONING

Position Relative

Top px

Right px

Bottom px

Left px

Z-index 0

MISC

Overflow visible

Opacity

Section

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic <section> tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

If a container is to extend to (almost) the edges, its width must be set to 100%

Container

1. Use containers to lay out page-width or full-width content
2. Containers are page width using <div> tag by default
3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.
8. Typically best to put

This is the footer.

There is an autosave more recent than the version you are currently viewing. PREVIEW AUTOSAVE X

Structure

Section

Container

"Container"

"Div"



Container

#bricks-szandp

CONTENT

STYLE

LAYOUT

SPACING

Margin

TOP RIGHT BOTTOM LEFT

px px px px

Padding

TOP RIGHT BOTTOM LEFT

px px px px

SIZING

Width px

Min. width px

Max. width 100 %

Height px

Min. height px

Max. height px

POSITIONING

Position Relative

Top px

Right px

Bottom px

Left px

Z-index 0

MISC

Overflow visible

Opacity 1

INNER CONTAINER / DIV

1. Use sections to separate topics on a page
2. Section "elements" in Bricks are dual elements (section + container)
3. Full width using semantic <section> tag by default
4. Should have default top/bottom padding (which can change) and left/right padding (that remains consistent)
5. Parent of containers or divs
6. Avoid using margin on sections
7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

Structure

Section

Container

"Container"

Container

"div"

Container

1. Use containers to lay out page-width or full-width content
2. Containers are page width using <div> tag by default
3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.
8. Typically best to put

This is

A stand alone container without section produces blocked space on the left and right side



Sections, Containers, Divs (Bu x Sections, Containers, Divs - Bi x bricks.digitalgravy.dev x Atlanta Digital Marketing Agen x The modern way to manage yo x +

bricks.digitalgravy.dev/sections-containers-divs/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

container

Layout

Container

7. Avoid changing width

8. Avoid using random left/right padding values

9. Generally avoid using grid or flexbox layout controls on the section itself.


Container

1. Use containers to lay out page-width or full-width content
2. Containers are page width using <div> tag by default
3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.
8. Typically best to put

This is the footer.

Structure

- Section
 - Container
 - "Container"
 - "div"
- Section
 - Container




7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

Container

1. Use containers to lay out page-width or full-width content
2. Containers are page width using `<div>` tag by default
3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.
8. Typically best to put



A problem with Flexbox: If the percentages of both columns are not 100%, there is an unfillable gap on the right! This can not happen with CSS Grid



7. Avoid changing width
8. Avoid using random left/right padding values
9. Generally avoid using grid or flexbox layout controls on the section itself.

Container

1. Use containers to lay out page-width or full-width content
2. Containers are page width using <div> tag by default
3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.
8. Typically best to put



Copy CMD + C

Paste CMD + V

Duplicate CMD + SHIFT + D

Delete

Copy styles

Paste styles

Insert (Div) ☐

Wrap (Div) ☐

Convert ☐

Save as template

Save as global element

It is best not to use this panel, but CSS Grid



3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.

Div

1. Use Divs as a swiss army knife.
2. Full width using <div> tag by default
3. Can be any width depending on use-case
4. Can be transformed into other semantic elements such as <article>, <a>, , , etc.
5. Parent of of other divs or content

Div

1. Use Divs as a swiss army knife.
2. Full width using <div> tag by default
3. Can be any width depending on use-case
4. Can be transformed into other semantic elements such as <article>, <a>, , , etc.
5. Parent of of other divs or content

Div have full width by default, but can have any other width

This is the footer.



Sections, Containers, Divs (Bu x Sections, Containers, Divs - B x Sections, Containers, Divs - B x Atlanta Digital Marketing Agen x The modern way to manage yo x +

bricks.digitalgravy.dev/sections-containers-divs/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

b

Div

#bricks-maui-fk 2

.bg--base-ultra-light .border--red

CONTENT STYLE

Use query loop

HTML tag 2

div

div

section

a (link)

article

nav

aside

address

Display

Flex wrap

Direction

Align (div)

Align main axis

Align cross axis

Column gap 0px

Row gap 0px

Order 0

Flex grow 0

Flex shrink 1

Flex basis auto

3. Sections can have multiple containers.

4. Should typically remain page-width or be set to full width

5. Should not typically be used outside of a Section.

6. Containers are typically the parent of Divs or other content

7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.

Div

1. Use Divs as a swiss army knife.

2. Full width using <div> tag by default

3. Can be any width depending on use-case

4. Can be transformed into other semantic elements such as <article>, <a>, , , etc.

5. Parent of of other divs or content

Div

1. Use Divs as a swiss army knife.

2. Full width using <div> tag by default

3. Can be any width depending on use-case

4. Can be transformed into other semantic elements such as <article>, <a>, , , etc.

5. Parent of of other divs or content

Structure

Section

Container

Heading

Rich Text

"Container"

Container

Heading

Rich Text

"div"

Container

Div 1

Heading

Rich Text

Div

Heading

Rich Text

Section

Container

This is the footer.

⏮ ⏪ ⏩ ⏭

~20:17

🔊 🔍

Container

1. Use containers to lay out page-width or full-width content
2. Containers are page width using <div> tag by default
3. Sections can have multiple containers.
4. Should typically remain page-width or be set to full width
5. Should not typically be used outside of a Section.
6. Containers are typically the parent of Divs or other content
7. Has native multi-column flexbox layout options in Bricks, but this use isn't recommended.

article#brxe-maubfk.brxe-maubfk.brxe-div.br-x-nestable.bg--base-ultra-light.border--red 663 x 246.38


Div

1. Use Divs as a swiss army knife.
2. Full width using <div> tag by default
3. Can be any width depending on use-case
4. Can be transformed into other semantic elements such as <article>, <a>, , , etc.
5. Parent of of other divs or content

Div

1. Use Divs as a swiss army knife.
2. Full width using <div> tag by default
3. Can be any width depending on use-case
4. Can be transformed into other semantic elements such as <article>, <a>, , , etc.
5. Parent of of other divs or content

```
><section id="brxe-dformk" class="brxe-dformk brxe-section brx-nestable text--base-ultra-dark border--red">...</section>
><section id="brxe-poxbwq" class="brxe-poxbwq brxe-section brx-nestable text--base-ultra-dark border--primary-light bg--base-ultra-light">...</section> flex
><section id="brxe-nghwpd" class="brxe-nghwpd brxe-section brx-nestable text--base-ultra-dark border--primary-light"> flex
  ><div id="brxe-kelkxm" class="brxe-kelkxm brxe-container brx-nestable"> flex
    ><div id="brxe-sbbmtc" class="brxe-sbbmtc brxe-div brx-nestable grid--2 gap--m border--primary-light"> grid
      ><article id="brxe-maubfk" class="brxe-maubfk brxe-div brx-nestable bg--base-ultra-light border--red">...</article> flex == $0
      ><div id="brxe-icayas" class="brxe-icayas brxe-div brx-nestable bg--base-ultra-light border--red">...</div> flex
    </div>
  </div>
</section>
><section id="brxe-lltuul" class="brxe-lltuul brxe-section brx-nestable">...</section> flex
</main>
```



Sections, Containers, Divs (Bu X | Sections, Containers, Divs - Bi X | Sections, Containers, Divs - B X | Atlanta Digital Marketing Agen X | The modern way to manage yo X +

monarchmoney.com

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Monarch Features Solutions Resources Company Download Sign in Sign up

Collaborate with a partner securely

Invite a partner to join your finances without the hassle of switching banks. They'll get their own login, and you'll both get a shared view of what's happening with your money.

Sign up Learn more

MY HOUSEHOLD

q

WELLS FARGO

V

citi

Do you have an emergency fund?

Yes No


Get personalized advice

Answer a few key questions about yourself to get advice on how to build financial resilience and make progress toward your goals.

Buy a home

Decide if you should rent or buy

All elements are in one section, but all have their own container



Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Container

#brxe-bcyxxu

grid--2

OTHER CLASS

grid--2

grid--2-1

grid--2-3

Align cross axis

Column gap px

Row gap px

Order 0

Flex grow 0

Flex shrink 1

Flex basis auto

digitalambition.co

Structure

Section

Container

grid--2

This is the footer.

-16:52

Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Div #brxe--sqjpdj

CONTENT STYLE

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align (div)

Align main axis

Align cross axis

Column gap px

Row gap px

Order 0

Flex grow 0

Flex shrink 1

Flex basis auto

digitalambition.co

The div (or block) takes exactly 50% of the space because it is a two-column grid

This is the footer.

Structure

- Section
- Container
- Div

16:23

Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

b

1878 100

Structure

Container

.grid--2

gap--xl

ELEMENT ID

#brxe-bcyaxa

ELEMENT CLASSES

.grid--2

OTHER CLASSES (2)

gap--xl

col-gap--xl

Align main axis

Align cross axis

Column gap

Row gap

Order

Flex grow

Flex shrink

Flex basis

digitalambition.co

This is the footer.

1

2

Section

Container

Div

Div

16:02

Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Container

.gap--x1 x 2

.grid--2 .gap--x1

CONTENT **STYLE**

Use query loop ☐

HTML tag

Display flex

Flex wrap no wrap

Direction row

Align (container) center

Align main axis center

Align cross axis center

Column gap 10px

Row gap 10px

Order 0

Flex grow 0

Flex shrink 1

Flex basis auto


digitalambition.co

Structure

- Section
 - Container
 - Div
 - Div

gap-x1

This is the footer.



Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Div #brxe-inulxb

CONTENT STYLE

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align (div)

Align main axis

Align cross axis

Column gap px

Row gap px

Order 0

Flex grow 0

Flex shrink 1


Flex basis auto

digitalambition.co

Duplicates are also real duplicates

Structure

- Section
 - Container
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div
 - Div



Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Container

.gap--xl

grid--l-1

ELEMENT ID

#brxe-bcyaxa

ELEMENT CLASSES

.grid--2

.gap--xl

OTHER CLASSES (1)

grid--l-1

Align main axis

Align cross axis

Column gap

Row gap

Order

Flex grow

Flex shrink

Flex basis

digitalambition.co

From left to right:
xl, l, m, s

grid--l-1' is exactly the same notation as in Bootstrap or Tailwind

This is the footer.


Structure


Section

Container

Div

Div





Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

butt

Button

NET WORTH

\$335,608.58

➔ \$2,506.20 (1.0%) This month

\$300K

\$150K

\$0

-\$150K

DEC

SPENDING

This month vs. last month

\$3k

\$2k

\$1k

Day 1 Day 15 Day 30

— THIS MONTH — LAST MONTH

★

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

The div is the button container

Structure

- Section
 - Container
 - Div
 - Div
 - Icon
 - Heading
 - Basic Text
 - Div

This is the footer.

no-advertisem....webp ^ security.webp ^ goals.webp ^ spending.webp ^ planning.webp ^ dashboard.webp ^ investments.webp ^ advice.webp ^ collaboration.webp x

-11:14

Div

#brxe-nhnen1

CONTENT

STYLE

Use query loop

HTML tag

div

Display

flex

Flex wrap

No wrap

Direction

2

Align (div)

Align main axis

Align cross axis

Column gap

px

Row gap

px

Order

0

Flex grow

0

Flex shrink

1

Flex basis

auto

Structure

Section

Container

Div

Div

Icon

Heading

Basic Text

1 Div

Button

Button

NET WORTH

\$335,608.58

\$2,506.20 (1.0%) This month

\$300K

\$150K

\$0

DEC

SPENDING

This month vs. last month

\$3k

\$2k

\$1k

Day 1

Day 15

Day 30

THIS MONTH

LAST MONTH

★

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

I am a button

I am a button

This is the footer.

no-advertisem....webp

security.webp

goals.webp

spending.webp

planning.webp


dashboard.webp

investments.webp

advice.webp

collaboration.webp

The buttons are a perfect example for Flexbox



Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Div #brxe-ninenl

CONTENT STYLE

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align (div)

Align main axis

Align cross axis

Column gap var(--space-s)

Row gap px

Order 0

Flex grow 0

Flex shrink 1

Flex basis auto

NET WORTH

\$335,608.58

\$2,506.20 (1.0%) This month

SPENDING

This month vs last month

Day 1 Day 15 Day 30

THIS MONTH LAST MONTH

★ Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

I am a button I am a button

One ACSS variable for narrow spacing

This is the footer.

no-advertisem....webp security.webp goals.webp spending.webp planning.webp dashboard.webp investments.webp advice.webp collaboration.webp

-09:00

Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Div

.owl--m x 1

.owl--m

CONTENT STYLE

Use query loop

HTML tag div

Display flex

Flex wrap No wrap

Direction

Align (div)

Align main axis

Align cross axis

Column gap

Row gap

Order

Flex grow

Flex shrink

Flex basis

NET WORTH

\$335,608.58

\$2,506.20 (1.0%) This month

\$300K

\$150K

\$0

-\$150K

DEC

SPENDING

This month vs. last month

\$3k

\$2k

\$1k

Day 1 Day 15 Day 30

THIS MONTH LAST MONTH

\$2,500

☆

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how much you're saving and spending each month. Customize the layout to focus on what matters to you.

I am a button I am a button

perfect spacing

This is the footer.

no-advertisem...webp security.webp goals.webp spending.webp planning.webp dashboard.webp investments.webp advice.webp collaboration.webp

-08:01

Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Button

.btn--outline x 2

.btn--primary .btn--outline

CONTENT STYLE

Learn More

Size Default

Style Primary

Circle

Outline

LINK

Link type

Select link type

ICON

Icon

Typography

Space between

NET WORTH

\$335,608.58

\$2,506.20 (1.0%) This month

SPENDING

This month vs. last month

Sign Up

Learn More

Structure

Section

Container

Div

Div

Icon

Heading

Basic Text

Div

Button

Button

This is the footer.

no-advertisem...webp security.webp goals.webp spending.webp planning.webp dashboard.webp investments.webp advice.webp collaboration.webp

-06:51

Monarch Features (Builder) x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Container

`.align-items--center`

`.grid--2 .grid--1-1 .gap--1`

`.align-items--center`

CONTENT **STYLE**

Use query loop ☐

HTML tag `div`

Display `flex`

Flex wrap `No wrap`

Direction `row`

Align (container)

Align main axis

Align cross axis

Column gap `10px`

Row gap `10px`

Order `0`

Flex grow `0`

Flex shrink `1`

Flex basis `auto`

Structure

- Section
 - Container
 - Div
 - Div
 - Icon
 - Heading
 - Basic Text
 - Div
 - Button
 - Button

NET WORTH

\$235,608.58

\$2,506.20 (1.0%)

SPENDING

This month vs. last month

Day 1 Day 15 Day 30

THIS MONTH LAST MONTH

Star icon

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

Sign Up Learn More

This is the footer.

no-advertisem...webp security.webp goals.webp spending.webp planning.webp dashboard.webp investments.webp advice.webp collaboration.webp

-06:08

Automatic CSS < Bricks — Wor

Monarch Features (Builder)

Monarch Features — Bricks

The modern way to manage yo

+


bricks.digitalgravy.dev/wp-admin/admin.php?page=automatic-css#acss-tab-viewport

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssHelpScoutGeniusInnerCircleACSSPlausible

Bricks30NewWS FormAutomatic CSS

Howdy, kevin@digitalgravy.co

WS Form PRO is not licensed. Please enter your license key [here](#) to receive software updates and support.



Viewport

Palette

Typography

Spacing

Buttons & Links

Additional Styling

Options

Guides

SAVE CHANGES

Version 2.0.0-beta2-202207251944

Viewport

Website width & breakpoints.

Breakpoints

Website Width (XL)	1140	px	↺
Vertical Tablet (L)	992	px	↺
Horizontal Phone (M)	768	px	↺
Vertical Phone (S)	480	px	↺
Viewport Minimum	320	px	↺

Automatic CSS Settings

no-advertisem....webp

security.webp

goals.webp

spending.webp

planning.webp

dashboard.webp

investments.webp

advice.webp


collaboration.webp

◀▶⏮⏭⏯⏸⏹

-05:02

🔊

🔍



The container has been duplicated and now the appropriate spacing must be set




Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

[Sign Up](#)[Learn More](#)

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

[Sign Up](#)[Learn More](#)

Automatic CSS < Bricks — Wor x Monarch Features (Builder) x Monarch Features — Bricks x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Section

2

CONTENT STYLE

HTML tag section

Display flex

Flex wrap No wrap

Direction

Align (section)

Align main axis

Align cross axis

Column gap

Row gap

Order

Flex grow

Flex shrink

Flex basis

Structure

1

Section

Container

Div

Div

Icon

Heading

Basic Text

Div

Button

Button

Container

Div

Image

Div

Icon

Heading

Basic Text

Div

Button

no-advertisem...webp security.webp goals.webp spending.webp planning.webp dashboard.webp investments.webp advice.webp collaboration.webp

NET WORTH
\$335,608.58
\$2,506.20 (1.0%) This month

SPENDING
This month vs. last month

Day 1 Day 15 Day 30

THIS MONTH LAST MONTH

Star icon

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

Sign Up Learn More


Star icon

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

03:06

By simply swapping the div we achieve the alternation



Automatic CSS < Bricks — Wor x Monarch Features (Builder) x Monarch Features — Bricks x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Dimensions: Responsive 560 x 1005 100% No throttling

digitalambition.co

NET WORTH
\$335,608.58
\$2,506.20 (1.0%) This month


SPENDING
This month vs. last month
\$2.500

★
Fully customize your dashboard and charts

Waiting for bricks.digitalgrav...

no-advertisem...webp security.webp goals.webp spending.webp planning.webp dashboard.webp investments.webp advice.webp collaboration.webp

For mobile the graphic should come first and then the text



Automatic CSS < Bricks — Wor x Monarch Features (Builder) x Monarch Features — Bricks x The modern way to manage yo x +

bricks.digitalgravy.dev/monarch-features/

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css HelpScout Geni.us InnerCircle ACSS Plausible

Dimensions: Responsive 560 x 1005 100% No throttling

Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

[Sign Up](#) [Learn More](#)

☆ ●

Fully customize your dashboard and charts


Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

[Sign Up](#) [Learn More](#)


NET WORTH
\$335,608.58
▲ \$2,506.20 (1.0%) This month

no-advertisem....webp security.webp goals.webp spending.webp planning.webp dashboard.webp investments.webp advice.webp collaboration.webp

But does not work by itself



The image is a screenshot of a web browser displaying a dashboard builder interface. The browser's address bar shows the URL 'bricks.digitalgravy.dev/monarch-features/?bricks=run'. The browser's developer tools are open, showing the 'Structure' panel on the right with a yellow circle '1' highlighting a 'Div' element. The main content area displays a dashboard preview with a star icon, the text 'Fully customize your dashboard and charts', and a description: 'Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.' Below this text are two buttons: 'Sign Up' and 'Learn More'. The dashboard preview also shows a 'NET WORTH' section with '\$335,608.58' and a 'SPENDING' section with a line chart titled 'This month vs. last month'. The left sidebar of the dashboard builder shows various settings like 'HTML tag', 'Display', 'Flex wrap', 'Direction', 'Align (div)', 'Align main axis', 'Align cross axis', 'Column gap', 'Row gap', 'Order', 'Flex grow', 'Flex shrink', and 'Flex basis'. A yellow circle '2' highlights the 'CONTENT' tab. At the bottom of the browser, a navigation bar lists several webp files: 'no-advertisem....webp', 'security.webp', 'goals.webp', 'spending.webp', 'planning.webp', 'dashboard.webp', 'investments.webp', 'advice.webp', and 'collaboration.webp'. In the bottom right corner, there is a circular inset image of a man wearing a red shirt and a black cap, looking towards the left.





Fully customize your dashboard and charts

Use our beautiful reports, charts, and visualizations to identify trends in your finances, like how you much you're saving and spending each month. Customize the layout to focus on what matters to you.

[Sign Up](#)[Learn More](#)

1. Container

2. Container

