



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Adventure JS MTLC

nav

Nav Menu Post Navigation

Geary.co

Home About Services Reviews Blog

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

00:55



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Header (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595428

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30NewWSFormEdit with BricksAutomatic CSS

Howdy, Natalia Doe

Gearry.co

HomeAboutServicesReviewsBlog



All Calendars



01:14

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595428

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

Dimensions: Responsive 1860 x 333 100% No throttling

bricks-acss Customize 3 0 + New WS Form Edit with Bricks Automatic CSS

Howdy, Natalia Doe

Geary.co

Home About Services Reviews Blog

li#menu-item-817.menu-item.men
u-item-type-custom.menu-item-o
bject-custom.menu-ite...

47.99 x 27

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<div id="brxe-nyuhkk" class="brxe-nav-menu">
  <nav class="bricks-nav-menu-wrapper mobile_landscape">
    <ul id="menu-menu" class="bricks-nav-menu" role="menubar">
      <li id="menu-item-817" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-home menu-item-817 bricks-menu-item" role="menuitem" data-top-index="0">
      <li id="menu-item-2736" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2736 bricks-menu-item" role="menuitem" data-top-index="1">
      <li id="menu-item-2737" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2737 bricks-menu-item" role="menuitem" data-top-index="2">
      <li id="menu-item-2738" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2738 bricks-menu-item" role="menuitem" data-top-index="3">
      <li id="menu-item-2739" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2739 bricks-menu-item" role="menuitem" data-top-index="4">
    </ul>
  </nav>
</div>
```

Styles Computed Layout

Filter :hov .cls +

element.s
}
:wh
e-
.h
}
[id
sc

41:1
97:6

r-header-alpha div.brxe-container.fr-header-alpha__inner div#brxe-nyuhkk.brxe-nav-menu nav.bricks-nav-menu-wrapper.mobile_landscape ul#menu-menu.bricks-nav-menu


All Calendars

amazon music

23

01:44





Stop Making This COMMON MISTAKE With Your Header Menus.mp4


Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595428

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

Dimensions: Responsive 436 x 333 100% No throttling



That's also one of the problems

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<!DOCTYPE html>
<html lang="en-US" class="no-js no-svg">
  <head>
    ...
  </head>
  <body class="bricks_template-template-default single single-bricks_template postid-2705 logged-in admin-bar brx-body bricks-is-frontend wp-embed-responsive customize-support" data-new-gr-c-s-check-loaded="14.1101.0" data-gr-ext-installed cz-shortcut-listen="true">
    <a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a>
    <header id="brx-header">
      ...
    </header>
    <main id="brx-content" class="brxe-container layout-default">
      ...
    </main>
    <script src="http://bricksacss.local/wp-includes/js/hoverintent-js.min.js?ver=2.2.1" id="hoverintent-js-js"></script>
    <script src="http://bricksacss.local/wp-includes/js/admin-bar.min.js?ver=6.1.1" id="admin-bar-js"></script>
    <script id="bricks-scripts-js-extra">
      ...
    </script>
    <script src="http://bricksacss.local/wp-content/themes/bricks/assets/js/bricks.min.js?ver=1677615239" id="bricks-scripts-js"></script>
    <script>
      ...
    </script>
  </body>
</html>
```

body.bricks_template-template-default.single.single-bricks_template.postid-2705.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-embed-responsive.customize-support

Styles Computed Layout

Filter :hov .cls +

element.s

body

-i

f

98:2

1

...



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Customize: Header (Template)

Not Secure | bricksacss.local/wp-admin/customize.php?url=http%3A%2F%2Fbricksacss.local%2Ftemplate%2Fheader%2F%3Fbricks_preview%3D1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

Published

Search menu items...

Customizing • Menus

Menu

Menu Name

Menu

HomeCustom Link

AboutCustom Link

ServicesCustom Link

ReviewsCustom Link

BlogCustom Link

Reorder

Add Items

Menu Locations

Here's where this menu appears. If you would like to change that, pick another location.

Menu Options

☐ Automatically add new top-level pages to this menu

Delete Menu

Custom Links

URL#

Link TextSign up

Add to Menu

Pages

Posts

Reviews

Tools

Testimonials

My Templates

Categories

Tags

Template Tag

Template Bundle

Geary.co

HomeAboutServ

This is the right way

06:04



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

bricks-acss Customize 3 0 + New WS Form Edit with Bricks Automatic CSS Howdy, Natalia Doe

Geary.co

Home About Services Reviews Blog Sign up Contact Us

Now we have the 2 links as part of our menu



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

Dimensions: Responsive 1565 x 336 100% No throttling

bricks-acss Customize 3 0 + New WS Form Edit with Bricks Automatic CSS Howdy, Natalia Doe

Geary.co

Home About Services Reviews Blog Sign up Contact Us

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<li id="menu-item-2730" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2730 bricks-menu-item" role="menuitem" data-top-index="1"></li>
<li id="menu-item-2737" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2737 bricks-menu-item" role="menuitem" data-top-index="2"></li>
<li id="menu-item-2738" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2738 bricks-menu-item" role="menuitem" data-top-index="3"></li>
<li id="menu-item-2739" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2739 bricks-menu-item" role="menuitem" data-top-index="4"></li>
<li id="menu-item-2769" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2769 bricks-menu-item" role="menuitem" data-top-index="5">
  <a href="#">Sign up</a>
</li>
<li id="menu-item-2771" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-2771 bricks-menu-item" role="menuitem" data-top-index="6"></li>
```

We want to target the last 2 menu elements

div#brxe-nyuhkk.brxe-nav-menu nav.bricks-nav-menu-wrapper.mobile_landscape ul#menu-menu.bricks-nav-menu

Styles Computed Layout

Filter :hov .cls +

element

:wh


e-

.h

12:1

97:6

07:54



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPi

Not Secure | bricksacss.local/wp-admin/nav-menus.php

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acss30NewWS FormAutomatic CSSHowdy, Natalia Doe

DashboardBricksPostsMediaPagesCommentsReviewsToolsTestimonialsWS FormAppearanceThemesCustomizeWidgetsMenusTheme File EditorPlugins 3UsersToolsSettingsAutomatic CSSMeta BoxWPCodeBoxEasy Author

Screen elements

Some screen elements can be shown or hidden by using the checkboxes. They can be expanded and collapsed by clicking on their headings, and arranged by dragging their headings or by clicking on the up and down arrows.

☒ Pages☒ Posts☒ Reviews☒ Tools☒ Testimonials☐ My Templates☒ Custom Links☒ Categories☐ Tags☐ Template Tag☐ Template Bundle

Show advanced menu properties

☐ Link Target☐ Title Attribute☒ Classes☐ Link Relationship (XFN)☐ Description

Menus

Manage with Live Preview

Edit Menu

You need to activate the classes option before you can create a class for the specific menu item

Edit your menu below, or [create a new menu](#). Do not forget to save your changes!

Add menu items

Menu structure

Pages

Most RecentView AllSearch

☐ Ribbons☐ Logos☐ Blank☐ Modal☐ Slider☐ Cutout Image☐ Blob Image☐ Typography

☐ Select AllAdd to Menu

Posts

Menu Name

Menu

Drag the items into the order you prefer. Click the arrow on the right of the item to reveal additional configuration options.

☐ Bulk Select

Home

Custom Link

About

Custom Link

Services

Custom Link

Reviews

Custom Link

Delete Menu

1

Screen Options

2

09:12





Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPi

Not Secure | bricksacss.local/wp-admin/nav-menus.php

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acss30NewWS FormAutomatic CSSHowdy, Natalia Doe

MediaPagesCommentsReviewsToolsTestimonialsWS FormAppearanceThemesCustomizeWidgetsMenusTheme File EditorPlugins 3UsersToolsSettingsAutomatic CSSMeta BoxWPCodeBoxEasy Author Avatar Image SettingsPlasterCollapse menu

☐ Cutout Image

☐ Blob Image

☐ Typography

☐ Select All

Add to Menu

Posts

Reviews

Tools

Testimonials

Custom Links

Categories

AboutCustom Link

ServicesCustom Link

ReviewsCustom Link

BlogCustom Link

Sign upCustom Link

URL

#

Navigation Label

Sign up

CSS Classes (optional)

cta

MoveUp oneUnder BlogTo the top

RemoveCancel

☐ Bulk Select

Remove Selected Items

Menu Settings

Auto add pages

☐ Automatically add new top-level pages to this menu

Display location

Delete Menu

This is one way to do it: a custom class



All Calendars

Calendar icons

09:32





Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template) x Menu < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

Dimensions: Responsive1565x336100%No throttling

bricks-acssCustomize30NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe



nav.bricks-nav-menu-wrapper.mobile_landscape505.59 x 27

HomeAboutServicesReviewsBlogSign up

ElementsConsoleSourcesNetworkPerformanceMemoryApplicationSecurityLighthouseRecorderPerformance insights

<header id="brx-header">

...<nav class="bricks-nav-menu-wrapper mobile_landscape">...</nav> == \$0<button class="bricks-mobile-menu-toggle" aria-haspopup="true" aria-label="Mobile menu" aria-pressed="false">...</button><nav class="bricks-mobile-menu-wrapper left">...</nav>flex

StylesComputedLayout>>Filter: :hov...cls+...element...}art...:1as...f...m...}...:1*...;}

div#brxe-5b9780.brxe-section.fr-header-alpha div.brxe-container.fr-header-alpha__inner div#brxe-nyuhkk.brxe-nav-menu nav.bricks-nav-menu-wrapper.mobile_landscape

There are no direct UL!



All Calendars

amazon musicGoogleCalendar23FirefoxSafariWhatsAppDiscordLrPsZoom

11:44



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

CSS Filters

[Learn more about CSS filters](#)

CSS transition

all 0.2s ease-in

[Learn more about CSS transitions](#)

• Custom CSS

```
1 root > nav > ul > li:last-child {
2   border: 5px solid red;
3 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

Home About Services Reviews Blog **Sign up**

That's how we target only the last item



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPrHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30+ NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe



HomeAboutServicesReviewsBlogSign up

It looks as we're having some weird alignment issues. The other elements are higher up

All Calendars



12:59



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x | Menus < bricks-acss — WordP x | Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

Dimensions: Responsive 1565 x 336 100% No throttling

bricks-acss Customize 3 0 + New WS Form Edit with Bricks Automatic CSS Howdy, Natalia Doe

Geary.co

Home About Services Reviews Blog Sign up

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<div id="brxe-5b9780" class="brxe-section fr-header-alpha">
  <div class="brxe-container fr-header-alpha__inner">
    <figure id="brxe-htustw" class="brxe-image tag">
    <div id="brxe-nyuhkk" class="brxe-nav-menu">
      <nav class="bricks-nav-menu-wrapper mobile_landscape">
        <ul id="menu-menu" class="bricks-nav-menu" role="menubar">
        </nav>
        <button class="bricks-mobile-menu-toggle" aria-haspopup="true" aria-label="Mobile menu" aria-pressed="false">
        <nav class="bricks-mobile-menu-wrapper left">
          <div class="bricks-mobile-menu-overlay">
        </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

The UL is set to display flex

Styles Computed Layout

Filter :hov .cls +

element

24:1

97:6

... r-header-alpha div.brxe-container.fr-header-alpha__inner div#brxe-nyuhkk.brxe-nav-menu nav.bricks-nav-menu-wrapper.mobile_landscape ul#menu-menu.bricks-nav-menu

13:12

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

CSS Filters

[Learn more about CSS filters](#)

CSS transition

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:last-child {
2   border: 5px solid red;
3 }
4
5 root > nav > ul {
6   align-items: center;
7 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

Home About Services Reviews Blog Sign up

Geary.co

13:44

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template) x Menu < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

Dimensions: Responsive1565x336100%No throttling

bricks-acssCustomize30NewWSFormEdit with BricksAutomatic CSS

Howdy, Natalia Doe



HomeAboutServicesReviewsBlogSign up

ElementsConsoleSourcesNetworkPerformanceMemoryApplicationSecurityLighthouseRecorderPerformance insights

```
<!DOCTYPE html>
<html lang="en-US" class="no-js no-svg">
  <head>
  </head>
  <body class="bricks_template-template-default single single-bricks_template postid-2705 logged-in admin-bar brx-body bricks-is-frontend wp-embed-responsive customize-support" data-new-gr-c-s-check-loaded="14.1101.0" data-gr-ext-installed cz-shortcut-listen="true">
    <a class="skip-link" href="#brx-content" aria-label="Skip to main content">Skip to main content</a>
    <header id="brx-header">
      <div id="brxe-5b9780" class="brxe-section fr-header-alpha">
        <div class="brxe-container fr-header-alpha__inner">
          <figure id="brxe-htustw" class="brxe-image tag">
          </figure>
          <div id="brxe-nyuhkk" class="brxe-nav-menu">
            <nav class="bricks-nav-menu-wrapper mobile_landscape">
              <ul id="menu-menu" class="bricks-nav-menu" role="menubar">

```

StylesComputedLayout>>Filter: :hov .cls +



amazonmusic

23

23

13:51

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPrHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

#brxe-nyuhkk

CONTENTSTYLE

CSS Filters

[Learn more about CSS filters](#)

CSS transition

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:last-child {
2   background-color: var(--action);
3   padding: .75em 1.5em;
4   line-height: 1;
5   border-radius: .35em;
6 }
7
8 root > nav > ul {
9   align-items: center;
10 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Geary.co

HomeAboutServicesReviewsBlogSign up

Structure

Header Alpha

Inner

Logo

Nav Menu

These are the rules to make the link look like a button.

With ACSS there's a more elegant way

All Calendars

15:01



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

CSS Filters

[Learn more about CSS filters](#)

CSS transition

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:last-child {
2   background-color: var(--action);
3   padding: .75em 1.5em;
4   line-height: 1;
5   border-radius: .35em;
6 } border: radius;
7
8 root > nav > ul {
9   align-items: center;
10 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

Home About Services Reviews Blog Sign up

Geary.co

You should use variables for all these things

All Calendars

15:16

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

CSS Filters

[Learn more about CSS filters](#)

CSS transition

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:last-child {
2   background-color: var(--action);
3   padding: .75em 1.5em;
4   line-height: 1;
5   border-radius: .35em;
6   color: var(--action-ultra-dark);
7 }
8
9 root > nav > ul > li:last-child a {
10   font-weight: 600;
11 }
12
13 root > nav > ul {
14   align-items: center;
15 }
```

Use "root" to target the element wrapper: root { background: blue }


CSS classes

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

Home About Services Reviews Blog Sign up

Geary.co



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPiHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30+ NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe



HomeAboutServicesReviewsBlogSign up

All Calendars



16:07



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header?backs=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

CSS Filters

[Learn more about CSS filters](#)

CSS transition

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:last-child {
2   background-color: var(--action);
3   padding: .75em 1.5em;
4   line-height: 1;
5   border-radius: .35em;
6   color: var(--action-ultra-dark);
7   margin-left: 8em;
8 }
9
10 root > nav > ul > li:last-child a {
11   font-weight: 600;
12 }
13
14 root > nav > ul {
15   align-items: center;
16 }
```

Use "root" to target the element wrapper: root { background: blue }


CSS classes

Geary.co

Home About Services Reviews Blog Sign up

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPrHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30+ NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe



HomeAboutServicesReviewsBlog

Sign up

All Calendars



16:29

A circular video inset in the bottom right corner of the screen shows a man with short brown hair, wearing glasses and a white baseball cap with a red logo. He is wearing a blue t-shirt and appears to be speaking or presenting. The background behind him is slightly blurred, showing what looks like an office or studio environment.

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

SPACING

Margin

Padding

SIZING

Width

Min. width

Max. width 100%

Height

Min. height

Max. height

POSITIONING

Position static

Geary.co

Home About Services Reviews Blog Sign up

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

Why does the menu stop here on the left? Because it's not a 100% width

All Calendars

amazon music

23

17:04

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

SPACING

Margin

Padding

SIZING

- Width 100%
- Min. width
- Max. width 100%
- Height
- Min. height
- Max. height

POSITIONING


Position static

Geary.co

Home About Services Reviews Blog Sign up

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

SPACING

Margin

Padding

SIZING

Width 100%

Min. width

Max. width 100%

Height

Min. height

Max. height

POSITIONING

Position

bricksacss.local/template/header/?bricks=run&brickspreview#

All Calendars

17:38

This gap we don't want

And the button came with the menu



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 root > nav > ul > li:last-child {
6   background-color: var(--action);
7   padding: .75em 1.5em;
8   line-height: 1;
9   border-radius: .35em;
10  color: var(--action-ultra-dark);
11  margin-left: 8em;
12 }
13
14 root > nav > ul > li:last-child a {
15   font-weight: 600;
16 }
17
18 root > nav > ul {
19   align-items: center;
20 }
```

Geary.co

Home About Services Reviews Blog Sign up

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

All Calendars

18:25



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPiHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30+ NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe

Geary.co

HomeAboutServicesReviewsBlog

Sign up

All Calendars

18:35



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav > ul > li:last-child {
7   background-color: var(--action);
8   padding: .75em 1.5em;
9   line-height: 1;
10  border-radius: .35em;
11  color: var(--action-ultra-dark);
12  margin-left: auto;
13 }
14
15
16 root > nav > ul > li:last-child a {
17   font-weight: 600;
18 }
19
20 root > nav > ul {
21   align-items: center;
22 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

All Calendars

margin-left: auto;

Geary.co

Home About Services Reviews Blog

Sign up

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu





Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPiHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30+ NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe

Geary.co

HomeAboutServicesReviewsBlog


Sign up

All Calendars

App StoreAmazon MusicCalendarCalendar23FirefoxSafariSlackTelegramVisual Studio CodeVS CodeGmailLIVEClipsiCloudDiscordDropboxLrPsZoomCreative CloudApp StoreSystem Preferences3PrinterCalendar23CalendarDownloadTaskbar

20:26





Stop Making This COMMON MISTAKE With Your Header Menus.mp4


Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC »

Dimensions: Responsive 617 x 534 100% No throttling



Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<nav class="bricks-nav-menu-wrapper mobile_landscape">...</nav>  
<button class="bricks-mobile-menu-toggle" aria-haspopup="true" aria-label="Mobile menu" aria-pressed="false">...</button>  
...  
<nav class="bricks-mobile-menu-wrapper left">...</nav> flex == $0  
  ::before  
    <ul id="menu-menu-1" c
```

There's a class which can help us out here

brxe-5b9780.brxe-section.fr-header-alpha div.brxe-container.fr-header-alpha__inner div#brxe-nyuhkk.brxe-nav-menu.show-mobile-menu nav.bricks-mobile-menu-wrapper.leftbrxe

21:27



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child {
7   background-color: var(--action);
8   padding: .75em 1.5em;
9   line-height: 1;
10  border-radius: .35em;
11  color: var(--action-ultra-dark);
12  margin-inline-start: auto;
13 }
14 }
15
16 root > nav > ul > li:last-child a {
17   font-weight: 600;
18 }
19
20 root > nav > ul {
21   align-items: center;
22 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

All Calendars

Geary.co

Home About Services Reviews Blog

Sign up

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

The rules only apply if it's not the mobile menu wrapper



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC »

Dimensions: Responsive 617 x 534 100% No throttling

Now we can see it because it has no individual styles any more


Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<nav class="bricks-nav-menu-wrapper mobile_landscape">...</nav>
<button class="bricks-mobile-menu-toggle" aria-haspopup="true" aria-label="Mobile menu" aria-pressed="false">...</button>
<nav class="bricks-mobile-menu-wrapper left"> flex == $0
  ::before
  <ul id="menu-menu-1" class="bricks-mobile-menu" role="menubar">...</ul>
```

brxe-5b9780.brxe-section.fr-header-alpha div.brxe-container.fr-header-alpha_inner div#brxe-nyuhkk.brxe-nav-menu.show-mobile-menu nav.bricks-mobile-menu-wrapper.leftbrxe 940:1

All Calendars

22:51



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPi x Customize: Header (Template) x

Not Secure | bricksacss.local/wp-admin/customize.php?url=http%3A%2F%2Fbricksacss.local%2Ftemplate%2Fheader%2F%3Fbricks_preview%3D1679595819

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

Published

Customizing • Menus
Menu

Menu Name

Menu

Home	Custom Link ▼
About	Custom Link ▼
Services	Custom Link ▼
Reviews	Custom Link ▼
Blog	Custom Link ▼
Contact Us	Custom Link ▼
Sign up	Custom Link ▼

Reorder + Add Items

Menu Locations

Here's where this menu appears. If you would like to change that, pick another location.

Menu Options

☐ Automatically add new top-level pages to this menu

[Delete Menu](#)

Hide Controls

Geary.co Home About Services Reviews Blog Contact Us Sign up

Of course you can swap their position easily

24:25



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Customize: Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Adventure JS MTLK

CONTENT STYLE

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav:not(.bricks-mobile-menu-wrapper) .header-cta {
7   background-color: var(--action);
8   padding: .75em 1.5em;
9   line-height: 1;
10  border-radius: .35em;
11  color: var(--action-ultra-dark);
12  margin-inline-start: auto;
13 }
14
15
16 root > nav > ul > li:last-child a {
17   font-weight: 600;
18 }
19
20 root > nav > ul {
21   align-items: center;
22 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Structure

Header Alpha

Inner

Logo

Nav Menu

Preview mode

Geary.co

Home About Services Reviews Blog Sign up

Much cleaner

amazon music

23

24:55

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPrHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe



HomeAboutServicesReviewsBlog

Signup

Contact Us

Now our added menu item sits beside the button which can be desired



All Calendars



26:03

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordP x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-
7   child {
8   background-color: var(--action);
9   padding: .75em 1.5em;
10  line-height: 1;
11  border-radius: .35em;
12  color: var(--action-ultra-dark);
13  margin-inline-start: auto;
14 }
15 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-
16   child a {
17   font-weight: 600;
18 }
19 root > nav > ul {
20   align-items: center;
21 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

bricksacss.local/template/header/?bricks=run&brickspreview#

All Calendars

Now we have set everything back to the last child instruction to show another technique

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

29:28

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPr x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC

#brxe-nyuhkk

CONTENT STYLE

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child {
7   background-color: var(--action);
8   padding: .75em 1.5em;
9   line-height: 1;
10  border-radius: .35em;
11  color: var(--action-ultra-dark);
12  margin-inline-start: auto;
13 }
14
15 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:nth-last-child(2) {
16   border: 5px solid red;
17 }
18
19 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child a {
20   font-weight: 600;
21 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign

All Calendars v

Geary.co

Home About Services Reviews Blog **Contact Us** Sign up

Structure

- Header Alpha
 - Inner
 - Logo
 - Nav Menu

This is how we can select items by their number / order

31:08

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

#brxe-nyuhkk

CONTENT

STYLE

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child {
7   background-color: var(--action);
8   padding: .75em 1.5em;
9   line-height: 1;
10  border-radius: .35em;
11  color: var(--action-ultra-dark);
12  margin-inline-start: auto;
13 }
14
15 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:nth-last-child(2) {
16   margin-inline-start: auto;
17 }
18
19 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child a {
20   font-weight: 600;
21 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign

Geary.co

HomeAboutServicesReviewsBlogContact Us

Sign up

Structure

Header Alpha

Inner

Logo

Nav Menu

31:22



Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPrHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

#brxe-nyuhkk

CONTENT

STYLE

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child {
7   background-color: var(--action);
8   padding: .75em 1.5em;
9   line-height: 1;
10  border-radius: .35em;
11  color: var(--action-ultra-dark);
12  margin-inline-start: auto;
13 }
14
15 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:nth-last-child(2) {
16   margin-inline-start: auto;
17 }
18
19 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child a {
20   font-weight: 600;
21 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign

Geary.co

HomeAboutServicesReviewsBlogContact UsSign up

Structure

Header Alpha

Inner

Logo

Nav Menu

These 2 instructions are competing!





Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

#brxe-nyuhkk

CONTENTSTYLE

all 0.2s ease-in

[Learn more about CSS transitions](#)

Custom CSS

```
1 root > nav > ul > li:first-child {
2   margin-left: 0;
3 }
4
5 /* Target & style the last item */
6 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child {
7   background-color: var(--action);
8   padding: .75em 1.5em;
9   line-height: 1;
10  border-radius: .35em;
11  color: var(--action-ultra-dark);
12 }
13
14 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:nth-last-child(4) {
15   margin-inline-start: auto;
16 }
17
18 root > nav:not(.bricks-mobile-menu-wrapper) > ul > li:last-child a {
19   font-weight: 600;
20 }
21
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign

Geary.co

HomeAboutServicesReviewsBlogContact UsSign up


Structure

Header Alpha

Inner

Logo

Nav Menu





All Calendars



32:59

Stop Making This COMMON MISTAKE With Your Header Menus.mp4

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Header (Template)Menus < bricks-acss — WordPHeader (Template)

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usPings unreadInnerCircleHey! Notification i...ACSSUserMavenAvventureJSMTLC

bricks-acssCustomize30NewWS FormEdit with BricksAutomatic CSSHowdy, Natalia Doe



HomeAboutServicesReviewsBlog

Contact Us

Sign up

All Calendars



33:17



Stop Making This COMMON MISTAKE With Your Header Menus.mp4


Chrome File Edit View History Bookmarks Profiles Tab Window Help

Header (Template) x Menus < bricks-acss — WordPi x Header (Template) x +

Not Secure | bricksacss.local/template/header/?bricks_preview=1679595819

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us Pings unread InnerCircle Hey! Notification i... ACSS UserMaven Avventure JS MTLC »

Dimensions: Responsive ▾ 650 x 534 100% ▾ No throttling ▾



Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<!DOCTYPE html>
<html lang="en-US" class="no-js no-svg">
  <head> ... </head>
  <body class="bricks_template-template-default single single-bricks_template postid-2705 logged-in admin-bar brx-body bricks-is-frontend wp-embed-respon
sive customize-support no-scroll" data-new-gr-c-s-check-loaded="14.1101.0" data-gr-ext-installed cz-shortcut-listen="true"> flex == $0
  ... body.bricks_template-template-default.single.single-bricks_template.postid-2705.logged-in.admin-bar.brx-body.bricks-is-frontend.wp-embed-responsive.customize-support.no-scr ... body.
```

All Calendars ▾

33:22



