


These „glow“ elements
we're working with

Join over 1000 agency owners & freelancers in my Inner Circle

A circular portrait of a middle-aged man with short, graying hair, wearing glasses and a blue and white checkered shirt. He is looking directly at the camera with a neutral expression. The background is a blurred green foliage.

- ## Join the Inner Circle

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Image

#brxe-kaletz

CONTENT

STYLE

BROWSE UNSPLASH

Full (826x1201)

HTML tag

figure

Object fit

Cover

Object position

50% 50%

Kevin Geary

Agency owner & WordPress entrepreneur

Home

About

Projects

Videos

Blog

Tools

Inner Circle

Always. Be. Creating.

We create the accent elements from scratch

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Creator of Frames

CEO of Digital Gravy

Educator & Content Creator

1000+ Member Inner Circle

Join my list

Hire me

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item


Icon

Text

List Item

Icon

03:39



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Select or create pseudo-class ...

:hover

:active

:focus

::before

CONTENT

STYLE



BROWSE UNSPLASH

Full (826x1201)

HTML tagfigure

Recommendation: Just don't use the pseudo elements from the panel of any builder. Better write custom CSS for this. It's easier to maintain because it's not spread all over the place

who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of Automatic.css

✔ Creator of Frames

✔ CEO of Digital Gravy

✔ Educator & Content Creator

✔ 1000+ Member Inner Circle

Join my list

Hire me

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

Menu

04:33

Recommendation: Just don't use the pseudo elements from the panel of any builder. Better write custom CSS for this. It's easier to maintain because it's not spread all over the place

who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✔ Creator of [Automatic.css](#)
- ✔ Creator of [Frames](#)
- ✔ CEO of [Digital Gravy](#)
- ✔ Educator & [Content Creator](#)
- ✔ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Menu

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenAvventureJS

Select or create pseudo-class ...

.blur

CONTENTSTYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

1 .blur::before

outline-width: 1px; outline-color: #007bff; outline-style: solid; border-radius: 5px; padding: 5px; margin: 5px; background-color: #fff; width: 100%; height: 100%;

Use "root" to target the element wrapper: root { background: blue; }

CSS classes

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of [Automatic.css](#)

CEO of [Digital Gravy](#)

Educator & [Content Creator](#)

1000+ Member [Inner Circle](#)

Join my list

Hire me

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

Menu

HomeFrames

This you would write in WP Code Box

1 .blur::before

outline-width: 1px; outline-color: #007bff; outline-style: solid; border-radius: 5px; padding: 5px; margin: 5px; background-color: #fff; width: 100%; height: 100%;

06:24

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

CONTENT

STYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

1 root::before

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Join my list Hire me

Menu

Home Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

But if you put your CSS in the Builder you write 'root' which addresses the active or the ID (so that one which is selected)

Use "root" to target the element wrapper: root { background: blue }

CSS classes

amazon music

7

14

7

LIVE

Lr

Ps

zoom

06:31



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks_preview=1676388738

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Elements >> 1

Dimensions: Responsive 1074 x 708 100% No throttling

<div id="brxe-qzorcq" class="brxe-div fr-hero-alpha__content">...</div> flex

<figure id="brxe-kaietz" class="brxe-image blur tag" data-bbox="70 250 180 340">::before</figure> picture class="css-fitter size" full sp-no-webp" decoding="async" loading="eager">...</picture></figure></div></section></main><footer id="brx-footer">...</footer><script type="text/javascript">...</script><script type="text/javascript">...</script>

Styles Computed Layout >>

Filter :hov .cls +

element.style { }

#brxe-kaietz { post-4956.m...676389588:1

Console What's New x

Highlights from the Chrome 109 update

Kevin Geary

Agency owner & WordPress entrepreneur

Home About Projects Videos Blog Tools

Inner Circle

Howdy, Kevin Geary

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Creator of Frames

CEO of Digital Gravy

Educator & Content Creator

1000+ Member Inner Circle

It's important to know that pseudo elements are inside the parent element



07:42

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root::before {
2   content: "A";
3 }
4
5 root::after {
6   content: "B";
7 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✓ Creator of [Automatic.css](#)

✓ Creator of [Frames](#)

✓ CEO of [Digital Gravy](#)

✓ Educator & [Content Creator](#)

✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon


Text

List Item

Icon

Save draft

08:01



Important to know: The pseudo element pushes the parent element out of position!

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root::before {
2   content: "";
3   width: 40rem;
4   height: 40rem;
5   border: 5px solid red;
6 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✓ Creator of [Automatic.css](#)

✓ Creator of [Frames](#)

✓ CEO of [Digital Gravy](#)

✓ Educator & [Content Creator](#)

✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item


Icon

Text

List Item

Icon

11:01



Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

What is going on here?

Me

Home

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENTSTYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root::before {
2   content: "";
3   width: 40rem;
4   height: 40rem;
5   border: 5px solid red;
6   display: flex;
7 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✓ Creator of [Automatic.css](#)

✓ Creator of [Frames](#)

✓ CEO of [Digital Gravy](#)

✓ Educator & [Content Creator](#)

✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

HomeFrames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

11:25

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)


Join my list

Hire me

Geary.co

Menu

HomeFrames



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root::before {
2   content: "";
3   width: 40rem;
4   height: 40rem;
5   border: 5px solid red;
6   display: flex;
7   position: absolute;
8 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

12:06

A circular video inset in the bottom right corner of the screen shows Kevin Geary, the creator of the website being edited. He is wearing a black t-shirt, a black baseball cap with a logo, and glasses. He is speaking and gesturing with his hands.

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks_preview=1676388738

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Kevin Geary

Customize

1

1

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Rank Math SEO

Automatic CSS

Perfmatters

Howdy, Kevin Geary



Kevin Geary

Agency owner & WordPress entrepreneur

Home

About

Projects

Videos

Blog

Tools

Inner Circle

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of [Automatic.css](#)

✔ Creator of [Frames](#)

✔ CEO of [Digital Gravy](#)


✔ Educator & [Content Creator](#)

✔ 1000+ Member [Inner Circle](#)

Join my list

Hire me





12:11



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENTSTYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root::before {
2   content: "";
3   width: 40rem;
4   height: 40rem;
5   background-color: red;
6   display: flex;
7   position: absolute;
8 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✓ Creator of [Automatic.css](#)

✓ Creator of [Frames](#)

✓ CEO of [Digital Gravy](#)

✓ Educator & [Content Creator](#)

✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Menu

HomeFrames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

Red is just a random color that we see something in the frontend

Geary.co


amazon music

7

14

12:58

Red is just a random color that we see something in the frontend



Kevin Geary
Agency owner &
WordPress entrepreneur

Home About Projects Videos Blog Tools **Inner Circle**

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress enthusiast who values community, transparency and sharing. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list **Hire me**

The box is in the right place but should be behind the image

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root::before {
2   content: "";
3   width: 40rem;
4   height: 40rem;
5   background-color: red;
6   display: flex;
7   position: absolute;
8   z-index: -1;
9 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

Negative number sends it back

14:10

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks_preview=1676388738

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Kevin Geary

Customize

1

1

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Rank Math SEO

Automatic CSS

Perfmatters

Howdy, Kevin Geary



Kevin Geary

Agency owner & WordPress entrepreneur

Home

About

Projects

Videos

Blog

Tools

Inner Circle

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of Automatic.css

✔ Creator of Frames

✔ CEO of Digital Gravy

✔ Educator & Content Creator

✔ 1000+ Member Inner Circle

Join my list

Hire me


But now it's not visible anymore





amazon music

14:15



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks_preview=1676388738

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Kevin Geary

Customize

1

1

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Rank Math SEO

Automatic CSS

Perfmatters

Howdy, Kevin Geary



Kevin Geary

Agency owner & WordPress entrepreneur

Home

About

Projects

Videos

Blog

Tools

Inner Circle

Always. Be. Creating.

Works

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of [Automatic.css](#)

✔ Creator of [Frames](#)

✔ CEO of [Digital Gravy](#)


✔ Educator & [Content Creator](#)

✔ 1000+ Member [Inner Circle](#)

Join my list


Hire me





15:35





Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

[Join my list](#) [Hire me](#)


Geary.co

Menu

[Home](#) [Frames](#)

Structure

- Content
 - Heading
 - Basic Text
- Checklist Alpha
 - List Item
 - Icon
 - Text
 - List Item
 - Icon
 - Text
 - List Item
 - Icon



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks_preview=1676388738

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Kevin Geary

Customize

1

1

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Rank Math SEO

Automatic CSS

Perfmatters

Howdy, Kevin Geary



Kevin Geary

Agency owner & WordPress entrepreneur

Home

About

Projects

Videos

Blog

Tools

Inner Circle

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of [Automatic.css](#)

✔ Creator of [Frames](#)

✔ CEO of [Digital Gravy](#)









✔ Educator & [Content Creator](#)

✔ 1000+ Member [Inner Circle](#)

Join my list

Hire me







17:46









Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

Wordpress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks_preview=1676388738

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Kevin Geary

Customize

1

1

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Rank Math SEO

Automatic CSS

Perfmatters

Howdy, Kevin Geary



Kevin Geary

Agency owner & Wordpress entrepreneur

Home

About

Projects

Videos

Blog

Tools

Inner Circle

Always. Be. Creating.

Still a little too bright

I'm a husband/father, agency owner, Wordpress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of [Automatic.css](#)

✔ Creator of [Frames](#)

✔ CEO of [Digital Gravy](#)













✔ Educator & [Content Creator](#)

✔ 1000+ Member [Inner Circle](#)

Join my list

Hire me





20:22





Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

GRADIENT / OVERLAY

TRANSFORM

CSS

CSS Filters

Learn more about CSS filters

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root {
2   isolation: isolate;
3 }
4
5 root::before {
6   content: "";
7   width: 40rem;
8   height: 40rem;
9   background-color: var(--action);
10  display: flex;
11  position: absolute;
12  z-index: -1;
13  transform: rotate(-5deg);
14  filter: blur(50px);
15  opacity: .12;
16 }
```

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

20:31

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Kevin Geary

Customize

1

1

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Rank Math SEO

Automatic CSS

Perfmatters

Howdy, Kevin Geary



Kevin Geary

Agency owner & WordPress entrepreneur

Home

About

Projects

Videos

Blog

Tools

Inner Circle

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of [Automatic.css](#)

✔ Creator of [Frames](#)

✔ CEO of [Digital Gravy](#)










✔ Educator & [Content Creator](#)

✔ 1000+ Member [Inner Circle](#)


Join my list

Hire me





20:38



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

```
1 root {
2   isolation: isolate;
3 }
4
5 root::before {
6   content: "";
7   width: 40rem;
8   height: 40rem;
9   background-color: var(--action);
10  display: flex;
11  position: absolute;
12  top: 0;
13  left: 0;
14  z-index: -1;
15  transform: rotate(-5deg);
16  filter: blur(50px);
17  opacity: .12;
18 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of [Automatic.css](#)

✔ Creator of [Frames](#)

✔ CEO of [Digital Gravy](#)

✔ Educator & [Content Creator](#)

✔ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item


Icon

Text

List Item

Icon

22:04



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

```
1 root {
2   position: relative;
3   isolation: isolate;
4 }
5
6 root::before {
7   content: "";
8   width: 40rem;
9   height: 40rem;
10  background-color: var(--action);
11  display: flex;
12  position: absolute;
13  bottom: 0;
14  right: 0;
15  z-index: -1;
16  transform: rotate(-5deg);
17  filter: blur(50px);
18  opacity: .12;
19 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

father, agency owner, WordPress entrepreneur, and educator
community, transparency and sharing as much as possible. If
you're interested in what I do and teach, I'd be honored if you'd join my list,
subscribe to my channels, or toss up a like on a video.

✓ Creator of [Automatic.css](#)

✓ Creator of [Frames](#)

✓ CEO of [Digital Gravy](#)

✓ Educator & [Content Creator](#)

✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon


Text


List Item

Icon

Also good practice to give the parent element the position of relative

22:53





Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Now we have the glow around the image

Menu

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

```
11 display: flex;
12 position: absolute;
13 top: 0;
14 left: 0;
15 z-index: -1;
16 transform: rotate(-5deg);
17 filter: blur(50px);
18 opacity: .12;
19 }
20
21 root::after {
22 content: "";
23 width: 40rem;
24 height: 40rem;
25 background-color: var(--secondary);
26 display: flex;
27 position: absolute;
28 bottom: 0;
29 right: 0;
30 z-index: -1;
31 transform: rotate(5deg);
32 filter: blur(50px);
33 opacity: .12;
34 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

- Icon
- Text

List Item

- Icon
- Text

List Item

- Icon

24:15

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

```
1 root {
2   --before-blur: 50px;
3 }
4 position: relative;
5 isolation: isolate;
6 }
7
8 root::before {
9   content: "";
10  width: 40rem;
11  height: 40rem;
12  background-color: var(--action);
13  display: flex;
14  position: absolute;
15  top: 0;
16  left: 0;
17  z-index: -1;
18  transform: rotate(-5deg);
19  filter: blur(var(--before-blur));
20  opacity: .12;
21 }
22
23 root::after {
24 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✓ Creator of [Automatic.css](#)

✓ Creator of [Frames](#)

✓ CEO of [Digital Gravy](#)

✓ Educator & [Content Creator](#)

✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

29:29

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

```
1 root {
2   --before-blur: 50px;
3   --after-blur: 50px;
4   position: relative;
5   isolation: isolate;
6 }
7
8 root::before {
9   content: "";
10  width: 40rem;
11  height: 40rem;
12  background-color: var(--action);
13  display: flex;
14  position: absolute;
15  top: 0;
16  left: 0;
17  z-index: -1;
18  transform: rotate(-5deg);
19  filter: blur(var(--before-blur));
20  opacity: .12;
21 }
22
23
24
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of [Automatic.css](#)

Creator of [Frames](#)

CEO of [Digital Gravy](#)

Educator & [Content Creator](#)

1000+ Member [Inner Circle](#)

OKAY

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

29:49

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

b

?

?

?

?

+

1020

H

-

%

100

Select or create pseudo-class ...

.blur

CONTENT

STYLE

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

root {

/* Before Element */

--before-blur: 1px;

--before-display: flex;

/* After Element */

--after-blur: 10px;

--after-display: flex;

}

position: relative;

isolation: isolate;

}

root::before {

content: "";

width: 40rem;

height: 40rem;

background-color: var(--action);

display: flex;

position: absolute;

top: 0;

left: 0;

z-index: -1;

transform: rotate(-5deg);

}

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✓ Creator of [Automatic.css](#)

✓ Creator of [Frames](#)

✓ CEO of [Digital Gravy](#)

✓ Educator & [Content Creator](#)

✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

Menu

Home

Frames

32:10



WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenAvventureJS

1020H100

1020H100

Select or create pseudo-class ...

.blur

CONTENTSTYLE

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

17

18root::before {

19content: "";

20width: var(--before-width);

21height: var(--before-height);

22background-color: var(--action);

23display: var(--before-display);

24position: absolute;

25top: 0;

26left: 0;

27z-index: -1;

28transform: rotate(-5deg);

29filter: blur(var(--before-blur));

30opacity: .12;

31}

32

33root::after {

34content: "";

35width: var(--after-width);

36height: var(--after-height);

37background-color: var(--secondary);

38display: var(--after-display);

39position: absolute;

40bottom: 0;

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Creator of Frames

CEO of Digital Gravy

Educator & Content Creator

1000+ Member Inner Circle

Join my list

Hire me

Menu

HomeFrames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

33:52

33:52

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenAvventureJS

1020H100

1020H100

Select or create pseudo-class ...

.blur

CONTENTSTYLE

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

23background-color: var(--action);

24display: var(--before-display);

25position: absolute;

26inset: 0 auto auto 0;|

27

28transform: rotate(-5deg);

29filter: blur(var(--before-blur));

30opacity: .12;

31}

32

33root::after {

34content: "";

35width: var(--after-width);

36height: var(--after-height);

37background-color: var(--secondary);

38display: var(--after-display);

39position: absolute;

40bottom: 0;

41right: 0;

42z-index: -1;

43transform: rotate(5deg);

44filter: blur(var(--after-blur));

45opacity: .12;

46}

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Creator of Frames

CEO of Digital Gravy

Educator & Content Creator

1000+ Member Inner Circle

Join my list

Hire me

Geary.co

Menu

HomeFrames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

35:29

35:29

This is the shorthand for positioning

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
2 /* Before Element */
3 --before-blur: 1px;
4 --before-display: flex;
5 --before-width: 40rem;
6 --before-height: 40rem;
7 --before-inset: 0 auto auto 0;
8
9 /* After Element */
10 --after-blur: 10px;
11 --after-display: flex;
12 --after-width: 40rem;
13 --after-height: 40rem;
14 --after-inset: auto 0 0 auto;
15
16
17 position: relative;
18 isolation: isolate;
19 }
20
21 root::before {
22   content: "";
23   width: var(--before-width);
24   height: var(--before-height);
25   background-color: var(--action);
26   display: var(--before-display);
27 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Creator of Frames

CEO of Digital Gravy

Educator & Content Creator

1000+ Member Inner Circle

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

35:50

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

FacebookHey!BusinessPersonalHostingResourcesBasecampAutomatic.cssFramesHubspotHelpScoutGeni.usInnerCircleACSSUserMavenAvventureJS

Select or create pseudo-class ...

.blur

CONTENTSTYLE

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

24height: var(--before-height);

25background-color: var(--action);

26display: var(--before-display);

27position: absolute;

28inset: var(--before-inset);

29z-index: -1;

30transform: rotate(-5deg);

31filter: blur(var(--before-blur));

32opacity: .12;

33}

34

35root::after {

36content: "";

37width: var(--after-width);

38height: var(--after-height);

39background-color: var(--secondary);

40display: var(--after-display);

41position: absolute;

42inset: var(--after-inset);

43z-index: -1;

44transform: rotate(5deg);

45filter: blur(var(--after-blur));

46opacity: .12;

47}

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Creator of Frames

CEO of Digital Gravy

Educator & Content Creator

1000+ Member Inner Circle

Join my list

Hire me

Menu

HomeFrames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

36:09

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Menu

Home

Frames

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root {
2   /* Before Element */
3   --before-blur: 1px;
4   --before-display: flex;
5   --before-width: 40rem;
6   --before-height: 40rem;
7   --before-inset: 0 auto auto 0;
8   --before-width: var(--action);
9
10  /* After Element */
11  --after-blur: 10px;
12  --after-display: flex;
13  --after-width: 40rem;
14  --after-height: 40rem;
15  --after-inset: auto 0 0 auto;
16
17  position: relative;
18  isolation: isolate;
19 }
20
21
22 root::before {
23   content: "";
24   width: var(--before-width);
25 }
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of [Automatic.css](#)

Creator of [Frames](#)

1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

We're using a variable inside a variable to give it additional context where it is used

amazon music

7

14

7

LIVE

7

Lr

Ps

zoom

37:42

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary x

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
13 --after-width: 40rem;
14 --after-height: 40rem;
15 --after-inset: auto 0 0 auto;
16
17
18 position: relative;
19 isolation: isolate;
20 }
21
22 root::before {
23   content: "";
24   width: var(--before-width);
25   height: var(--before-height);
26   background-color: var(--before-bg);
27   display: var(--before-display);
28   position: absolute;
29   inset: var(--before-inset);
30   z-index: -1;
31   transform: rotate(-5deg);
32   filter: blur(var(--before-blur));
33   opacity: .12;
34 }
35
36 root::after {
37   content: "";
```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon


Text

List Item

Icon

37:56





Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

[Join my list](#) [Hire me](#)

Geary.co

Menu

[Home](#) [Frames](#)

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

.blur

CONTENT

STYLE

Custom CSS

```
1 root {
2   /* Before Element */
3   --before-blur: 1px;
4   --before-display: flex;
5   --before-width: 40rem;
6   --before-height: 40rem;
7   --before-inset: 0 auto auto 0;
8   --before-bg: var(--action);
9   --before-opacity: .12;
10
11  /* After Element */
12  --after-blur: 10px;
13  --after-display: flex;
14  --after-width: 40rem;
15  --after-height: 40rem;
16  --after-inset: auto 0 0 auto;
17  --after-bg: var(--secondary);
18  --after-opacity: .12;
19
20
21  position: relative;
22  isolation: isolate;
23 }
24
```

Use "root" to target the element wrapper: root { background: blue; }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of [Automatic.css](#)

Creator of [Frames](#)

CEO of [Digital Gravy](#)

Educator & [Content Creator](#)

1000+ Member [Inner Circle](#)

Join my list

Hire me

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

Geary.co

39:05

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

28 height: var(--before-height);

29 background-color: var(--before-bg);

30 display: var(--before-display);

31 position: absolute;

32 inset: var(--before-inset);

33 z-index: -1;

34 transform: rotate(-5deg);

35 filter: blur(var(--before-blur));

36 opacity: var(--before-opacity);

37 }

38

39 root::after {

40 content: "";

41 width: var(--after-width);

42 height: var(--after-height);

43 background-color: var(--after-bg);

44 display: var(--after-display);

45 position: absolute;

46 inset: var(--after-inset);

47 z-index: -1;

48 transform: rotate(5deg);

49 filter: blur(var(--after-blur));

50 opacity: var(--after-opacity);

51 }

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

✔ Creator of [Automatic.css](#)

✔ Creator of [Frames](#)

✔ CEO of [Digital Gravy](#)

✔ Educator & [Content Creator](#)

✔ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

39:22

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✔ Creator of [Automatic.css](#)
- ✔ Creator of [Frames](#)
- ✔ CEO of [Digital Gravy](#)
- ✔ Educator & [Content Creator](#)
- ✔ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

```
9  --before-opacity: .12;
10 --before-rotate: -5deg;
11
12 /* After Element */
13 --after-blur: 10px;
14 --after-display: flex;
15 --after-width: 40rem;
16 --after-height: 40rem;
17 --after-inset: auto 0 0 auto;
18 --after-bg: var(--secondary);
19 --after-opacity: .12;
20 --after-rotate: 5deg;
21
22
23 position: relative;
24 isolation: isolate;
25 }
26
27 root::before {
28   content: "";
29   width: var(--before-width);
30   height: var(--before-height);
31   background-color: var(--before-bg);
32   display: var(--before-display);

```

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

- Icon
- Text

List Item

- Icon
- Text

List Item

- Icon

39:52

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

- ✓ Creator of [Automatic.css](#)
- ✓ Creator of [Frames](#)
- ✓ CEO of [Digital Gravy](#)
- ✓ Educator & [Content Creator](#)
- ✓ 1000+ Member [Inner Circle](#)

Join my list

Hire me

Geary.co

Menu

Home

Frames

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

30 height: var(--before-height);

31 background-color: var(--before-bg);

32 display: var(--before-display);

33 position: absolute;

34 inset: var(--before-inset);

35 z-index: -1;

36 transform: var(--before-rotate);

37 filter: blur(var(--before-blur));

38 opacity: var(--before-opacity);

39 }

40

41 root::after {

42 content: "";

43 width: var(--after-width);

44 height: var(--after-height);

45 background-color: var(--after-bg);

46 display: var(--after-display);

47 position: absolute;

48 inset: var(--after-inset);

49 z-index: -1;

50 transform: var(--after-rotate);

51 filter: blur(var(--after-blur));

52 opacity: var(--after-opacity);

53 }

Use "root" to target the element wrapper: root { background: blue }

CSS classes

Separated by space. Without class dot.

CSS ID

No spaces. No pound (#) sign.

ATTRIBUTES

Always. Be. Creating.

I'm a husband/father, agency owner, WordPress entrepreneur, and educator who values community, transparency and sharing as much as possible. If you're interested in what I do and teach, I'd be honored if you'd join my list, subscribe to my channels, or toss up a like on a video.

Creator of Automatic.css

Creator of Frames

CEO of Digital Gravy

Educator & Content Creator

1000+ Member Inner Circle

REMARKABLE

Join my list

Hire me

Geary.co

Menu

Home

Frames

Structure

Content

Heading

Basic Text

Checklist Alpha

List Item

Icon

Text

List Item


Icon

Text

List Item

Icon

40:12



Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu

Hero - Kevin Geary

Hero - Kevin Geary

geary.co/?page_id=4956&bricks_preview=1676388738

Facebook

Hey!

Business

Personal

Hosting

Resources

Basecamp

Automatic.css

Frames

Hubspot

HelpScout

Geni.us

InnerCircle

ACSS

UserMaven

Avventure

JS

Kevin Geary

Customize

2

1

New

Edit Page

WS Form

Edit with Bricks

Render with Bricks

Rank Math SEO

Automatic CSS

Perfmatters

Howdy, Kevin Geary

1000+ Member Inner Circle


Join my list


Hire me


Geary.co


Me














Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

WordPress Entrepreneur & Edu x Hero - Kevin Geary x Hero - Kevin Geary

geary.co/?page_id=4956&bricks=run

Facebook Hey! Business Personal Hosting Resources Basecamp Automatic.css Frames Hubspot HelpScout Geni.us InnerCircle ACSS UserMaven Avventure JS

Select or create pseudo-class ...

.blur

CONTENT

STYLE

CSS transition

all 0.2s ease-in

Learn more about CSS transitions

Custom CSS

```
1 root {
2   /* Before Element */
3   --before-blur: 0px;
4   --before-display: flex;
5   --before-width: 40rem;
6   --before-height: 40rem;
7   --before-inset: 0 auto auto 0;
8   --before-bg: var(--action);
9   --before-opacity: .12;
10  --before-rotate: -5deg;
11
12  /* After Element */
13  --after-display: none;
14 }
```

CSS classes

Separated by space. Without class dot.

Geary.co

creator of

digital marketing educator.

YouTube

Facebook

Menu

Home

About me

Videos

Hire me

Inner Circle

Frames

Website Critique

Blog/Articles

Tools

Contact me

Structure

Icon

Text

List Item

Icon

Text

List Item

Icon

Text

List Item

Icon

Text

CTA Links Alpha

Primary Action

We can safely delete all the variable which don't matter for this element

amazon music

7

14

zoom

Lr

Ps

44:01

